

MORTALITY FROM SMOKING IN DEVELOPED COUNTRIES 1950–2020

(see also www.deathsfromsmoking.net)

**Richard Peto, Alan D Lopez, Hongchao Pan
Jillian Boreham and Michael Thun**

CYPRUS

Raw data (pages 126–27)

Analyses (pages 128–29)

(revised September 2015)

CYPRUS*: 2010

| | No. of deaths (Source: WHO) | | | Standardised rates (defined overleaf) | | | Annual death rates / 100,000 (zero denoted by -) | | | | | | |
|--|--------------------------------|------|-------|--|-------|-------|---|------|-------|-------|-------|-------|-------|
| | All ages | 0-34 | 35-69 | All ages | 0-34 | 35-69 | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 |
| ALL CAUSES | M 3137 | 171 | 978 | 575.6 | 52.4 | 522.1 | 57.6 | 12.4 | 8.3 | 31.8 | 99.5 | 83.9 | 73.3 |
| | F 2697 | 67 | 471 | 380.6 | 25.9 | 245.2 | 75.2 | 13.2 | - | 27.4 | 13.7 | 23.1 | 28.5 |
| Tuberculosis | M 1 | - | - | 0.2 | - | - | - | - | - | - | - | - | - |
| | F 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Other infective and parasitic | M 35 | - | 7 | 6.4 | - | 3.4 | - | - | - | - | - | - | - |
| | F 28 | - | 1 | 3.6 | - | 0.4 | - | - | - | - | - | - | - |
| ALL CANCER | M 756 | 9 | 308 | 142.3 | 2.7 | 174.5 | - | 3.1 | - | - | 6.0 | 5.5 | 4.2 |
| | F 552 | 12 | 227 | 88.8 | 4.0 | 117.9 | - | - | - | 7.5 | 2.3 | 8.4 | 9.5 |
| Mouth and pharynx cancer | M 8 | - | 5 | 1.6 | - | 3.3 | - | - | - | - | - | - | - |
| | F 4 | - | - | 0.5 | - | - | - | - | - | - | - | - | - |
| Oesophagus cancer | M 4 | - | 4 | 0.8 | - | 2.3 | - | - | - | - | - | - | - |
| | F 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Stomach cancer | M 34 | - | 16 | 6.6 | - | 9.2 | - | - | - | - | - | - | - |
| | F 19 | - | 5 | 2.9 | - | 2.5 | - | - | - | - | - | - | - |
| Colorectal cancer | M 60 | - | 24 | 11.2 | - | 14.4 | - | - | - | - | - | - | - |
| | F 52 | 2 | 19 | 8.0 | 0.6 | 9.4 | - | - | - | - | - | 2.1 | 2.4 |
| Liver cancer | M 15 | - | 5 | 2.9 | - | 2.4 | - | - | - | - | - | - | - |
| | F 7 | - | 4 | 1.2 | - | 2.4 | - | - | - | - | - | - | - |
| Pancreas cancer | M 39 | - | 23 | 7.4 | - | 12.7 | - | - | - | - | - | - | - |
| | F 29 | - | 8 | 4.4 | - | 4.3 | - | - | - | - | - | - | - |
| Larynx cancer | M 10 | - | 5 | 1.9 | - | 2.8 | - | - | - | - | - | - | - |
| | F 1 | - | - | 0.1 | - | - | - | - | - | - | - | - | - |
| Lung cancer | M 178 | - | 87 | 34.1 | - | 49.6 | - | - | - | - | - | - | - |
| | F 43 | 1 | 21 | 7.1 | 0.3 | 11.4 | - | - | - | - | - | - | 2.4 |
| Malignant melanoma | M 13 | - | 9 | 2.5 | - | 5.3 | - | - | - | - | - | - | - |
| | F 5 | 1 | 1 | 0.7 | 0.3 | 0.7 | - | - | - | - | - | 2.1 | - |
| Female breast cancer | F 118 | - | 55 | 19.3 | - | 27.3 | - | - | - | - | - | - | - |
| Cervix cancer | M 8 | 1 | 5 | 1.4 | 0.3 | 2.5 | - | - | - | - | - | - | 2.4 |
| Other uterine cancer | F 24 | - | 11 | 4.1 | - | 5.7 | - | - | - | - | - | - | - |
| Ovarian cancer | F 34 | - | 18 | 5.9 | - | 8.3 | - | - | - | - | - | - | - |
| Prostate cancer | M 93 | - | 16 | 17.1 | - | 9.7 | - | - | - | - | - | - | - |
| Bladder cancer | M 46 | - | 15 | 8.7 | - | 9.8 | - | - | - | - | - | - | - |
| | F 6 | - | 2 | 0.9 | - | 1.2 | - | - | - | - | - | - | - |
| Other and ill-defined cancer sites | M 190 | 7 | 69 | 35.4 | 2.1 | 37.0 | - | 3.1 | - | - | 2.0 | 5.5 | 4.2 |
| | F 143 | 2 | 58 | 22.6 | 0.7 | 31.6 | - | - | - | 2.5 | 2.3 | - | - |
| Hodgkin's disease | M ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | F ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Myeloma and all lymphomas | M 32 | - | 16 | 6.0 | - | 8.6 | - | - | - | - | - | - | - |
| | F 34 | 2 | 12 | 5.7 | 0.7 | 6.4 | - | - | - | 2.5 | - | 2.1 | - |
| Leukaemia | M 35 | 1 | 15 | 6.5 | 0.3 | 7.9 | - | - | - | - | 2.0 | - | - |
| | F 20 | - | 8 | 3.2 | - | 4.2 | - | - | - | - | - | - | - |
| Diabetes | M 166 | - | 29 | 30.6 | - | 17.1 | - | - | - | - | - | - | - |
| | F 184 | - | 15 | 24.8 | - | 8.7 | - | - | - | - | - | - | - |
| ALL VASCULAR DISEASE | M 1114 | 13 | 357 | 205.3 | 3.9 | 188.5 | - | 3.1 | - | 2.3 | 6.0 | 5.5 | 10.5 |
| | F 1056 | 3 | 99 | 139.5 | 1.1 | 52.8 | 3.3 | - | - | - | - | 2.1 | 2.4 |
| Rheumatic heart disease and fever | M 5 | - | 3 | 0.9 | - | 1.5 | - | - | - | - | - | - | - |
| | F 17 | - | 7 | 2.6 | - | 3.8 | - | - | - | - | - | - | - |
| Hypertensive disease | M 95 | - | 16 | 17.3 | - | 9.6 | - | - | - | - | - | - | - |
| | F 137 | - | 2 | 17.1 | - | 1.0 | - | - | - | - | - | - | - |
| Ischaemic heart disease | M 488 | 6 | 222 | 91.5 | 1.7 | 115.1 | - | - | - | - | 2.0 | 3.6 | 6.3 |
| | F 235 | - | 43 | 33.0 | - | 22.5 | - | - | - | - | - | - | - |
| Pulmonary embolism and other venous | M 7 | - | 2 | 1.3 | - | 1.0 | - | - | - | - | - | - | - |
| | F 8 | - | 2 | 1.2 | - | 1.1 | - | - | - | - | - | - | - |
| Cerebrovascular disease | M 197 | 2 | 45 | 35.9 | 0.6 | 24.6 | - | - | - | - | - | - | 4.2 |
| | F 232 | 1 | 20 | 30.6 | 0.3 | 10.2 | - | - | - | - | - | 2.1 | - |
| Other vascular disease | M 322 | 5 | 68 | 58.3 | 1.6 | 36.2 | - | 3.1 | - | 2.3 | 2.0 | 3.6 | - |
| | F 423 | 2 | 24 | 54.4 | 0.8 | 13.9 | 3.3 | - | - | - | - | - | 2.4 |
| Chronic obstructive pulmonary disease | M 75 | - | 11 | 13.7 | - | 7.0 | - | - | - | - | - | - | - |
| | F 37 | - | 6 | 5.1 | - | 3.4 | - | - | - | - | - | - | - |
| Other respiratory disease | M 151 | 3 | 27 | 27.3 | 0.9 | 13.1 | 3.0 | - | - | - | - | 3.6 | - |
| | F 134 | 2 | 17 | 18.3 | 0.8 | 9.3 | 3.3 | - | - | - | - | - | 2.4 |
| Peptic ulcer | M 8 | - | 2 | 1.4 | - | 1.0 | - | - | - | - | - | - | - |
| | F 3 | - | - | 0.3 | - | - | - | - | - | - | - | - | - |
| Liver cirrhosis | M 41 | 4 | 22 | 7.6 | 1.1 | 11.5 | - | - | - | - | - | 3.6 | 4.2 |
| | F 22 | - | 7 | 3.5 | - | 3.3 | - | - | - | - | - | - | - |
| Renal disease | M 82 | 1 | 14 | 14.9 | 0.3 | 7.9 | - | - | - | 2.3 | - | - | - |
| | F 58 | - | 7 | 7.6 | - | 3.9 | - | - | - | - | - | - | - |
| Pregnancy, birth | M 1 | 1 | - | 0.1 | 0.3 | - | - | - | - | - | - | 2.1 | - |
| Congenital and perinatal causes | M 24 | 23 | 1 | 5.0 | 8.9 | 0.4 | 45.5 | - | - | 6.8 | 6.0 | - | 4.2 |
| | F 19 | 16 | 1 | 4.7 | 7.5 | 0.5 | 52.3 | - | - | - | - | - | - |
| Ill-defined causes | M 127 | 7 | 41 | 23.1 | 2.0 | 23.1 | - | - | - | - | 6.0 | 3.6 | 4.2 |
| | F 163 | 5 | 23 | 21.9 | 2.1 | 12.3 | - | 9.9 | - | 2.5 | - | - | 2.4 |
| Other medical causes | M 285 | 16 | 56 | 52.0 | 5.5 | 30.7 | 9.1 | 3.1 | 8.3 | 2.3 | 8.0 | 3.6 | 4.2 |
| | F 333 | 6 | 39 | 45.6 | 2.0 | 20.7 | - | - | - | 2.5 | 6.9 | 2.1 | 2.4 |
| ALL NON-MEDICAL CAUSES | M 270 | 97 | 100 | 45.1 | 27.4 | 42.4 | - | - | - | 15.9 | 69.7 | 60.2 | 46.1 |
| | F 104 | 20 | 27 | 16.1 | 7.4 | 11.9 | 13.1 | 3.3 | - | 12.5 | 6.9 | 6.3 | 9.5 |
| Road traffic accidents | M 87 | 46 | 28 | 13.8 | 13.1 | 11.1 | - | - | - | 11.3 | 37.8 | 25.5 | 16.8 |
| | F 17 | 8 | 5 | 3.1 | 3.3 | 2.3 | 9.8 | 3.3 | - | 7.5 | 2.3 | - | - |
| Fire | M 2 | - | 2 | 0.4 | - | 0.8 | - | - | - | - | - | - | - |
| | F 1 | - | - | 0.1 | - | - | - | - | - | - | - | - | - |
| Suicide | M 43 | 17 | 21 | 7.2 | 4.9 | 9.0 | - | - | - | - | 11.9 | 5.5 | 16.8 |
| | F 9 | 4 | 5 | 1.7 | 1.4 | 2.1 | - | - | - | 7.5 | 2.3 | - | - |
| POPULATION: (1000s; UN, 2015 revision) | M=male | | | 563.3 | 298.2 | 227.3 | 33.0 | 32.3 | 36.0 | 44.1 | 50.2 | 54.8 | 47.8 |
| | F=female | | | 540.4 | 268.3 | 224.1 | 30.6 | 30.2 | 34.0 | 40.1 | 43.7 | 47.6 | 42.1 |

*The rates of the Government controlled area applied to 2010 population of whole Cyprus

2010: CYPRUS

| Annual death rates / 100,000 (zero denoted by -) | | | | | | | | | | | 9th ICD/10th ICD categories | |
|---|-------|-------|-------|-------|-------|--------|--------|--------|--------|---|--|--|
| 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80+/NK | | | |
| 142.3 | 162.1 | 247.4 | 298.0 | 542.8 | 831.7 | 1430.6 | 2465.2 | 4238.6 | 9988.7 | M | ALL CAUSES | 001-999/A00-Y89 |
| 44.1 | 71.2 | 90.9 | 167.7 | 303.0 | 346.4 | 692.9 | 1269.7 | 2715.1 | 9271.2 | F | Tuberculosis | 010-018, 137/ A15-A19, B90 |
| - | - | - | - | - | - | - | - | 9.5 | - | M | Other infective and parasitic | Rest of 001-139, 279, 58/6/ rest of A00-B99 excl A33, A34 |
| 4.8 | - | - | 2.8 | 3.3 | 7.9 | 5.0 | 31.8 | 85.3 | 121.3 | M | | |
| - | 2.7 | - | - | - | 22.9 | 14.8 | 123.9 | - | - | F | | |
| 12.1 | 23.9 | 64.5 | 76.6 | 202.7 | 252.3 | 589.4 | 819.6 | 1128.4 | 1654.7 | M | ALL CANCER | 140-208/C00-C97 |
| 20.8 | 19.2 | 51.1 | 92.5 | 144.9 | 175.1 | 321.5 | 457.5 | 600.9 | 897.0 | F | Mouth and pharynx cancer | 140-149/C00-C14 |
| - | - | 2.7 | - | - | - | 20.1 | 6.3 | 9.5 | 8.7 | M | Oesophagus cancer | 150/C15 |
| - | - | - | - | - | - | - | - | 7.4 | 17.7 | F | | |
| - | - | - | - | 3.3 | 7.9 | 5.0 | - | - | - | M | | |
| - | - | - | - | - | - | - | - | - | - | F | | |
| - | - | - | 11.3 | 3.3 | 19.7 | 30.2 | 44.5 | 75.9 | 26.0 | M | Stomach cancer | 151/C16 |
| - | - | - | 2.9 | - | 14.9 | - | 22.9 | 14.8 | 47.2 | F | | |
| - | - | 13.4 | - | 3.3 | 23.6 | 60.5 | 57.2 | 56.9 | 181.9 | M | Colorectal cancer | 153, 154/C18-C21 |
| 2.6 | 2.7 | 11.4 | 2.9 | 13.2 | 14.9 | 18.1 | 28.6 | 29.7 | 129.8 | F | | |
| - | - | - | 2.8 | 9.8 | 3.9 | - | 19.1 | 47.4 | 17.3 | M | Liver cancer | 155.0, 155.1/C22 |
| - | - | - | - | 3.3 | - | 13.6 | - | 14.8 | 5.9 | F | | |
| - | 8.0 | 8.1 | 8.5 | 9.8 | 3.9 | 50.4 | 31.8 | 19.0 | 78.0 | M | Pancreas cancer | 157/C25 |
| - | - | - | 5.8 | 3.3 | 7.5 | 13.6 | 34.3 | 29.7 | 64.9 | F | | |
| - | - | - | - | 9.8 | - | 10.1 | 6.3 | 28.4 | 8.7 | M | Larynx cancer | 161/C32 |
| - | - | - | - | - | - | - | - | 7.4 | - | F | | |
| - | 2.7 | 13.4 | 22.7 | 81.7 | 55.2 | 171.3 | 260.5 | 208.6 | 242.6 | M | Lung cancer | 162/C33, C34 |
| 2.6 | - | 2.8 | 5.8 | 19.8 | 3.7 | 45.3 | 22.9 | 66.8 | 47.2 | F | | |
| 4.8 | - | - | - | 3.3 | 3.9 | 25.2 | 12.7 | - | 17.3 | M | Malignant melanoma | 172/C43 |
| - | - | - | - | - | 4.5 | - | 5.7 | - | 11.8 | F | | |
| 5.2 | 13.7 | 11.4 | 26.0 | 32.9 | 52.1 | 49.8 | 91.5 | 118.7 | 182.9 | F | Female breast cancer | 174/C50 |
| - | - | - | 2.9 | 9.9 | - | 4.5 | - | - | 11.8 | F | Cervix cancer | 180/C53 |
| - | - | - | 14.4 | 3.3 | 3.7 | 18.1 | 34.3 | 37.1 | 11.8 | F | Other uterine cancer | 179, 182/C54, C55 |
| - | 2.7 | 11.4 | 14.4 | 9.9 | 14.9 | 4.5 | 34.3 | 37.1 | 29.5 | F | Ovarian cancer | 183.0/C56 |
| - | - | - | 2.8 | 3.3 | 31.5 | 30.2 | 63.5 | 218.1 | 381.2 | M | Prostate cancer | 185/C61 |
| - | - | - | - | 3.3 | 19.7 | 45.3 | 44.5 | 94.8 | 121.3 | M | Bladder cancer | 188/C67 |
| - | - | - | - | - | 3.7 | 4.5 | 11.4 | - | 11.8 | F | | |
| - | 8.0 | 21.5 | 19.9 | 52.3 | 67.0 | 90.7 | 209.7 | 284.5 | 441.8 | M | Other and ill-defined cancer sites | Rest of 140-199/ rest of C00-C80, C97 |
| 10.4 | - | 14.2 | 5.8 | 32.9 | 44.7 | 113.2 | 103.0 | 163.2 | 253.8 | F | Hodgkin's disease | Not given separately |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | M | | |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | F | | |
| 4.8 | 2.7 | 2.7 | 2.8 | 13.1 | 3.9 | 30.2 | 31.8 | 28.4 | 69.3 | M | Myeloma and all lymphomas | 200-203 incl 201/ C81-C90, C96 |
| 4.8 | - | - | 8.5 | 9.8 | 11.8 | 20.1 | 31.8 | 56.9 | 69.3 | M | Leukaemia | 204-208/C91-C95 |
| - | - | - | - | 9.9 | 14.9 | 4.5 | 22.9 | 7.4 | 41.3 | F | | |
| - | 2.7 | 2.7 | 2.8 | 19.6 | 39.4 | 55.4 | 260.5 | 246.5 | 606.4 | M | Diabetes | 250/E10-E14 |
| - | 5.5 | - | - | - | 14.9 | 40.8 | 120.1 | 244.8 | 678.7 | F | | |
| 26.5 | 66.5 | 104.9 | 141.9 | 189.6 | 311.4 | 478.5 | 768.8 | 1431.8 | 4089.1 | M | ALL VASCULAR DISEASE | 390-459/100-I99 |
| - | 16.4 | 22.7 | 31.8 | 52.7 | 78.2 | 167.6 | 343.1 | 1068.2 | 4426.1 | F | Rheumatic heart disease and fever | 390-398/I00-I09 |
| - | - | 2.7 | 2.8 | - | - | 5.0 | - | 9.5 | 8.7 | M | Hypertensive disease | 401-405/I10-I15 |
| - | - | - | 2.9 | 9.9 | - | 13.6 | 5.7 | 14.8 | 41.3 | F | | |
| - | - | 2.7 | - | 9.8 | 19.7 | 35.3 | 82.6 | 123.3 | 459.1 | M | | |
| - | - | - | - | 3.3 | 3.7 | - | 28.6 | 133.5 | 661.0 | F | | |
| 14.5 | 42.5 | 86.0 | 88.0 | 124.2 | 173.4 | 277.1 | 368.5 | 692.2 | 1117.6 | M | Ischaemic heart disease | 410-414/I20-I25 |
| - | 2.7 | 17.1 | 17.3 | 26.4 | 26.1 | 67.9 | 108.7 | 267.1 | 808.5 | F | | |
| - | - | - | 2.8 | - | 3.9 | - | 19.1 | - | 17.3 | M | Pulmonary embolism and other venous | 415.1, 451-453/ I26, I80-I82 |
| - | - | - | 2.9 | - | - | 4.5 | 11.4 | 7.4 | 17.7 | F | | |
| - | 15.9 | 2.7 | 19.9 | 13.1 | 55.2 | 65.5 | 120.7 | 237.1 | 918.3 | M | Cerebrovascular disease | 430-438/I60-I69 |
| - | 5.5 | 5.7 | 5.8 | 13.2 | 18.6 | 22.6 | 68.6 | 259.6 | 967.8 | F | | |
| 12.1 | 8.0 | 8.1 | 25.5 | 45.8 | 63.1 | 90.7 | 177.9 | 369.8 | 1576.7 | M | Other vascular disease | Rest of 390-459/ rest of I00-I99 |
| - | 5.5 | - | - | 3.3 | 29.8 | 58.9 | 120.1 | 378.3 | 1918.0 | F | | |
| - | - | - | - | - | 23.6 | 25.2 | 44.5 | 151.7 | 355.2 | M | Chronic obstructive pulmonary disease | 490-496/ J40-J47, J67 |
| - | - | - | - | 9.9 | - | 13.6 | 22.9 | 29.7 | 135.7 | F | | |
| 7.2 | 8.0 | 13.4 | 8.5 | 9.8 | 19.7 | 25.2 | 108.0 | 199.1 | 719.0 | M | Other respiratory disease | Rest of 460-519/ rest of J00-J98 |
| 2.6 | 2.7 | - | 2.9 | 13.2 | 7.5 | 36.2 | 68.6 | 103.9 | 525.2 | F | | |
| - | - | - | 2.8 | - | 3.9 | - | - | - | 52.0 | M | Peptic ulcer | 531-533/K25-K27 |
| - | - | - | - | - | - | - | - | - | 17.7 | F | | |
| - | 2.7 | - | 8.5 | 29.4 | 19.7 | 20.1 | 44.5 | 9.5 | 60.6 | M | Liver cirrhosis | 571/K70, K74 |
| - | 2.7 | - | 2.9 | 13.2 | - | 4.5 | 22.9 | 44.5 | 29.5 | F | | |
| 4.8 | 2.7 | - | - | 9.8 | 7.9 | 30.2 | 50.8 | 161.2 | 363.9 | M | Renal disease | 580-590/N00-N19 |
| - | - | - | - | 9.9 | 3.7 | 13.6 | 5.7 | 44.5 | 259.7 | F | | |
| - | - | - | - | - | - | - | - | - | - | F | Pregnancy, birth and perinatal causes | 630-676/A34,000-O99 740-779/A33, P00-P96, Q00-Q99 |
| 4.8 | 2.7 | 10.8 | 11.3 | 16.4 | 35.5 | 80.6 | 31.8 | 161.2 | 493.8 | M | III-defined causes | 780-799/R00-R99 |
| - | 2.7 | 2.8 | 5.8 | 19.8 | 18.6 | 36.2 | 28.6 | 66.8 | 714.1 | F | | |
| 12.1 | 10.6 | 10.8 | 8.5 | 16.4 | 71.0 | 85.6 | 216.0 | 502.6 | 1091.6 | M | Other medical causes | Rest of 001-799/ rest of A00-R99 |
| 5.2 | 5.5 | 2.8 | 11.6 | 26.4 | 29.8 | 63.4 | 154.4 | 452.5 | 1180.3 | F | | |
| 74.8 | 42.5 | 37.6 | 28.4 | 42.5 | 35.5 | 35.3 | 95.3 | 142.2 | 372.5 | M | ALL NON-MEDICAL CAUSES | E800-E999/V01-Y89 |
| 13.0 | 5.5 | 11.4 | 17.3 | 13.2 | 18.6 | 4.5 | 28.6 | 51.9 | 265.6 | F | | |
| 28.9 | 2.7 | 21.5 | 11.3 | 3.3 | - | 10.1 | 12.7 | 19.0 | 78.0 | M | Road traffic accidents | E810-E819, E826-E829/ part of V01-V99, Y850 |
| 5.2 | 2.7 | - | - | - | 3.7 | 4.5 | - | 7.4 | 17.7 | F | | |
| - | 2.7 | - | 2.8 | - | - | - | - | - | - | M | Fire | E890-E899/X00-X09 |
| - | - | - | - | - | - | - | - | - | 5.9 | F | | |
| 12.1 | 15.9 | 8.1 | - | 13.1 | 3.9 | 10.1 | 6.3 | - | 34.6 | M | Suicide | E950-E959/X60-X84 |
| - | 2.7 | 5.7 | 2.9 | - | 3.7 | - | - | - | - | F | | |
| 41.5 | 37.6 | 37.2 | 35.2 | 30.6 | 25.4 | 19.9 | 15.7 | 10.5 | 11.5 | M | POPULATION (1000s; UN, 2015 revision) | |
| 38.5 | 36.5 | 35.2 | 34.6 | 30.4 | 26.8 | 22.1 | 17.5 | 13.5 | 16.9 | F | | |

CYPRUS: 2010**Relative importance of deaths in MIDDLE age (35–69) in the year 2010**

| Age range (years) | Deaths attributed to SMOKING /total deaths (thousands) | | Mean years lost PER DEATH FROM SMOKING |
|-------------------|--|-----------|--|
| | Male | Female | |
| 0–34 | – / 0.2 | – / 0.1 | – |
| 35–69 | 0.2 / 1.0 | 0.0 / 0.5 | 23 years |
| 70+ | 0.3 / 2.1 | 0.1 / 2.4 | 8 years |
| All ages | 0.5 / 3.2 | 0.1 / 2.9 | 14 years |

Deaths, by cause, attributed to SMOKING / total deaths in the year 2010

| Cause | Male (by age) | | | | Female (by age) | | | |
|-------------|---------------|------------------|-------------------|----------|-----------------|----------------|-----------------|---------|
| | 0–34 | 35–69 | 70+ | All | 0–34 | 35–69 | 70+ | All |
| Lung Cancer | –/1 | 82/98 | 86/103 | 168/202 | –/0 | 7/26 | 10/26 | 17/52 |
| All Cancer | –/13 | 101/314 (32%) | 115/453 (25%) | 216/780 | –/8 | 7/238 (3%) | 13/334 (4%) | 20/580 |
| Vascular | –/14 | 83/331 | 92/819 | 175/1164 | –/4 | 7/103 | 33/1041 | 40/1148 |
| Respiratory | –/2 | 17/38 | 56/194 | 73/234 | –/1 | 0/22 | 16/178 | 16/201 |
| All Other | –/156 | 23/274 | 33/637 | 56/1067 | –/43 | 3/127 | 12/819 | 15/989 |
| All Causes | –/184 | 224/957 (23%) | 296/2106 (14%) | 520/3247 | –/60 | 17/491 (3%) | 74/2372 (3%) | 91/2923 |

**Cancer deaths, and all deaths,
attributed to SMOKING / total deaths (thousands) in the year 2010**

| Cause | Male | Female | Male + Female |
|------------|--------------------|-------------------|--------------------|
| All Cancer | 0.2 / 0.8 (28%) | 0.0 / 0.6 (3%) | 0.2 / 1.4 (17%) |
| All Causes | 0.5 / 3.2 (16%) | 0.1 / 2.9 (3%) | 0.6 / 6.2 (10%) |


| |
|--------------------------|
| 2000-2015: CYPRUS |
|--------------------------|

Population risk of dying at ages 0–34



Population risk of a 35-year-old dying at ages 35–69 from smoking (shaded) or from any cause (shaded and white)



MALE



*eg, at year 2010 male death rates, out of 100 men aged 35, 17 would die before age 70 (with 4 of these deaths attributed to smoking)

Note: Most of those killed by smoking would otherwise have survived beyond age 70, but a minority (shaded area to right of dotted line) would have died by 70 anyway

FEMALE



Real risk too low to estimate reliably