

MORTALITY FROM SMOKING IN DEVELOPED COUNTRIES 1950–2020

(see also www.deathsfromsmoking.net)

**Richard Peto, Alan D Lopez, Hongchao Pan
Jillian Boreham and Michael Thun**

AUSTRIA

Raw data (pages 52–53)

Analyses (pages 54–55, 56–57, 58–59)

Appendix (pages 60–61)

(revised September 2015)

AUSTRIA: 2010

	No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
	All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M 36692	1025	11863	676.7	59.1	692.2	103.9	6.2	9.8	53.2	91.3	69.3	80.4
	F 40507	462	6147	428.1	29.1	336.9	83.6	10.1	8.4	17.9	25.8	26.1	31.5
Tuberculosis	M 21	-	8	0.4	-	0.4	-	-	-	-	-	-	-
	F 17	2	5	0.3	0.1	0.3	0.5	-	-	-	-	0.4	-
Other infective and parasitic	M 279	17	145	5.6	1.0	7.8	3.0	-	0.4	0.8	0.4	0.4	2.3
	F 331	10	46	3.8	0.6	2.4	1.6	-	-	-	0.7	0.7	1.9
ALL CANCER	M 10462	69	4269	196.0	3.8	255.3	-	1.4	2.2	2.7	4.9	6.1	9.1
	F 9295	61	3142	125.3	3.5	172.6	2.1	4.0	0.5	2.0	3.1	5.4	7.6
Mouth and pharynx cancer	M 355	2	255	7.3	0.1	15.0	-	-	-	-	0.4	0.4	-
Oesophagus cancer	M 126	1	73	2.0	0.1	4.0	-	-	-	-	-	0.4	-
	F 258	1	153	5.1	0.1	9.1	-	-	-	-	-	-	0.4
	F 72	-	18	0.9	-	1.0	-	-	-	-	-	-	-
Stomach cancer	M 479	1	158	8.8	0.1	9.3	-	-	-	-	-	-	0.4
	F 378	1	92	4.6	0.1	4.9	-	-	-	-	-	0.4	-
Colorectal cancer	M 1117	6	398	20.6	0.3	24.3	-	-	0.4	-	0.8	-	1.1
	F 1029	3	254	12.3	0.2	14.2	-	-	-	-	-	-	1.1
Liver cancer	M 420	1	198	8.1	0.1	12.0	-	-	-	-	0.4	-	-
	F 147	1	48	2.0	0.1	2.7	0.5	-	-	-	-	-	-
Pancreas cancer	M 707	-	333	13.4	-	19.9	-	-	-	-	-	-	-
	F 781	-	238	10.1	-	13.2	-	-	-	-	-	-	-
Larynx cancer	M 95	-	67	1.9	-	3.9	-	-	-	-	-	-	-
	F 22	-	10	0.3	-	0.6	-	-	-	-	-	-	-
Lung cancer	M 2386	3	1250	46.4	0.2	75.1	-	-	-	-	-	0.4	0.8
	F 1266	-	627	19.7	-	35.1	-	-	-	-	-	-	-
Malignant melanoma	M 200	2	93	3.8	0.1	5.2	-	-	-	-	-	0.4	0.4
	F 176	4	68	2.5	0.2	3.5	-	-	-	-	-	0.4	0.8
Female breast cancer	F 1502	5	609	21.2	0.3	32.8	-	-	-	-	-	0.4	1.5
Cervix cancer	M 161	7	80	2.6	0.4	4.2	-	-	-	-	-	1.1	1.5
Other uterine cancer	F 248	1	78	3.3	0.1	4.4	-	-	-	-	-	-	0.4
Ovarian cancer	F 464	1	180	6.5	0.1	9.9	-	-	-	-	-	0.4	-
Prostate cancer	M 1125	-	173	19.2	-	10.9	-	-	-	-	-	-	-
Bladder cancer	M 346	-	88	6.0	-	5.5	-	-	-	-	-	-	-
	F 144	-	31	1.6	-	1.7	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M 2119	32	847	39.7	1.7	49.8	-	0.5	0.4	1.2	2.7	3.6	3.8
	F 1956	26	568	25.8	1.6	31.2	1.6	3.5	0.5	1.2	1.6	1.8	1.1
Hodgkin's disease	M 10	-	5	0.2	-	0.3	-	-	-	-	-	-	-
	F 18	1	6	0.2	0.1	0.3	-	-	-	-	-	0.4	-
Myeloma and non-Hodgkin lymphomas	M 438	5	144	8.0	0.3	8.7	-	0.5	0.4	-	-	0.4	0.8
	F 469	3	100	5.7	0.2	5.5	-	-	-	-	-	0.4	0.4
Leukaemia	M 407	16	107	7.5	0.9	6.3	-	0.5	0.9	1.6	0.8	1.1	1.5
	F 336	7	62	3.9	0.4	3.4	-	0.5	-	0.8	0.8	-	0.8
Diabetes	M 1312	3	338	23.4	0.2	20.5	-	-	-	-	0.8	0.4	-
	F 1699	2	118	15.8	0.1	6.7	-	-	-	-	0.4	0.4	-
ALL VASCULAR DISEASE	M 13719	56	2868	238.2	3.1	170.3	2.0	0.5	-	1.9	3.0	4.3	9.9
	F 19477	31	1087	170.1	1.7	60.5	1.1	0.5	-	0.8	2.7	3.3	3.8
Rheumatic heart disease and fever	M 57	-	13	1.0	-	0.8	-	-	-	-	-	-	-
	F 118	1	5	1.0	0.1	0.3	-	-	-	-	-	-	0.4
Hypertensive disease	M 1092	-	145	18.4	-	8.9	-	-	-	-	-	-	-
	F 2544	-	77	20.6	-	4.4	-	-	-	-	-	-	-
Ischaemic heart disease	M 7185	14	1741	126.5	0.8	103.4	0.5	-	-	-	-	0.7	4.2
	F 7756	4	467	68.6	0.2	26.3	-	-	-	-	-	0.7	0.8
Pulmonary embolism and other venous	M 205	8	63	3.8	0.4	3.6	-	-	-	-	0.8	1.4	0.8
	F 336	5	44	3.5	0.3	2.4	-	-	-	-	0.4	-	1.5
Cerebrovascular disease	M 1869	10	336	32.2	0.5	19.9	-	-	-	0.8	0.4	0.7	1.9
	F 3274	6	276	30.5	0.3	14.9	-	-	-	-	1.2	1.1	-
Other vascular disease	M 3311	24	570	56.5	1.4	33.8	1.5	0.5	-	1.2	1.9	1.4	3.0
	F 5449	15	218	45.9	0.9	12.1	1.1	0.5	-	0.8	1.2	1.4	1.1
Chronic obstructive pulmonary disease	M 1473	1	354	25.9	0.1	22.0	-	-	-	-	-	-	0.4
	F 1213	2	207	12.7	0.1	11.8	-	-	-	0.4	-	0.4	-
Other respiratory disease	M 698	6	102	11.9	0.3	6.0	0.5	-	0.4	0.4	-	0.4	0.8
	F 832	4	37	7.2	0.3	2.1	1.1	-	0.5	-	-	0.4	-
Peptic ulcer	M 79	-	25	1.4	-	1.5	-	-	-	-	-	-	-
	F 93	-	11	0.9	-	0.7	-	-	-	-	-	-	-
Liver cirrhosis	M 1082	8	799	22.4	0.4	44.7	-	-	-	-	-	0.4	2.6
	F 389	6	228	6.7	0.3	12.2	-	-	-	-	-	0.7	1.5
Renal disease	M 409	2	53	6.8	0.1	3.3	-	-	-	-	0.4	0.4	-
	F 617	1	27	5.2	0.1	1.4	-	-	-	-	-	-	0.4
Pregnancy, birth	F 1	1	-	0.0	0.1	-	-	-	-	-	-	-	0.4
Congenital and perinatal causes	M 244	183	52	8.3	12.7	2.8	80.4	0.5	1.3	1.2	3.8	0.4	1.5
	F 192	132	48	6.5	9.6	2.5	60.0	1.0	1.9	0.4	1.6	1.1	1.5
Ill-defined causes	M 951	45	447	18.5	2.6	26.5	5.5	-	1.2	3.4	3.6	4.5	-
	F 978	22	131	10.3	1.5	7.4	6.8	0.5	0.5	-	1.4	1.1	-
Other medical causes	M 3248	173	1148	61.5	9.7	65.1	8.0	1.9	2.2	6.2	16.7	16.5	15.9
	F 3888	71	676	43.0	4.3	36.9	4.7	3.5	1.9	4.9	7.8	4.3	2.6
ALL NON-MEDICAL CAUSES	M 2715	462	1255	56.1	25.2	65.8	4.5	1.9	3.1	38.9	57.8	36.6	33.4
	F 1485	117	384	20.1	6.8	19.4	5.8	0.5	3.3	9.4	10.2	7.6	10.6
Road traffic accidents	M 381	145	159	8.6	7.9	7.8	0.5	1.0	-	19.0	19.4	8.6	6.8
	F 134	39	51	2.6	2.2	2.5	1.1	-	0.9	3.7	5.1	2.9	1.9
Fire	M 21	3	11	0.5	0.2	0.6	0.5	0.5	-	-	0.4	-	-
	F 18	2	5	0.3	0.1	0.3	0.5	0.5	-	-	-	-	-
Suicide	M 968	177	553	20.7	9.6	28.5	-	-	0.9	11.3	23.6	13.6	17.4
	F 293	40	167	5.5	2.2	8.3	-	-	0.5	3.2	2.3	3.6	5.7
POPULATION: (1000s; UN, 2015 revision)	M=male	4089.2	1696.4	1990.2	200.3	208.4	225.1	257.4	262.9	278.6	263.7		
	F=female	4302.8	1643.4	2033.6	190.1	198.1	214.0	245.8	255.9	275.6	263.8		

2010: AUSTRIA

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80+/NK			
107.7	152.6	280.1	488.2	783.1	1266.7	1767.4	2645.8	4461.7	11250.9	M	ALL CAUSES	001–999/A00–Y89
55.8	79.9	152.8	232.0	375.6	624.3	838.1	1380.3	2656.5	9738.0	F	Tuberculosis	010–018, 137/ A15–A19, B90
–	0.3	0.3	0.7	0.4	1.4	–	3.1	3.6	3.1	M	Other infective and parasitic	Rest of 001–139, 279, 58/6/ rest of A00–B99 excl A33, A34
3.4	4.2	5.3	8.9	8.8	10.4	13.8	11.8	26.8	52.6	F	Mouth and pharynx cancer	140–149/C00–C14
0.7	0.8	2.0	2.3	2.8	3.8	4.5	17.0	28.2	71.3	M	Oesophagus cancer	150/C15
14.2	32.0	78.3	154.4	302.2	499.4	706.8	945.7	1399.6	2345.4	M	ALL CANCER	140–208/C00–C97
25.2	41.2	72.1	121.1	206.6	330.9	411.1	559.7	812.0	1350.2	F	Mouth and pharynx cancer	140–149/C00–C14
0.7	1.1	3.9	16.5	18.9	37.4	26.2	24.1	22.4	26.3	M	Oesophagus cancer	150/C15
0.7	0.8	2.3	3.6	4.8	7.2	8.2	3.6	11.2	10.0	F	Liver cancer	155.0/C22 excl C221
0.3	1.4	3.9	4.9	11.3	19.8	21.6	21.7	30.4	27.1	M	Pancreas cancer	157/C25
–	–	–	0.3	2.4	1.7	2.9	5.1	7.2	11.8	F	Larynx cancer	161/C32
1.4	0.6	4.8	5.3	15.6	14.4	23.0	35.3	71.5	141.6	M	Cervix cancer	174/C50
1.3	2.8	2.6	3.3	6.9	7.6	9.8	15.4	42.7	68.1	F	Other uterine cancer	180/C53
0.7	3.4	3.4	11.8	29.0	44.1	77.8	106.5	169.0	272.4	M	Ovarian cancer	179, 182/C54, C55
0.7	2.8	5.2	7.2	12.9	25.7	44.7	58.1	91.9	186.0	F	Prostate cancer	183/C56, C570–C574
–	0.3	3.6	7.2	13.0	26.6	33.1	53.2	48.3	62.7	M	Bladder cancer	188/C67
–	0.8	0.6	1.3	3.2	4.2	8.6	7.7	17.7	20.1	F	Leukaemia	204–208/C91–C95
0.7	2.2	8.4	10.5	23.1	37.8	56.1	66.2	102.8	117.6	M	Diabetes	250/E10–E14
0.7	2.6	4.6	8.5	11.7	22.7	41.8	54.0	72.9	117.2	F	Hodgkin's disease	201/C81
–	0.3	2.2	3.3	3.8	7.7	10.1	8.7	4.5	7.0	M	Myeloma and non– Hodgkin lymphomas	200, 202–203/ C82–C90, C96
2.7	7.0	17.6	50.4	94.2	154.9	199.2	237.7	291.5	327.3	M	Leukaemia	204–208/C91–C95
1.0	4.5	10.6	22.9	48.8	78.7	79.2	84.4	105.0	112.9	F	Diabetes	250/E10–E14
0.7	1.7	4.2	3.3	6.3	11.3	9.2	11.8	29.5	41.0	M	Ischaemic heart disease	410–414/I20–I25
2.0	2.0	3.7	3.3	4.0	3.4	5.7	8.2	17.1	22.2	F	Pulmonary embolism and other venous	415.1, 451–453/ I26, I80–I82
8.4	13.1	15.7	24.9	40.8	59.4	67.7	91.1	91.2	205.0	M	Cerebrovascular disease	430–438/I60–I69
1.3	1.7	3.1	4.2	4.8	6.3	7.8	11.8	8.5	13.6	F	Other respiratory disease	Rest of 390–459/ rest of J00–J98
0.7	0.3	0.9	1.3	0.8	3.4	4.5	5.1	10.5	31.2	M	Pregnancy, birth and perinatal causes	630–676/A34, 000–099 740–779/A33, P00–P96, Q00–Q99 780–799/R00–R99
1.3	1.1	4.6	6.9	12.1	19.4	24.2	16.5	31.5	67.0	F	Ill-defined causes	804.7
–	0.3	0.8	2.3	8.8	20.7	43.7	86.7	169.9	481.3	M	Other medical causes	Rest of 001–799/ rest of A00–R99
–	–	1.1	1.6	4.6	9.9	21.2	22.9	32.2	143.2	F	All non-medical causes	E800–E999/V01–Y89
0.7	0.3	0.9	1.3	0.8	3.4	4.5	5.1	10.5	31.2	M	Other causes	Rest of 001–199/ rest of C00–C80, C97
5.4	10.7	20.1	29.3	61.0	82.9	139.4	187.5	285.3	478.2	M	Other and ill-defined cancer sites	201/C81
5.7	5.4	13.7	24.9	33.9	62.3	72.2	125.0	185.8	299.6	F	Hodgkin's disease	Rest of 140–199/ rest of C00–C80, C97
–	0.3	–	0.3	0.4	0.5	0.5	0.6	2.7	0.8	M	Peptic ulcer	531–533/K25–K27
–	–	0.3	–	0.4	0.4	1.2	1.0	1.3	2.5	F	Liver cirrhosis	571/K70, K74
1.0	1.7	2.2	2.6	7.6	18.9	27.1	40.2	72.4	110.7	M	Renal disease	580–590/N00–N19
–	2.0	1.7	3.9	7.7	11.8	11.5	23.7	57.8	83.2	F	Pregnancy, birth and perinatal causes	630–676/A34, 000–099 740–779/A33, P00–P96, Q00–Q99 780–799/R00–R99
0.7	1.1	2.0	4.9	4.6	12.6	18.4	42.7	67.1	108.3	M	Ill-defined causes	804.7
0.7	0.8	1.4	1.6	4.4	5.5	9.4	14.1	86.0	284.2	F	Other medical causes	Rest of 001–799/ rest of A00–R99
1.0	2.5	3.9	11.5	19.3	45.0	60.3	108.9	216.4	427.9	M	All non-medical causes	E800–E999/V01–Y89
0.3	0.8	0.9	2.6	5.7	12.6	24.2	57.6	139.2	449.8	F	Other causes	Rest of 001–199/ rest of C00–C80, C97
16.9	26.4	54.9	116.2	167.3	313.9	496.9	873.9	1735.0	5759.3	M	Other medical causes	Rest of 001–799/ rest of A00–R99
6.7	11.7	21.4	32.4	53.3	106.5	191.6	421.9	1063.4	5705.9	F	All non-medical causes	E800–E999/V01–Y89
–	–	0.6	0.3	0.4	1.4	2.8	2.5	9.8	22.4	M	Rheumatic heart disease and fever	390–398/I00–I09
–	–	–	–	–	1.3	0.8	1.5	5.9	35.8	F	Hypertensive disease	401–405/I10–I15
8.8	13.8	32.7	74.4	107.2	201.7	285.3	510.6	924.7	2763.2	M	Other vascular disease	Rest of 390–459/ rest of I00–I99
2.4	3.7	6.9	11.8	21.0	50.1	88.6	191.9	458.8	2226.9	F	Chronic obstructive pulmonary disease	490–496/ J40–J47, J67
1.0	1.4	0.8	4.0	5.0	3.6	9.2	11.1	32.2	61.9	M	Other respiratory disease	Rest of 460–519/ rest of J00–J98
2.0	4.2	5.9	14.2	16.8	30.6	65.8	122.5	268.3	793.1	F	Pregnancy, birth and perinatal causes	630–676/A34, 000–099 740–779/A33, P00–P96, Q00–Q99 780–799/R00–R99
1.7	4.8	8.0	12.1	14.1	20.6	43.1	88.5	216.6	892.5	M	Ill-defined causes	804.7
5.1	5.3	13.4	19.8	29.4	59.9	103.5	162.8	369.4	1579.3	M	Other vascular disease	Rest of 390–459/ rest of I00–I99
1.7	2.6	5.2	5.2	12.1	20.2	37.7	97.2	250.1	1665.3	F	Chronic obstructive pulmonary disease	490–496/ J40–J47, J67
1.7	1.1	3.1	7.2	16.4	43.7	81.0	130.0	216.4	515.3	M	Other respiratory disease	Rest of 460–519/ rest of J00–J98
0.3	1.4	1.7	3.6	13.3	25.3	37.3	41.2	86.0	284.2	F	Pregnancy, birth and perinatal causes	630–676/A34, 000–099 740–779/A33, P00–P96, Q00–Q99 780–799/R00–R99
–	0.6	2.5	4.6	8.0	8.6	17.9	41.5	102.0	316.5	M	Ill-defined causes	804.7
0.3	–	1.4	0.7	0.8	3.4	7.8	18.0	47.3	245.2	F	Other medical causes	Rest of 001–799/ rest of A00–R99
–	0.3	0.3	0.7	2.5	2.2	4.6	5.0	15.2	22.4	M	All non-medical causes	E800–E999/V01–Y89
7.1	10.9	30.5	45.1	64.3	82.4	72.2	74.3	65.3	63.5	F	Other causes	Rest of 001–199/ rest of C00–C80, C97
1.0	2.6	8.0	13.4	15.7	26.9	18.1	24.2	26.9	24.0	M	Other medical causes	E800–E999/V01–Y89
–	0.3	–	2.0	2.5	5.0	13.3	21.0	43.8	209.7	F	All non-medical causes	Rest of 001–799/ rest of A00–R99
–	0.3	1.1	1.3	1.6	2.5	3.3	11.3	25.6	189.2	M	Other causes	Rest of 001–199/ rest of C00–C80, C97
–	–	–	–	–	–	–	–	–	–	F	Other medical causes	Rest of 001–799/ rest of A00–R99
1.7	0.6	3.1	1.6	5.9	3.1	3.7	0.6	4.5	2.3	M	All non-medical causes	E800–E999/V01–Y89
1.3	1.7	2.3	2.0	3.2	4.2	2.5	2.6	1.3	1.8	F	Other medical causes	Rest of 001–799/ rest of A00–R99
3.4	7.0	7.6	14.2	28.6	50.0	75.0	83.5	76.0	184.9	M	All non-medical causes	E800–E999/V01–Y89
0.7	1.4	1.1	4.2	8.1	17.7	18.5	29.8	53.8	245.5	F	Other medical causes	Rest of 001–799/ rest of A00–R99
15.9	18.5	34.4	56.3	80.3	117.1	133.4	215.4	362.2	908.4	M	All non-medical causes	E800–E999/V01–Y89
6.7	7.7	19.4	26.2	44.0	63.6	90.7	142.5	271.1	878.5	F	Other medical causes	Rest of 001–799/ rest of A00–R99
42.3	48.0	56.0	64.8	76.5	84.7	88.3	131.2	195.0	439.5	M	All non-medical causes	E800–E999/V01–Y89
12.4	10.2	20.9	21.9	20.6	24.4	25.4	53.0	89.3	267.0	F	Other medical causes	Rest of 001–799/ rest of A00–R99
7.1	9.3	8.4	9.2	8.4	6.3	6.0	21.0	10.7	24.0	M	Road traffic accidents	E810–E819, E826–E829/ part of V01–V99, Y850
1.3	3.4	2.6	2.3	1.6	3.8	2.5	4.6	6.6	9.0	F	Other medical causes	Rest of 001–799/ rest of A00–R99
–	0.3	0.6	0.7	1.7	0.9	–	0.6	1.8	3.1	M	Fire	E890–E899/X00–X09
0.3	–	0.3	0.4	–	0.8	–	–	0.7	3.6	F	Suicide	E950–E959/X60–X84
19.6	24.1	26.6	28.0	33.6	36.5	31.3	35.9	59.0	88.2	M	POPULATION (1000s; UN, 2015 revision)	E950–E959/X60–X84
297.7	351.6	349.6	305.6	247.9	237.5	243.8	194.4	152.3	279.0	F	POPULATION (1000s; UN, 2015 revision)	E950–E959/X60–X84

AUSTRIA: 2010**Relative importance of deaths in MIDDLE age (35–69) in the year 2010**

Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 1.0	– / 0.5	–
35–69	3.2 / 12	1.2 / 6.2	23 years
70+	3.6 / 24	2.5 / 34	7 years
All ages	6.8 / 36	3.7 / 41	14 years

Deaths, by cause, attributed to SMOKING / total deaths (thousands) in the year 2010


Cause	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
Lung Cancer	–/0.0	1.1/1.2	0.9/1.1	2.0/2.4	–/0.0	0.5/0.6	0.4/0.6	0.9/1.3
All Cancer	–/0.1	1.6/4.3 (37%)	1.4/6.2 (23%)	3.0/11	–/0.1	0.6/3.2 (19%)	0.5/6.1 (8%)	1.1/9.3
Vascular	–/0.0	0.9/2.8	1.2/11	2.1/14	–/0.0	0.3/1.1	1.2/18	1.5/19
Respiratory	–/0.0	0.3/0.4	0.7/1.7	1.0/2.1	–/0.0	0.1/0.2	0.5/1.7	0.7/2.0
All Other	–/0.9	0.4/4.2	0.3/5.2	0.7/10	–/0.4	0.2/1.7	0.2/7.8	0.4/9.9
All Causes	–/1.0	3.2/12 (27%)	3.6/24 (15%)	6.8/36	–/0.5	1.2/6.2 (20%)	2.5/34 (7%)	3.7/41

**Cancer deaths, and all deaths,
attributed to SMOKING / total deaths (thousands) in the year 2010**

Cause	Male	Female	Male + Female
All Cancer	3.0 / 11 (28%)	1.1 / 9.3 (12%)	4.1 / 20 (21%)
All Causes	6.8 / 36 (19%)	3.7 / 41 (9%)	11 / 77 (14%)


1955-2015: AUSTRIA

Population risk of dying at ages 0–34



Population risk of a 35-year-old dying at ages 35–69 from smoking (shaded) or from any cause (shaded and white)



MALE



*eg, at year 2010 male death rates, out of 100 men aged 35, 21 would die before age 70 (with 6 of these deaths attributed to smoking)

Note: Most of those killed by smoking would otherwise have survived beyond age 70, but a minority (shaded area to right of dotted line) would have died by 70 anyway

FEMALE



AUSTRIA: 1950-2015***Relative importance of deaths in MIDDLE age (35–69), 2015 projections***

Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 0.9	– / 0.4	–
35–69	3.0 / 11	1.5 / 5.9	23 years
70+	3.3 / 26	2.4 / 32	8 years
All ages	6.2 / 38	3.9 / 38	14 years

Numbers of deaths attributed to smoking / total deaths (thousands)

Year	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
1955	–/5.7	7.1/19 (38%)	2.9/20 (15%)	10/45	–/3.7	0.6/14 (4%)	0.6/25 (2%)	1.2/42
1965	–/4.5	7.6/20 (38%)	4.7/22 (21%)	12/46	–/2.7	0.7/14 (5%)	0.9/30 (3%)	1.6/46
1975	–/3.5	5.9/17 (34%)	6.7/25 (26%)	13/46	–/1.8	0.7/12 (6%)	1.4/35 (4%)	2.1/48
1985	–/2.6	4.8/14 (34%)	5.9/25 (24%)	11/41	–/1.1	0.7/8.5 (9%)	2.0/37 (5%)	2.8/47
1995	–/1.9	4.4/14 (33%)	4.5/22 (21%)	9.0/37	–/0.8	0.8/7.1 (12%)	2.4/35 (7%)	3.2/43
2005	–/1.1	3.3/12 (28%)	4.1/22 (18%)	7.3/35	–/0.5	0.9/6.1 (15%)	2.6/34 (8%)	3.5/40
2015 proj.	–/0.9	3.0/11 (27%)	3.3/26 (13%)	6.2/38	–/0.4	1.5/5.9 (25%)	2.4/32 (7%)	3.9/38





60-year total (thousands), decade of 1960s to decade of 2010s (1960–2020*): 751 / 5071

*Estimated as 10 times the sum of the annual numbers for 1965, 1975, 1985, 1995, 2005 and 2015

1960–2020, by age & sex:


–/144	290/876 (33%)	291/1418 (20%)	581/2437	–/73	54/527 (10%)	117/2033	170/2634 (6%)
-------	-------------------------	--------------------------	----------	------	------------------------	----------	-------------------------

1955-2015: AUSTRIA



AUSTRIA: 1955-2015

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	Attributed to smoking?	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
		0–34		35–69		70–79		0–34		35–69		70–79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955	-	3.27	5.92	10.2	13.4	70.3	-	2.11	0.38	8.85	1.69	61.9	...
1960	-	2.72	5.96	9.83	15.7	66.8	-	1.71	0.37	8.02	1.75	57.0	...
1965	-	2.22	6.10	9.77	19.3	64.1	-	1.33	0.40	7.71	1.92	54.6	...
1970	-	2.08	5.79	10.1	23.7	62.9	-	1.14	0.45	7.47	2.12	54.2	...
1975	-	1.85	5.01	9.36	23.1	59.0	-	0.97	0.41	6.68	2.35	48.0	...
1980	-	1.62	4.52	9.05	21.4	56.1	-	0.81	0.42	6.01	2.87	43.5	...
1985	-	1.35	4.24	8.08	17.4	51.4	-	0.66	0.51	5.25	2.55	38.8	...
1990	-	1.11	3.72	7.20	13.7	45.9	-	0.54	0.48	4.59	2.45	32.7	...
1995	-	0.93	3.32	6.74	12.6	42.2	-	0.44	0.54	4.10	2.46	28.6	...
2000	-	0.73	2.62	5.89	10.7	36.7	-	0.36	0.54	3.47	2.37	24.2	...
2005	-	0.65	2.08	5.25	8.60	32.5	-	0.33	0.55	3.03	2.10	20.9	...
2010	-	0.56	1.89	4.93	6.40	29.3	-	0.29	0.68	2.72	1.95	18.3	...
2015	-	0.48	1.73	4.62	4.74	26.3	-	0.25	0.84	2.39	1.82	16.1	...

0–34 and 35–69 = means of 7 age-specific rates; 70–79 = mean of 2 rates (70–74 & 75–79)

1955-2015: AUSTRIA


ALL CANCER mortality rates attributed and not attributed to smoking



† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	Attributed to smoking?	MALE cancer mortality (annual rate/1000, by age)						FEMALE cancer mortality (annual rate/1000, by age)					
		0-34		35-69		70-79		0-34		35-69		70-79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	
1955	-	0.12	1.79	2.34	4.02	13.0	-	0.12	0.06	2.78	0.23	11.1	...
1960	-	0.11	1.86	2.27	4.96	13.2	-	0.11	0.06	2.70	0.26	10.7	...
1965	-	0.11	1.92	2.24	5.88	12.6	-	0.11	0.07	2.69	0.28	10.4	...
1970	-	0.11	1.75	2.20	7.15	12.1	-	0.09	0.08	2.60	0.30	9.97	...
1975	-	0.10	1.63	2.11	7.45	11.7	-	0.09	0.08	2.47	0.39	9.37	...
1980	-	0.09	1.51	2.13	7.07	11.4	-	0.08	0.09	2.30	0.52	8.86	...
1985	-	0.07	1.53	2.01	5.84	11.1	-	0.07	0.13	2.20	0.49	8.62	...
1990	-	0.07	1.50	1.97	5.12	11.3	-	0.06	0.15	2.04	0.57	8.25	...
1995	-	0.05	1.39	1.92	4.89	10.7	-	0.05	0.19	1.90	0.62	7.87	...
2000	-	0.05	1.18	1.77	4.44	9.86	-	0.04	0.22	1.65	0.68	6.98	...
2005	-	0.05	1.04	1.68	3.83	9.48	-	0.04	0.25	1.54	0.67	6.50	...
2010	-	0.04	0.96	1.60	3.07	8.83	-	0.04	0.33	1.42	0.72	6.16	...
2015	-	0.03	0.91	1.51	2.46	8.18	-	0.04	0.43	1.26	0.77	5.83	...


0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

AUSTRIA: 1955-2013**Mortality* trends at selected ages: 35-39, 55-59 & 75-79**

* Annual mortality per 1000: averages of years available in 1955-59,...,2005-09; then 4-year average 2010-13

1955-2013: AUSTRIA

Mortality* trends at selected ages: 35-39, 55-59 & 75-79



* Annual mortality per 1000: averages of years available in 1955-59,...,2005-09; then 4-year average 2010-13