

MORTALITY FROM SMOKING IN DEVELOPED COUNTRIES 1950–2020

(see also www.deathsfromsmoking.net)

**Richard Peto, Alan D Lopez, Hongchao Pan
Jillian Boreham and Michael Thun**

CROATIA

Raw data (pages 122–23)

Analyses (pages 124–25)

(revised September 2015)

CROATIA: 2010

| | No. of deaths (Source: WHO) | | | Standardised rates (defined overleaf) | | | Annual death rates / 100,000 (zero denoted by -) | | | | | | |
|--|--------------------------------|------|-------|--|-------|--------|---|-------|-------|-------|-------|-------|-------|
| | All ages | 0-34 | 35-69 | All ages | 0-34 | 35-69 | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 |
| ALL CAUSES | M 25683 | 601 | 9305 | 989.5 | 64.3 | 1104.4 | 114.9 | 15.9 | 12.1 | 41.2 | 79.4 | 89.9 | 97.1 |
| | F 26413 | 277 | 4387 | 583.9 | 32.7 | 465.6 | 92.4 | 7.9 | 11.9 | 29.3 | 30.0 | 23.6 | 33.6 |
| Tuberculosis | M 53 | - | 20 | 2.0 | - | 2.2 | - | - | - | - | - | - | - |
| | F 29 | 1 | 4 | 0.7 | 0.1 | 0.4 | - | - | - | - | - | 0.7 | - |
| Other infective and parasitic | M 127 | 5 | 57 | 5.2 | 0.6 | 6.3 | 2.7 | - | - | - | 0.7 | - | 0.7 |
| | F 128 | 2 | 33 | 3.1 | 0.3 | 3.3 | 1.9 | - | - | - | - | - | - |
| ALL CANCER | M 7751 | 64 | 3430 | 295.9 | 6.9 | 410.5 | 6.2 | 5.6 | 2.4 | 7.4 | 5.0 | 11.4 | 10.0 |
| | F 5731 | 44 | 2103 | 152.0 | 4.7 | 218.7 | 2.8 | 2.0 | - | 4.3 | 6.0 | 5.6 | 12.3 |
| Mouth and pharynx cancer | M 256 | 1 | 195 | 10.3 | 0.1 | 21.7 | - | - | - | - | - | 0.7 | - |
| Oesophagus cancer | M 165 | - | 93 | 6.3 | - | 10.3 | - | - | - | - | - | - | - |
| | F 37 | - | 14 | 1.0 | - | 1.3 | - | - | - | - | - | - | - |
| Stomach cancer | M 500 | 4 | 207 | 19.0 | 0.4 | 25.3 | - | - | - | - | 0.7 | 2.0 | - |
| | F 339 | 1 | 94 | 8.2 | 0.1 | 9.8 | - | - | - | - | - | - | 0.7 |
| Colorectal cancer | M 1139 | 4 | 416 | 42.8 | 0.4 | 51.7 | - | - | - | - | 0.8 | - | 1.3 |
| | F 792 | 3 | 226 | 19.3 | 0.3 | 24.2 | - | - | - | - | - | - | 0.7 |
| Liver cancer | M 276 | - | 144 | 10.6 | - | 17.8 | - | - | - | - | - | - | - |
| | F 142 | 1 | 27 | 3.2 | 0.1 | 2.9 | - | - | - | - | - | 0.7 | - |
| Pancreas cancer | M 352 | - | 159 | 13.5 | - | 18.8 | - | - | - | - | - | - | - |
| | F 318 | - | 94 | 7.8 | - | 10.2 | - | - | - | - | - | - | - |
| Larynx cancer | M 200 | - | 125 | 7.8 | - | 14.8 | - | - | - | - | - | - | - |
| | F 15 | - | 6 | 0.4 | - | 0.6 | - | - | - | - | - | - | - |
| Lung cancer | M 2118 | 1 | 1131 | 80.8 | 0.1 | 131.9 | - | - | - | - | 0.7 | - | - |
| | F 650 | 2 | 329 | 18.9 | 0.2 | 33.7 | - | - | - | - | 0.7 | 0.7 | - |
| Malignant melanoma | M 104 | 3 | 45 | 4.1 | 0.3 | 5.4 | - | - | - | - | - | 0.7 | 1.3 |
| | F 98 | 2 | 41 | 2.8 | 0.2 | 4.1 | - | - | - | - | - | - | 1.4 |
| Female breast cancer | F 983 | 1 | 426 | 27.5 | 0.1 | 43.6 | - | - | - | - | - | - | 0.7 |
| Cervix cancer | M 132 | 3 | 72 | 4.2 | 0.3 | 7.0 | - | - | - | - | - | - | 2.1 |
| Other uterine cancer | F 222 | - | 82 | 5.8 | - | 8.3 | - | - | - | - | - | - | - |
| Ovarian cancer | F 292 | 1 | 154 | 8.8 | 0.1 | 15.8 | - | - | - | - | - | - | 0.7 |
| Prostate cancer | M 723 | - | 98 | 26.6 | - | 13.9 | - | - | - | - | - | - | - |
| Bladder cancer | M 261 | - | 78 | 9.7 | - | 9.8 | - | - | - | - | - | - | - |
| | F 105 | - | 24 | 2.4 | - | 2.6 | - | - | - | - | - | - | - |
| Other and ill-defined cancer sites | M 1194 | 28 | 556 | 46.5 | 3.2 | 67.1 | 4.5 | 4.7 | 1.6 | 3.3 | 2.2 | 2.0 | 4.0 |
| | F 1106 | 19 | 352 | 28.5 | 2.1 | 37.2 | 1.9 | 1.0 | - | 2.6 | 3.8 | 3.5 | 2.1 |
| Hodgkin's disease | M 10 | - | 8 | 0.4 | - | 0.9 | - | - | - | - | - | 0.8 | - |
| | F 13 | 3 | 3 | 0.4 | 0.3 | 0.3 | - | - | - | - | - | 0.8 | 1.4 |
| Myeloma and non-Hodgkin lymphomas | M 241 | 10 | 103 | 9.3 | 1.0 | 12.2 | 0.9 | - | - | - | 0.7 | 2.7 | 2.7 |
| | F 242 | 4 | 79 | 6.3 | 0.4 | 8.8 | 0.9 | - | - | - | 0.8 | 0.7 | 0.7 |
| Leukaemia | M 212 | 13 | 72 | 8.2 | 1.4 | 8.9 | 0.9 | 0.9 | 0.8 | 3.3 | 0.7 | 2.0 | 1.3 |
| | F 175 | 4 | 42 | 4.4 | 0.5 | 4.3 | - | 1.0 | - | 1.7 | 0.8 | - | - |
| Diabetes | M 631 | 2 | 206 | 23.8 | 0.2 | 25.9 | - | - | - | - | - | - | 1.3 |
| | F 793 | 2 | 111 | 16.9 | 0.2 | 12.4 | - | - | - | - | - | - | 1.4 |
| ALL VASCULAR DISEASE | M 10929 | 40 | 3085 | 413.1 | 4.0 | 375.5 | - | 1.9 | 0.8 | 1.6 | 3.6 | 8.1 | 12.0 |
| | F 14702 | 17 | 1226 | 290.8 | 1.8 | 135.3 | 0.9 | - | 1.7 | 0.9 | 2.2 | 2.8 | 4.1 |
| Rheumatic heart disease and fever | M 22 | - | 3 | 0.8 | - | 0.4 | - | - | - | - | - | - | - |
| | F 44 | - | 6 | 0.9 | - | 0.7 | - | - | - | - | - | - | - |
| Hypertensive disease | M 519 | - | 161 | 19.9 | - | 19.8 | - | - | - | - | - | - | - |
| | F 1119 | - | 78 | 21.7 | - | 8.9 | - | - | - | - | - | - | - |
| Ischaemic heart disease | M 5115 | 5 | 1657 | 194.5 | 0.5 | 199.0 | - | - | - | - | - | 1.3 | 2.0 |
| | F 6149 | - | 524 | 121.7 | - | 57.7 | - | - | - | - | - | - | - |
| Pulmonary embolism and other venous | M 63 | 2 | 24 | 2.4 | 0.2 | 2.8 | - | - | - | - | - | - | 1.3 |
| | F 120 | - | 22 | 2.7 | - | 2.3 | - | - | - | - | - | - | - |
| Cerebrovascular disease | M 3206 | 5 | 733 | 118.8 | 0.5 | 92.2 | - | - | - | - | 0.7 | 1.3 | 1.3 |
| | F 4404 | 6 | 405 | 88.5 | 0.6 | 44.8 | - | - | 0.8 | - | - | 2.8 | 0.7 |
| Other vascular disease | M 2004 | 28 | 507 | 76.7 | 2.8 | 61.3 | - | 1.9 | 0.8 | 1.6 | 2.9 | 5.4 | 7.3 |
| | F 2866 | 11 | 191 | 55.4 | 1.2 | 20.9 | 0.9 | - | 0.8 | 0.9 | 2.2 | - | 3.4 |
| Chronic obstructive pulmonary disease | M 943 | - | 174 | 34.8 | - | 22.7 | - | - | - | - | - | - | - |
| | F 582 | 2 | 67 | 12.0 | 0.2 | 7.3 | - | - | - | - | - | 0.7 | 0.7 |
| Other respiratory disease | M 248 | 4 | 81 | 9.7 | 0.4 | 9.6 | 0.9 | - | - | - | - | - | 2.0 |
| | F 184 | 2 | 33 | 4.2 | 0.3 | 3.5 | 0.9 | - | - | 0.9 | - | - | - |
| Peptic ulcer | M 112 | - | 39 | 4.3 | - | 4.4 | - | - | - | - | - | - | - |
| | F 128 | - | 15 | 2.6 | - | 1.5 | - | - | - | - | - | - | - |
| Liver cirrhosis | M 937 | 8 | 663 | 37.6 | 0.8 | 75.0 | - | - | - | - | - | - | 5.3 |
| | F 295 | - | 162 | 8.9 | - | 16.5 | - | - | - | - | - | - | - |
| Renal disease | M 242 | - | 47 | 9.1 | - | 5.7 | - | - | - | - | - | - | - |
| | F 348 | - | 42 | 7.2 | - | 4.7 | - | - | - | - | - | - | - |
| Pregnancy, birth | F 4 | 4 | - | 0.2 | 0.4 | - | - | - | - | - | 0.8 | 0.7 | 1.4 |
| Congenital and perinatal causes | M 119 | 106 | 12 | 8.0 | 13.3 | 1.1 | 89.1 | - | - | 0.8 | 1.4 | 0.7 | 1.3 |
| | F 112 | 90 | 20 | 7.5 | 11.9 | 1.9 | 75.4 | 2.0 | 0.8 | 2.6 | 0.8 | 1.4 | 0.7 |
| Ill-defined causes | M 190 | 16 | 47 | 7.8 | 1.8 | 5.3 | 7.1 | - | - | 0.8 | - | 2.7 | 2.0 |
| | F 319 | 2 | 17 | 6.1 | 0.2 | 1.8 | - | - | - | 0.9 | - | - | 0.7 |
| Other medical causes | M 1564 | 35 | 527 | 60.5 | 3.8 | 61.6 | 3.6 | 1.9 | 3.2 | 3.3 | 4.3 | 7.4 | 2.7 |
| | F 1927 | 28 | 318 | 42.9 | 3.3 | 34.2 | 5.7 | 1.0 | 3.4 | 3.5 | 4.5 | 2.8 | 2.1 |
| ALL NON-MEDICAL CAUSES | M 1837 | 321 | 917 | 77.7 | 32.6 | 98.6 | 5.3 | 6.6 | 5.6 | 27.2 | 64.2 | 59.7 | 59.9 |
| | F 1131 | 83 | 236 | 28.8 | 9.3 | 24.1 | 4.7 | 3.0 | 5.9 | 16.4 | 15.8 | 9.0 | 10.3 |
| Road traffic accidents | M 349 | 126 | 174 | 15.8 | 12.9 | 18.2 | 2.7 | 1.9 | 3.2 | 12.3 | 26.7 | 22.8 | 20.6 |
| | F 97 | 33 | 34 | 3.8 | 3.6 | 3.5 | 1.9 | - | 2.5 | 5.2 | 8.3 | 4.2 | 3.4 |
| Fire | M 16 | - | 7 | 0.6 | - | 0.7 | - | - | - | - | - | - | - |
| | F 12 | 1 | - | 0.3 | 0.1 | - | - | 1.0 | - | - | - | - | - |
| Suicide | M 585 | 84 | 357 | 24.8 | 8.4 | 38.2 | - | - | - | 7.4 | 22.4 | 15.4 | 14.0 |
| | F 192 | 21 | 103 | 6.7 | 2.4 | 10.4 | - | - | 0.8 | 7.8 | 3.0 | 1.4 | 3.4 |
| POPULATION: (1000s; UN, 2015 revision) | M=male | | | 2080.6 | 902.7 | 969.7 | 112.3 | 106.6 | 124.5 | 121.5 | 138.5 | 149.1 | 150.3 |
| | F=female | | | 2235.8 | 863.8 | 1018.9 | 106.1 | 100.8 | 118.0 | 116.1 | 133.2 | 143.8 | 145.8 |

2010: CROATIA

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

| 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80+/NK | | | |
|-------|-------|-------|-------|--------|--------|--------|--------|--------|---------|---|--|--|
| 140.2 | 246.7 | 447.6 | 763.5 | 1274.0 | 1745.2 | 3113.4 | 4325.1 | 7284.3 | 14062.8 | M | ALL CAUSES | 001-999/A00-Y89 |
| 63.6 | 113.3 | 186.1 | 336.6 | 487.5 | 733.0 | 1339.1 | 2246.2 | 4553.4 | 12005.7 | F | Tuberculosis | 010-018, 137/ A15-A19, B90 |
| 0.7 | 2.1 | 1.3 | 3.2 | 1.9 | 1.6 | 4.7 | 11.9 | 13.5 | 26.4 | M | Other infective and parasitic | Rest of 001-139, 279, 58/6/ rest of A00-B99 excl A33, A34 |
| - | 0.7 | 1.3 | 0.6 | - | - | - | 4.7 | 5.5 | 10.3 | F | | |
| 5.4 | 2.8 | 2.6 | 6.3 | 5.2 | 10.3 | 11.6 | 20.6 | 19.4 | 67.0 | M | | |
| 0.7 | 0.7 | 1.3 | 2.5 | 4.4 | 9.8 | 3.6 | 12.4 | 19.3 | 48.3 | F | | |
| 22.8 | 51.8 | 122.4 | 271.6 | 513.1 | 708.8 | 1182.8 | 1534.5 | 2157.8 | 2847.5 | M | ALL CANCER | 140-208/C00-C97 |
| 32.9 | 56.0 | 94.3 | 199.2 | 253.5 | 355.0 | 540.4 | 668.1 | 1003.9 | 1410.5 | F | Mouth and pharynx cancer | 140-149/C00-C14 |
| 0.7 | 0.7 | 12.9 | 21.5 | 39.0 | 31.6 | 45.4 | 28.2 | 26.9 | 32.5 | M | Oesophagus cancer | 150/C15 |
| - | 0.7 | 3.2 | 4.3 | 4.4 | 6.3 | 8.2 | 5.4 | 10.1 | 12.1 | F | | |
| 0.7 | 1.4 | 3.2 | 11.4 | 15.6 | 21.3 | 18.6 | 35.9 | 40.4 | 24.4 | M | | |
| - | - | 0.6 | 2.5 | 2.5 | 2.8 | 0.9 | 3.9 | 6.5 | 9.5 | F | | |
| 1.3 | 5.7 | 4.5 | 16.5 | 26.0 | 44.2 | 79.1 | 111.9 | 145.2 | 180.6 | M | Stomach cancer | 151/C16 |
| 1.4 | 2.8 | 1.3 | 9.9 | 11.9 | 16.1 | 25.5 | 37.3 | 68.2 | 105.2 | F | | |
| 1.3 | 5.0 | 13.5 | 24.7 | 54.0 | 92.3 | 171.0 | 239.1 | 369.6 | 511.4 | M | Colorectal cancer | 153, 154/C18-C21 |
| 2.0 | 2.8 | 5.7 | 22.9 | 22.6 | 37.0 | 76.4 | 84.8 | 163.9 | 238.1 | F | | |
| 2.0 | - | 3.2 | 8.2 | 22.1 | 30.0 | 59.3 | 63.0 | 62.9 | 65.0 | M | Liver cancer | 155.0/C22 excl C221 |
| - | 0.7 | 0.6 | 1.9 | 2.5 | 6.3 | 8.2 | 19.4 | 32.2 | 46.6 | F | | |
| 2.0 | 4.2 | 5.8 | 10.8 | 28.6 | 26.8 | 53.5 | 64.1 | 95.8 | 142.1 | M | Pancreas cancer | 157/C25 |
| - | - | 2.5 | 6.8 | 10.1 | 16.8 | 35.5 | 46.7 | 55.3 | 89.7 | F | | |
| - | - | 3.9 | 12.0 | 18.2 | 30.8 | 38.4 | 33.7 | 32.9 | 44.6 | M | Larynx cancer | 161/C32 |
| 1.3 | 14.2 | 35.4 | 109.5 | 183.4 | 247.8 | 331.5 | 430.3 | 556.6 | 442.4 | M | Lung cancer | 162/C33, C34 |
| 1.4 | 5.7 | 10.8 | 38.4 | 41.5 | 65.7 | 72.8 | 73.9 | 115.1 | 85.4 | F | | |
| 1.3 | 2.8 | 3.9 | 1.9 | 5.8 | 5.5 | 16.3 | 19.6 | 23.9 | 44.6 | M | Malignant melanoma | 172/C43 |
| 2.0 | 2.1 | 1.3 | 3.1 | 8.8 | 4.2 | 7.3 | 9.3 | 10.1 | 27.6 | F | | |
| 8.9 | 20.5 | 29.1 | 39.6 | 55.4 | 58.0 | 93.7 | 100.3 | 152.0 | 226.0 | F | Female breast cancer | 174/C50 |
| 2.7 | 4.2 | 6.3 | 8.0 | 11.3 | 10.5 | 5.5 | 11.7 | 18.4 | 19.0 | F | Cervix cancer | 180/C53 |
| - | 2.1 | 2.5 | 9.3 | 12.6 | 14.7 | 17.3 | 28.8 | 32.2 | 58.7 | F | Other uterine cancer | 179, 182/C54, C55 |
| 3.4 | 2.8 | 8.9 | 16.7 | 14.5 | 30.7 | 33.7 | 41.2 | 39.6 | 35.4 | F | Ovarian cancer | 183/C56, C570-C574 |
| - | - | - | 2.5 | 6.5 | 19.7 | 68.6 | 127.2 | 296.3 | 629.2 | M | Prostate cancer | 185/C61 |
| - | - | 3.2 | 4.4 | 11.1 | 15.0 | 34.9 | 56.5 | 88.3 | 146.1 | M | Bladder cancer | 188/C67 |
| - | 0.7 | 0.6 | 1.9 | 3.1 | 3.5 | 8.2 | 7.8 | 18.4 | 44.0 | F | | |
| 8.1 | 13.5 | 25.1 | 36.1 | 78.7 | 105.8 | 202.4 | 241.2 | 284.3 | 401.9 | M | Other and ill-defined cancer sites | Rest of 140-199/ rest of C00-C80, C97 |
| 9.6 | 7.1 | 16.4 | 23.5 | 35.9 | 67.1 | 101.0 | 132.2 | 202.6 | 297.6 | F | Hodgkin's disease | 201/C81 |
| - | - | 0.6 | 0.6 | 0.6 | - | - | - | 1.5 | 2.0 | M | | |
| 2.0 | 3.5 | 3.9 | 6.3 | 12.4 | 26.8 | 30.2 | 44.6 | 62.9 | 91.3 | M | Myeloma and non- Hodgkin lymphomas | 200, 202-203/ C82-C90, C96 |
| 0.7 | 1.4 | 0.6 | 6.2 | 7.5 | 10.5 | 34.6 | 33.4 | 43.3 | 59.5 | F | Leukaemia | 204-208/C91-C95 |
| 0.7 | 0.7 | 3.2 | 5.7 | 9.8 | 11.1 | 31.4 | 39.1 | 70.3 | 89.3 | M | | |
| 0.7 | 2.1 | 3.2 | 3.1 | 6.9 | 4.2 | 10.0 | 28.8 | 31.3 | 50.0 | F | | |
| - | 3.5 | 2.6 | 13.3 | 28.6 | 42.6 | 90.7 | 125.0 | 200.5 | 353.1 | M | Diabetes | 250/E10-E14 |
| 2.0 | 3.5 | 3.9 | 6.3 | 12.4 | 26.8 | 30.2 | 100.3 | 178.7 | 308.0 | F | | |
| 22.8 | 53.2 | 134.6 | 241.8 | 399.9 | 596.7 | 1179.3 | 1822.4 | 3489.5 | 7702.1 | M | ALL VASCULAR DISEASE | 390-459/I00-I99 |
| 9.6 | 19.1 | 42.4 | 61.9 | 115.1 | 201.2 | 497.6 | 1064.0 | 2544.7 | 8046.9 | F | Rheumatic heart disease and fever | 390-398/I00-I09 |
| - | - | - | 0.7 | 0.8 | 1.2 | 1.2 | 7.6 | 10.5 | 10.2 | M | Hypertensive disease | 401-405/I10-I15 |
| - | 0.7 | - | - | 0.6 | 1.4 | 1.8 | 4.7 | 12.9 | 15.5 | F | | |
| - | 3.5 | 8.4 | 11.4 | 19.5 | 30.8 | 65.1 | 75.0 | 139.2 | 397.8 | M | | |
| - | 0.7 | 1.3 | 2.5 | 6.3 | 14.0 | 37.3 | 73.9 | 188.8 | 639.2 | F | | |
| 14.1 | 27.6 | 79.2 | 133.6 | 225.7 | 322.8 | 589.6 | 874.8 | 1485.9 | 3358.9 | M | Ischaemic heart disease | 410-414/I20-I25 |
| 2.7 | 8.5 | 20.9 | 24.8 | 52.2 | 83.2 | 212.0 | 462.0 | 1052.7 | 3354.0 | F | | |
| - | 1.4 | 1.3 | 3.8 | 1.3 | 4.0 | 8.1 | 16.3 | 13.5 | 26.4 | M | Pulmonary embolism and other venous | 415.1, 451-453/ I26, I80-I82 |
| 0.7 | 0.7 | 1.3 | 2.5 | 1.3 | 3.5 | 6.4 | 12.4 | 25.8 | 46.6 | F | | |
| 3.4 | 11.3 | 25.8 | 48.1 | 89.1 | 139.7 | 328.0 | 584.7 | 1252.5 | 2218.3 | M | Cerebrovascular disease | 430-438/I60-I69 |
| 1.4 | 6.4 | 14.6 | 21.0 | 35.2 | 69.2 | 165.6 | 371.8 | 892.4 | 2196.3 | F | | |
| 5.4 | 9.2 | 20.0 | 45.0 | 63.7 | 98.7 | 187.2 | 264.1 | 588.1 | 1690.6 | M | Other vascular disease | Rest of 390-459/ rest of I00-I99 |
| 4.8 | 2.1 | 4.4 | 11.1 | 19.5 | 30.1 | 74.6 | 139.2 | 372.1 | 1795.2 | F | | |
| - | 2.8 | 4.5 | 10.1 | 15.0 | 37.9 | 88.4 | 155.4 | 395.0 | 734.7 | M | Chronic obstructive pulmonary disease | 490-496/ J40-J47, J67 |
| - | 0.7 | 1.3 | 1.9 | 8.8 | 14.0 | 24.6 | 56.0 | 102.2 | 284.7 | F | | |
| - | 2.1 | 7.7 | 6.3 | 7.2 | 17.4 | 26.8 | 31.5 | 59.9 | 190.8 | M | Other respiratory disease | Rest of 460-519/ rest of J00-J98 |
| - | 2.1 | 2.5 | 1.2 | 4.4 | 4.2 | 10.0 | 17.9 | 23.0 | 87.1 | F | | |
| - | 1.4 | 1.9 | 4.4 | 6.5 | 6.3 | 10.5 | 18.5 | 29.9 | 73.1 | M | Peptic ulcer | 531-533/K25-K27 |
| - | 0.7 | 0.6 | 1.2 | 1.3 | 4.9 | 1.8 | 10.9 | 17.5 | 69.0 | F | | |
| 9.4 | 26.2 | 41.9 | 62.0 | 105.3 | 113.7 | 166.3 | 157.6 | 119.7 | 83.2 | M | Liver cirrhosis | 571/K70, K74 |
| 1.4 | 6.4 | 7.0 | 15.5 | 27.7 | 23.1 | 34.6 | 35.8 | 47.0 | 31.1 | F | | |
| - | 1.4 | 1.9 | 3.2 | 9.1 | 5.5 | 18.6 | 35.9 | 76.3 | 225.3 | M | Renal disease | 580-590/N00-N19 |
| - | - | 1.3 | 1.2 | 2.5 | 7.7 | 19.1 | 31.9 | 70.0 | 163.0 | F | | |
| - | - | - | - | - | - | - | - | - | - | F | Pregnancy, birth Congenital and perinatal causes | 630-676/A34,000-O99 740-779/A33, P00-P96, Q00-Q99 |
| 1.3 | 1.4 | 1.3 | 1.3 | 2.6 | - | - | - | - | 2.0 | M | Ill-defined causes | 780-799/R00-R99 |
| 0.7 | 2.1 | 1.9 | 3.1 | 3.1 | 0.7 | 1.8 | 0.8 | 0.9 | - | F | | |
| 2.0 | 2.8 | 3.9 | 3.2 | 4.5 | 10.3 | 10.5 | 18.5 | 35.9 | 174.5 | M | | |
| 0.7 | 0.7 | 1.3 | 1.2 | 1.9 | 2.8 | 3.6 | 10.1 | 28.6 | 220.8 | F | | |
| 16.1 | 23.4 | 29.6 | 38.0 | 71.5 | 90.8 | 161.7 | 231.5 | 436.9 | 1008.7 | M | Other medical causes | Rest of 001-799/ rest of A00-R99 |
| 4.1 | 9.2 | 14.6 | 16.7 | 34.6 | 53.8 | 106.4 | 168.8 | 359.2 | 840.2 | F | | |
| 59.7 | 71.6 | 91.5 | 98.8 | 103.4 | 103.4 | 161.7 | 161.9 | 249.9 | 574.4 | M | ALL NON- MEDICAL CAUSES | E800-E999/V01-Y89 |
| 11.6 | 14.2 | 14.6 | 26.6 | 20.1 | 32.8 | 49.1 | 64.5 | 152.9 | 485.7 | F | | |
| 16.8 | 17.0 | 20.0 | 19.6 | 15.0 | 15.8 | 23.3 | 18.5 | 26.9 | 28.4 | M | Road traffic accidents | E810-E819, E826-E829/ part of V01-V99, Y850 |
| 2.7 | 3.5 | 1.9 | 3.7 | 1.9 | 2.8 | 8.2 | 4.7 | 11.1 | 10.3 | F | | |
| 0.7 | 0.7 | 0.6 | 1.3 | - | 1.6 | - | - | 4.5 | 12.2 | M | Fire | E890-E899/X00-X09 |
| - | - | - | - | - | - | - | 0.8 | 0.9 | 7.8 | F | | |
| 20.1 | 25.5 | 38.0 | 38.6 | 42.9 | 42.6 | 59.3 | 47.8 | 71.8 | 105.5 | M | Suicide | E950-E959/X60-X84 |
| 3.4 | 8.5 | 7.6 | 13.0 | 10.1 | 10.5 | 20.0 | 17.1 | 20.3 | 20.7 | F | | |
| 149.0 | 141.1 | 155.3 | 158.0 | 153.8 | 126.7 | 86.0 | 92.0 | 66.8 | 49.3 | M | POPULATION | |
| 146.1 | 141.2 | 158.0 | 161.6 | 159.0 | 143.1 | 109.9 | 128.6 | 108.6 | 115.9 | F | (1000s; UN, 2015 revision) | |

CROATIA: 2010**Relative importance of deaths in MIDDLE age (35–69) in the year 2010**

| Age range (years) | Deaths attributed to SMOKING /total deaths (thousands) | | Mean years lost PER DEATH FROM SMOKING |
|-------------------|--|-----------|--|
| | Male | Female | |
| 0–34 | – / 0.6 | – / 0.3 | – |
| 35–69 | 3.8 / 9.5 | 0.8 / 4.3 | 22 years |
| 70+ | 4.0 / 16 | 1.8 / 21 | 8 years |
| All ages | 7.8 / 26 | 2.6 / 26 | 14 years |

Deaths, by cause, attributed to SMOKING / total deaths (thousands) in the year 2010


| Cause | Male (by age) | | | | Female (by age) | | | |
|-------------|---------------|------------------|------------------|---------|-----------------|------------------|-----------------|---------|
| | 0–34 | 35–69 | 70+ | All | 0–34 | 35–69 | 70+ | All |
| Lung Cancer | –/0.0 | 1.1/1.1 | 0.9/1.0 | 2.0/2.1 | –/0.0 | 0.2/0.3 | 0.2/0.3 | 0.5/0.7 |
| All Cancer | –/0.1 | 1.7/3.5 (49%) | 1.4/4.2 (34%) | 3.2/7.8 | –/0.0 | 0.3/2.1 (14%) | 0.3/3.6 (9%) | 0.6/5.7 |
| Vascular | –/0.0 | 1.5/3.1 | 1.7/7.8 | 3.2/11 | –/0.0 | 0.3/1.2 | 1.1/13 | 1.4/15 |
| Respiratory | –/0.0 | 0.2/0.3 | 0.6/1.0 | 0.8/1.3 | –/0.0 | 0.1/0.1 | 0.3/0.7 | 0.4/0.8 |
| All Other | –/0.5 | 0.3/2.5 | 0.2/2.7 | 0.6/5.8 | –/0.2 | 0.1/0.9 | 0.1/3.9 | 0.2/5.0 |
| All Causes | –/0.6 | 3.8/9.5 (40%) | 4.0/16 (25%) | 7.8/26 | –/0.3 | 0.8/4.3 (17%) | 1.8/21 (9%) | 2.6/26 |

**Cancer deaths, and all deaths,
attributed to SMOKING / total deaths (thousands) in the year 2010**

| Cause | Male | Female | Male + Female |
|------------|--------------------|--------------------|-------------------|
| All Cancer | 3.2 / 7.8 (41%) | 0.6 / 5.7 (10%) | 3.8 / 13 (28%) |
| All Causes | 7.8 / 26 (30%) | 2.6 / 26 (10%) | 10 / 52 (20%) |

| |
|--------------------|
| 2000-2015: CROATIA |
|--------------------|

Population risk of dying at ages 0–34



Population risk of a 35-year-old dying at ages 35–69 from smoking (shaded) or from any cause (shaded and white)

MALE



*eg, at year 2010 male death rates, out of 100 men aged 35, 32 would die before age 70 (with 13 of these deaths attributed to smoking)

Note: Most of those killed by smoking would otherwise have survived beyond age 70, but a minority (shaded area to right of dotted line) would have died by 70 anyway

FEMALE

