

MORTALITY FROM SMOKING IN DEVELOPED COUNTRIES 1950–2020

(see also www.deathsfromsmoking.net)

**Richard Peto, Alan D Lopez, Hongchao Pan
Jillian Boreham and Michael Thun**

HUNGARY

Raw data (pages 230–31)

Analyses (pages 232–33, 234–35, 236–37)

Appendix (pages 238–39)

(revised September 2015)

HUNGARY: 2010

	No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
	All ages	0–34	35–69	All ages	0–34	35–69	0–4	5–9	10–14	15–19	20–24	25–29	30–34
ALL CAUSES	M 65137	1426	30277	1193.1	61.6	1545.1	118.5	12.2	16.9	43.6	58.1	78.8	103.0
	F 65319	717	15155	659.9	34.8	641.2	109.8	8.1	10.3	22.1	19.9	31.0	42.4
Tuberculosis	M 112	1	74	2.1	0.0	3.5	-	-	-	-	-	-	0.2
	F 42	-	18	0.5	-	0.8	-	-	-	-	-	-	-
Other infective and parasitic	M 185	8	100	3.5	0.4	5.0	1.2	-	-	0.3	0.3	0.3	0.5
	F 182	5	49	2.0	0.2	2.1	0.8	-	-	0.3	0.3	0.3	0.2
ALL CANCER	M 18032	149	10212	332.4	6.2	525.4	4.0	4.1	3.1	5.2	6.4	8.9	12.0
	F 14430	126	6446	174.5	5.3	270.7	3.4	3.9	1.2	3.7	4.4	5.7	14.7
Mouth and pharynx cancer	M 1232	2	1053	23.6	0.1	51.2	-	-	-	0.3	-	-	0.2
Oesophagus cancer	M 292	-	202	4.1	-	8.3	-	-	-	-	-	-	-
	F 109	-	72	1.4	-	3.0	-	-	-	-	-	-	-
Stomach cancer	M 932	4	443	17.0	0.1	23.0	-	-	-	-	0.3	-	0.7
	F 694	5	227	7.5	0.2	9.6	-	-	-	-	0.6	0.6	0.7
Colorectal cancer	M 2704	9	1262	49.1	0.3	66.9	-	-	-	-	-	0.6	1.6
	F 2261	6	775	24.8	0.2	33.0	-	-	-	-	-	0.9	0.7
Liver cancer	M 480	1	282	8.9	0.0	14.5	-	-	-	-	-	-	0.2
	F 213	-	72	2.4	-	3.1	-	-	-	-	-	-	-
Pancreas cancer	M 863	4	506	15.9	0.1	26.3	-	-	-	-	-	0.3	0.7
	F 985	2	359	11.1	0.1	15.1	-	-	-	-	-	-	0.5
Larynx cancer	M 507	1	420	9.6	0.0	20.6	-	-	-	-	-	-	0.2
	F 73	-	54	1.1	-	2.3	-	-	-	-	-	-	-
Lung cancer	M 5741	6	3690	106.4	0.2	189.5	-	-	-	0.3	0.6	0.3	0.5
	F 2907	5	1769	38.8	0.2	73.5	-	-	-	-	-	-	1.2
Malignant melanoma	M 205	6	119	3.8	0.2	6.0	-	-	-	-	0.3	-	1.1
	F 131	2	55	1.6	0.1	2.3	-	-	-	-	0.3	-	0.2
Female breast cancer	F 2011	14	934	24.9	0.5	39.2	-	-	-	-	-	0.3	3.1
Cervix cancer	M 379	7	248	5.7	0.2	10.2	-	-	-	-	-	0.6	1.2
Other uterine cancer	F 386	-	165	4.5	-	7.0	-	-	-	-	-	-	-
Ovarian cancer	F 678	5	320	8.4	0.2	13.5	-	-	-	-	-	0.6	0.7
Prostate cancer	M 1209	-	289	21.3	-	16.7	-	-	-	-	-	-	-
Bladder cancer	M 630	-	233	11.4	-	12.8	-	-	-	-	-	-	-
	F 274	-	111	3.1	-	4.7	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M 2110	70	1124	39.0	3.0	57.4	2.0	2.8	1.6	2.3	3.0	3.7	5.4
	F 2173	51	773	25.0	2.4	32.6	2.5	3.0	0.4	2.0	3.5	1.8	3.3
Hodgkin's disease	M 18	4	10	0.3	0.2	0.5	-	-	-	-	0.3	0.6	0.2
	F 15	5	5	0.2	0.2	0.2	-	-	-	-	0.3	0.3	0.7
Myeloma and non-Hodgkin lymphomas	M 421	12	198	7.7	0.5	10.4	-	0.4	0.8	0.7	0.3	0.9	0.7
	F 421	10	154	4.9	0.4	6.6	0.4	-	1.0	-	-	1.4	-
Leukaemia	M 484	30	190	8.9	1.4	10.0	2.0	0.8	0.8	1.6	1.5	2.6	0.5
	F 428	14	151	5.0	0.7	6.4	0.4	0.9	0.8	0.7	0.3	0.6	0.9
Diabetes	M 1114	7	493	20.2	0.2	26.1	-	0.4	-	-	-	-	1.4
	F 1445	5	320	14.3	0.2	13.9	-	-	-	0.3	0.3	0.3	0.7
ALL VASCULAR DISEASE	M 29191	106	10363	523.2	3.9	541.2	0.4	-	0.8	2.9	3.9	5.2	14.3
	F 36628	51	4529	324.4	2.1	194.3	1.3	0.9	0.4	1.4	1.3	2.7	6.6
Rheumatic heart disease and fever	M 88	-	32	1.6	-	1.8	-	-	-	-	-	-	-
	F 172	-	23	1.6	-	1.0	-	-	-	-	-	-	-
Hypertensive disease	M 2476	4	715	44.0	0.1	37.7	-	-	-	-	-	0.3	0.7
	F 4291	3	424	36.8	0.1	18.2	-	-	0.3	-	-	-	0.5
Ischaemic heart disease	M 15390	30	5491	275.7	1.0	286.7	-	-	-	-	0.9	0.6	5.7
	F 18452	9	2179	162.1	0.3	93.5	-	-	-	0.3	-	0.9	1.2
Pulmonary embolism and other venous	M 288	7	127	5.2	0.3	6.5	-	-	-	-	0.6	0.6	0.7
	F 428	2	107	4.3	0.1	4.6	-	-	-	-	-	-	0.5
Cerebrovascular disease	M 6083	23	2002	108.6	0.8	105.9	-	-	0.4	1.0	0.9	-	3.6
	F 7918	15	985	70.6	0.6	42.5	-	0.4	-	0.3	0.6	0.6	2.1
Other vascular disease	M 4866	42	1996	88.1	1.7	102.7	0.4	-	0.4	1.9	1.5	3.7	3.6
	F 5367	22	811	49.0	0.9	34.6	1.3	0.4	0.4	0.3	0.6	1.2	2.4
Chronic obstructive pulmonary disease	M 2812	14	1069	50.5	0.5	55.9	-	-	-	0.7	-	0.9	2.0
	F 2010	11	594	21.2	0.5	25.1	-	-	0.8	0.3	0.6	0.3	1.2
Other respiratory disease	M 753	24	309	13.7	1.0	15.4	1.2	0.4	-	1.0	0.6	2.9	1.1
	F 679	14	153	7.0	0.7	6.4	1.7	-	0.8	0.7	-	0.6	0.9
Peptic ulcer	M 418	3	236	7.8	0.1	12.1	-	-	-	-	-	-	0.7
	F 348	1	87	3.5	0.0	3.7	-	-	-	-	-	-	0.2
Liver cirrhosis	M 3134	29	2634	60.3	1.0	128.4	-	-	-	-	0.3	0.6	5.9
	F 1205	7	915	17.9	0.3	37.9	-	-	-	-	-	0.9	0.9
Renal disease	M 233	3	83	4.2	0.1	4.2	0.4	-	-	-	-	-	0.5
	F 359	1	69	3.5	0.1	3.0	-	0.4	-	-	-	-	-
Pregnancy, birth	F 14	9	5	0.3	0.3	0.2	-	-	-	-	0.6	0.9	0.9
Congenital and perinatal causes	M 357	281	63	10.0	15.4	2.9	95.8	0.4	1.6	3.6	2.4	2.9	1.4
	F 303	240	50	8.7	13.9	2.1	88.0	0.9	-	2.4	1.3	3.3	1.4
Ill-defined causes	M 85	17	35	1.7	0.9	1.6	4.8	-	-	0.3	-	0.6	0.5
	F 68	4	11	0.7	0.2	0.5	1.7	-	-	-	-	-	-
Other medical causes	M 4015	120	1723	73.5	5.3	87.6	8.0	4.1	2.0	5.5	4.2	4.0	9.1
	F 5229	80	1106	52.5	3.8	47.0	6.7	1.3	3.7	3.4	1.6	5.4	4.5
ALL NON-MEDICAL CAUSES	M 4696	664	2883	90.0	26.5	135.9	2.8	3.2	9.0	24.1	40.0	52.7	53.5
	F 2377	163	803	28.8	7.3	33.5	6.3	0.9	3.3	9.9	9.5	11.0	10.0
Road traffic accidents	M 668	200	377	13.1	8.1	17.4	0.4	1.6	3.1	7.8	13.3	16.9	13.6
	F 222	46	112	3.6	2.1	4.7	2.1	-	1.2	3.4	3.2	3.0	1.9
Fire	M 92	7	55	1.8	0.3	2.7	-	0.4	-	0.3	0.3	0.3	0.7
	F 48	1	14	0.5	0.0	0.6	-	-	-	-	-	-	0.2
Suicide	M 1945	269	1318	37.5	10.3	61.3	-	-	0.8	7.8	16.0	22.6	25.2
	F 547	58	341	8.4	2.4	14.2	-	-	0.4	3.7	2.8	5.4	4.5
POPULATION: (1000s; UN, 2015 revision)	M=male			4756.9	2180.2	2184.0	251.5	246.6	254.4	307.3	330.4	349.1	440.9
	F=female			5257.8	2081.6	2420.5	238.7	233.9	241.4	293.7	316.8	335.2	421.8

2010: HUNGARY

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80+/NK			
191.3	379.9	780.5	1318.0	1951.7	2722.3	3471.9	5246.6	7292.2	13976.6	M	ALL CAUSES	001–999/A00–Y89
83.0	149.7	328.4	541.8	765.1	1116.4	1503.9	2615.7	4422.9	11783.8	F	Tuberculosis	010–018, 137/ A15–A19, B90
1.0	2.0	2.8	3.9	6.6	3.8	4.1	5.9	9.9	13.5	M	Other infective and parasitic	Rest of 001–139, 279, 58/6/ rest of A00–B99 excl A33, A34
–	0.6	0.7	0.8	1.0	1.5	0.7	0.8	1.8	6.4	F		
1.8	1.7	3.8	5.1	4.9	8.0	9.5	10.4	23.2	27.8	M		
–	0.6	2.0	0.8	2.7	4.0	4.6	12.2	11.3	25.7	F		
26.4	72.3	206.5	434.1	727.5	991.8	1218.9	1653.4	1880.0	2416.3	M	ALL CANCER	140–208/C00–C97
32.8	57.2	144.1	253.2	357.4	483.4	566.8	797.8	938.4	1339.8	F		
2.1	8.7	36.5	69.2	86.6	83.3	72.2	56.8	43.1	32.0	M	Mouth and pharynx cancer	140–149/C00–C14
0.3	0.6	6.0	11.1	14.6	14.9	10.5	7.9	10.0	17.1	F	Oesophagus cancer	150/C15
0.8	1.7	10.0	22.8	30.9	33.9	37.7	31.3	27.3	18.5	M		
–	–	2.0	1.6	4.7	6.1	6.9	3.1	5.0	6.4	F		
1.3	3.8	8.6	15.0	33.5	37.7	61.3	99.9	110.2	167.6	M	Stomach cancer	151/C16
0.5	1.2	4.7	6.2	12.6	18.6	23.5	34.6	52.1	92.4	F		
2.3	8.7	15.2	41.3	80.5	133.2	187.0	289.8	343.0	484.3	M	Colorectal cancer	153, 154/C18–C21
4.8	5.9	9.0	19.0	39.2	61.2	91.8	126.9	190.1	263.0	F		
0.5	0.9	5.9	13.2	18.5	34.2	28.1	43.7	49.7	59.0	M	Liver cancer	155.0/C22 excl C221
–	0.3	1.3	2.7	3.5	6.4	7.2	13.0	16.3	25.7	F		
1.0	4.1	7.6	20.1	34.9	50.6	65.8	86.8	83.7	100.2	M	Pancreas cancer	157/C25
0.5	2.1	5.3	10.0	21.6	30.2	36.3	63.2	85.1	98.2	F		
0.5	2.6	13.4	25.1	37.2	32.7	32.2	18.9	28.2	19.4	M	Larynx cancer	161/C32
3.1	19.4	62.4	157.5	280.8	379.4	424.0	531.3	536.1	491.9	M	Lung cancer	162/C33, C34
2.9	12.7	37.3	83.3	110.5	138.3	129.4	148.5	133.1	164.5	F		
1.0	4.3	4.1	4.5	6.3	8.8	12.7	20.2	15.7	25.3	M	Malignant melanoma	172/C43
1.3	1.2	1.7	3.0	1.7	3.4	3.9	5.9	10.9	12.5	F		
6.7	12.4	26.0	42.3	48.6	63.7	74.5	119.8	119.5	176.3	F	Female breast cancer	174/C50
4.5	6.2	13.0	16.0	11.4	12.8	7.8	15.3	15.8	17.8	F	Cervix cancer	180/C53
0.3	1.5	3.0	3.8	8.7	13.4	18.6	23.6	24.4	38.2	F	Other uterine cancer	179, 182/C54, C55
2.4	2.1	10.3	13.0	17.6	18.6	30.4	38.5	46.6	54.2	F	Ovarian cancer	183/C56, C570–C574
–	0.3	0.3	3.3	10.4	34.6	67.6	127.3	209.6	397.5	M	Prostate cancer	185/C61
0.3	0.6	4.1	6.3	8.9	32.7	36.3	73.1	93.6	144.9	M	Bladder cancer	188/C67
0.8	0.3	2.0	3.5	5.2	8.5	12.8	10.6	18.6	33.9	F		
9.3	11.9	30.0	46.1	74.5	96.7	133.5	178.2	201.3	336.9	M	Other and ill-defined cancer sites	Rest of 140–199/ rest of C00–C80, C97
5.1	7.7	12.3	26.3	40.9	59.1	76.8	129.2	143.0	251.3	F	Hodgkin's disease	201/C81
0.5	0.3	0.3	0.3	0.6	0.8	0.5	2.0	–	0.8	M		
0.3	–	0.3	–	–	0.3	0.7	–	1.4	0.7	F		
2.3	2.0	4.1	5.1	12.7	13.7	33.1	41.1	61.3	62.3	M	Myeloma and non– Hodgkin lymphomas	200, 202–203/ C82–C90, C96
1.1	1.2	4.0	3.8	6.4	14.9	14.7	27.9	34.0	39.6	F		
1.3	2.9	3.8	4.5	11.2	19.4	26.8	52.9	77.1	75.8	M	Leukaemia	204–208/C91–C95
1.3	2.1	3.7	3.8	8.2	8.5	17.3	26.3	30.3	46.0	F		
0.8	4.3	11.0	17.1	27.1	53.3	69.0	109.0	147.5	226.6	M	Diabetes	250/E10–E14
1.6	0.9	3.7	6.2	10.2	28.3	46.7	73.1	136.2	225.9	F		
38.1	107.1	221.3	394.9	628.0	1000.6	1398.6	2436.6	3850.3	8710.2	M	ALL VASCULAR DISEASE	390–459/I00–I99
12.3	34.5	65.9	121.6	204.5	336.0	585.7	1259.7	2567.0	8269.4	F		
0.3	–	1.0	0.6	1.7	1.9	6.8	6.5	11.6	26.9	M	Rheumatic heart disease and fever	390–398/I00–I09
–	0.6	0.3	0.3	0.5	2.1	3.3	11.4	14.0	31.8	F		
1.6	7.5	18.3	21.9	42.4	70.8	101.7	204.3	328.1	882.6	M	Hypertensive disease	401–405/I10–I15
0.5	1.8	6.0	11.4	19.1	34.1	54.6	130.4	287.0	1034.3	F		
14.2	54.6	115.2	212.6	342.2	529.8	738.1	1270.2	2016.7	4622.9	M	Ischaemic heart disease	410–414/I20–I25
3.7	13.0	26.0	58.4	100.9	163.3	289.3	630.9	1292.3	4212.5	F		
1.0	2.0	3.5	4.2	8.1	13.3	13.2	24.1	33.1	64.8	M	Pulmonary embolism and other venous	415.1, 451–453/ I26, 180–182
1.1	1.5	4.0	1.4	4.7	8.5	11.1	16.5	31.7	73.9	F		
9.1	17.1	31.4	71.3	113.4	203.6	295.5	549.6	904.8	1788.9	M	Cerebrovascular disease	430–438/I60–I69
3.2	8.2	15.3	23.9	40.6	76.2	129.8	294.2	591.2	1735.6	F		
11.9	25.8	52.1	84.4	120.0	181.2	243.3	381.9	556.0	1324.0	M	Other vascular disease	Rest of 390–459/ rest of I00–I99
3.7	9.4	14.3	26.3	38.7	51.8	97.7	176.4	350.8	1181.3	F		
1.8	8.1	17.6	38.9	68.7	119.5	136.6	261.1	415.9	696.5	M	Chronic obstructive pulmonary disease	490–496/ J40–J47, J67
1.6	3.8	8.7	22.8	28.8	52.7	57.5	97.0	133.5	308.0	F		
3.9	5.5	8.6	12.6	22.2	24.4	30.4	61.4	78.7	194.6	M	Other respiratory disease	Rest of 460–519/ rest of J00–J98
2.1	3.2	3.3	5.2	7.7	10.4	13.1	25.5	51.6	118.8	F		
1.3	2.0	10.3	9.9	14.4	20.6	25.9	32.6	40.6	67.4	M	Peptic ulcer	531–533/K25–K27
0.5	0.3	2.3	4.9	3.5	7.0	7.2	9.8	28.5	61.4	F		
16.6	41.8	100.3	159.6	192.8	187.2	200.7	171.0	111.9	62.3	M	Liver cirrhosis	571/K70, K74
4.0	9.7	25.6	49.4	54.3	66.4	55.9	47.5	39.8	26.4	F		
0.8	0.3	1.7	6.0	4.9	5.7	10.0	18.3	38.9	60.6	M	Renal disease	580–590/N00–N19
0.3	2.1	1.3	1.6	2.5	5.5	7.5	16.9	34.4	60.7	F		
0.8	0.3	0.3	–	–	–	–	–	–	–	F	Pregnancy, birth Congenital and perinatal causes	630–676/A34,000–O99 740–779/A33, P00–P96, Q00–Q99
3.1	3.5	1.4	3.3	2.9	2.7	3.2	3.3	2.5	4.2	M		
1.9	1.5	4.3	1.4	2.5	0.9	2.3	1.6	3.2	0.7	F		
1.6	2.3	1.4	1.2	1.4	1.1	2.3	1.3	2.5	23.6	M	Ill-defined causes	780–799/R00–R99
–	–	0.3	0.5	0.7	0.6	1.0	0.4	3.2	16.1	F		
16.3	34.0	50.0	76.7	97.0	137.4	202.0	287.2	450.7	1000.6	M	Other medical causes	Rest of 001–799/ rest of A00–R99
7.7	14.7	32.6	38.5	51.5	78.9	104.6	203.1	354.9	978.6	F		
77.8	94.9	143.8	154.8	153.2	166.3	160.7	195.2	239.4	472.5	M	ALL NON– MEDICAL CAUSES	E800–E999/V01–Y89
17.4	20.3	33.3	34.7	37.9	40.8	50.3	70.3	119.0	345.8	F		
13.5	16.8	17.6	21.0	17.0	16.8	19.5	21.5	25.7	22.7	M	Road traffic accidents	E810–E819, E826–E829/ part of V01–V99, Y850
3.7	3.2	5.7	4.3	5.2	5.5	4.9	9.4	8.2	7.8	F		
0.8	1.2	2.1	4.2	2.9	3.4	4.1	5.9	5.8	11.8	M	Fire	E890–E899/X00–X09
0.3	–	0.3	1.1	1.0	0.6	0.7	2.4	4.1	6.4	F		
39.1	45.0	72.0	73.3	71.0	67.4	61.3	73.8	86.2	118.8	M	Suicide	E950–E959/X60–X84
6.7	10.0	17.0	16.3	15.9	14.9	19.0	15.3	19.5	23.6	F		
385.9	344.6	290.1	334.0	346.5	262.8	220.3	153.2	120.7	118.7	M	POPULATION (1000s; UN, 2015 revision)	
374.5	339.4	300.5	368.4	403.5	328.3	305.9	254.6	220.9	280.2	F		

HUNGARY: 2010**Relative importance of deaths in MIDDLE age (35–69) in the year 2010**

Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 1.5	– / 0.7	–
35–69	15 / 30	5.4 / 15	22 years
70+	8.8 / 33	6.6 / 49	8 years
All ages	23 / 65	12 / 65	16 years

Deaths, by cause, attributed to SMOKING / total deaths (thousands) in the year 2010


Cause	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
Lung Cancer	–/0.0	3.5/3.7	1.8/2.0	5.3/5.7	–/0.0	1.6/1.8	0.9/1.1	2.4/2.9
All Cancer	–/0.2	6.1/10 (60%)	2.8/7.6 (36%)	8.9/18	–/0.1	2.0/6.6 (31%)	1.1/7.8 (15%)	3.2/15
Vascular	–/0.1	6.0/10	4.1/18	10/29	–/0.0	2.2/4.5	4.0/31	6.2/36
Respiratory	–/0.0	1.1/1.4	1.4/2.2	2.5/3.7	–/0.0	0.6/0.8	1.1/2.0	1.6/2.8
All Other	–/1.2	1.2/8.2	0.4/5.0	1.7/14	–/0.5	0.6/3.5	0.4/7.6	1.0/12
All Causes	–/1.5	15/30 (48%)	8.8/33 (26%)	23/65	–/0.7	5.4/15 (35%)	6.6/49 (14%)	12/65

**Cancer deaths, and all deaths,
attributed to SMOKING / total deaths (thousands) in the year 2010**

Cause	Male	Female	Male + Female
All Cancer	8.9 / 18 (49%)	3.2 / 15 (22%)	12 / 33 (37%)
All Causes	23 / 65 (36%)	12 / 65 (19%)	35 / 130 (27%)


1955-2015: HUNGARY

Population risk of dying at ages 0–34



Population risk of a 35-year-old dying at ages 35–69 from smoking (shaded) or from any cause (shaded and white)


MALE



*eg, at year 2010 male death rates, out of 100 men aged 35, 42 would die before age 70 (with 20 of these deaths attributed to smoking)

Note: Most of those killed by smoking would otherwise have survived beyond age 70, but a minority (shaded area to right of dotted line) would have died by 70 anyway

FEMALE



HUNGARY: 1950-2015***Relative importance of deaths in MIDDLE age (35–69), 2015 projections***

Age range (years)	Deaths attributed to SMOKING		Mean years lost PER DEATH FROM SMOKING
	/total deaths (thousands)	Male	
0–34	– / 1.0	– / 0.5	–
35–69	13 / 28	6.1 / 14	22 years
70+	8.8 / 32	7.1 / 47	8 years
All ages	22 / 61	13 / 61	16 years

Numbers of deaths attributed to smoking / total deaths (thousands)

Year	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
1955	–/11	5.3/21 (25%)	1.2/20 (6%)	6.5/52	–/7.8	0.9/18 (5%)	0.3/24 (1%)	1.2/50
1965	–/6.0	7.6/24 (32%)	3.6/24 (15%)	11/53	–/3.9	1.3/17 (7%)	1.4/30 (5%)	2.6/51
1975	–/6.2	10/28 (35%)	7.9/33 (24%)	18/67	–/3.8	1.7/19 (9%)	2.5/39 (6%)	4.2/62
1985	–/4.7	16/35 (46%)	10/38 (27%)	26/77	–/2.4	3.1/19 (16%)	3.9/48 (8%)	7.0/69
1995	–/3.1	19/40 (47%)	9.6/34 (28%)	28/77	–/1.5	4.6/20 (23%)	5.6/47 (12%)	10/68
2005	–/2.0	16/33 (48%)	9.0/34 (26%)	25/69	–/0.9	4.9/16 (30%)	5.9/48 (12%)	11/65
2015 proj.	–/1.0	13/28 (48%)	8.8/32 (27%)	22/61	–/0.5	6.1/14 (42%)	7.1/47 (15%)	13/61





60-year total (thousands), decade of 1960s to decade of 2010s (1960–2020*): 1782 / 7808

*Estimated as 10 times the sum of the annual numbers for 1965, 1975, 1985, 1995, 2005 and 2015

1960–2020, by age & sex:


–/230	812/1867 (44%)	490/1951 (25%)	1302/4047	–/131	215/1050 (21%)	264/2579 (10%)	479/3761
--------------	---------------------------	---------------------------	------------------	--------------	---------------------------	---------------------------	-----------------

1955-2015: HUNGARY



HUNGARY: 1955-2015

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	Attributed to smoking?	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
		0–34		35–69		70–79		0–34		35–69		70–79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	
1955		–	3.56	3.56	11.1	5.25	74.1	–	2.52	0.53	9.71	0.85	67.7
1960		–	2.72	4.02	10.2	8.50	72.2	–	1.93	0.61	8.83	2.10	64.1
1965		–	2.46	4.46	9.36	13.1	65.9	–	1.69	0.63	7.88	3.09	57.7
1970		–	2.34	5.10	9.95	18.4	67.0	–	1.50	0.68	7.94	3.40	58.3
1975		–	2.23	5.54	9.97	21.5	62.9	–	1.44	0.80	7.85	3.97	54.1
1980		–	1.77	7.41	10.7	25.4	63.2	–	1.01	1.12	8.07	4.58	53.5
1985		–	1.80	9.04	11.1	24.1	61.5	–	1.00	1.54	7.90	4.88	50.1
1990		–	1.70	9.70	10.9	23.4	58.6	–	0.90	1.74	7.21	5.87	46.4
1995		–	1.32	10.1	11.1	24.1	57.2	–	0.68	2.02	6.71	6.49	43.4
2000		–	1.03	8.90	9.95	21.0	51.0	–	0.54	2.03	5.74	5.75	37.2
2005		–	0.84	8.27	9.20	19.8	48.7	–	0.44	2.09	5.03	5.74	33.5
2010		–	0.64	7.36	8.13	18.6	43.8	–	0.36	2.28	4.25	5.88	29.2
2015		–	0.49	6.64	7.21	17.5	39.4	–	0.29	2.51	3.51	6.01	25.4

0–34 and 35–69 = means of 7 age-specific rates; 70–79 = mean of 2 rates (70–74 & 75–79)

1955-2015: HUNGARY


ALL CANCER mortality rates attributed and not attributed to smoking



[†] Mean of 7 age-specific rates, ages 35–69 (or ages 0–34)

Year	Attributed to smoking?	MALE cancer mortality (annual rate/1000, by age)						FEMALE cancer mortality (annual rate/1000, by age)					
		0–34		35–69		70–79		0–34		35–69		70–79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955	–	0.09	0.88	2.30	1.24	10.3	–	0.10	0.07	2.57	0.09	8.84	...
1960	–	0.11	1.09	2.30	2.20	11.5	–	0.10	0.08	2.54	0.24	9.19	...
1965	–	0.11	1.32	2.24	3.68	11.3	–	0.10	0.10	2.46	0.41	9.40	...
1970	–	0.12	1.45	2.25	5.20	12.1	–	0.10	0.11	2.47	0.46	9.81	...
1975	–	0.12	1.63	2.32	6.28	11.9	–	0.11	0.13	2.55	0.56	9.61	...
1980	–	0.12	2.10	2.29	7.23	11.9	–	0.10	0.18	2.50	0.62	9.37	...
1985	–	0.12	2.76	2.32	7.02	11.5	–	0.10	0.28	2.50	0.72	9.10	...
1990	–	0.11	3.29	2.32	7.37	12.2	–	0.10	0.37	2.43	0.97	9.48	...
1995	–	0.10	3.64	2.34	8.04	12.6	–	0.08	0.50	2.42	1.20	9.36	...
2000	–	0.08	3.55	2.32	7.55	11.8	–	0.08	0.61	2.25	1.19	8.47	...
2005	–	0.07	3.31	2.25	7.07	10.9	–	0.07	0.69	2.07	1.25	7.58	...
2010	–	0.07	3.12	2.20	7.10	10.6	–	0.06	0.85	1.94	1.45	7.22	...
2015	–	0.06	2.99	2.15	7.12	10.3	–	0.05	1.08	1.76	1.69	6.83	...


0–34 and 35–69 = means of 7 age-specific rates; 70–79 = mean of 2 rates (70–74 & 75–79)

HUNGARY: 1955-2013**Mortality* trends at selected ages: 35-39, 55-59 & 75-79**

* Annual mortality per 1000: averages of years available in 1955-59,...,2005-09; then 4-year average 2010-13

1955-2013: HUNGARY

Mortality* trends at selected ages: 35-39, 55-59 & 75-79



* Annual mortality per 1000: averages of years available in 1955-59,...,2005-09; then 4-year average 2010-13