

# **MORTALITY FROM SMOKING IN DEVELOPED COUNTRIES 1950–2020**

(see also [www.deathsfromsmoking.net](http://www.deathsfromsmoking.net))

**Richard Peto, Alan D Lopez, Hongchao Pan  
Jillian Boreham and Michael Thun**

## **LITHUANIA**

**Raw data** (pages 280–81)

**Analyses** (pages 282–83, 284–85, 286–87)

**Appendix** (pages 288–89)

(revised September 2015)

## LITHUANIA: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	21536	1021	10244	1353.0	145.1	1855.3	139.3	16.6	24.7	103.7	180.6	204.4	346.4
	F	20584	316	4307	619.6	49.6	605.6	116.5	14.6	13.1	23.5	36.2	58.0	85.0
Tuberculosis	M	181	12	141	11.9	1.7	22.7	-	-	-	-	-	3.9	8.1
	F	41	2	29	2.0	0.3	3.7	-	-	-	-	-	1.0	1.0
Other infective and parasitic	M	135	18	68	8.8	2.8	11.8	5.3	-	-	0.9	-	2.9	10.2
	F	124	7	41	4.7	1.2	5.7	4.2	-	1.2	-	-	2.0	1.0
ALL CANCER	M	4572	51	2243	286.6	7.3	436.4	5.3	2.8	5.6	6.9	6.9	9.6	14.2
	F	3538	42	1406	129.1	6.2	197.1	5.5	2.9	-	2.7	1.8	14.8	16.0
Mouth and pharynx cancer	M	227	2	185	15.2	0.3	34.1	-	-	-	-	-	-	2.0
	F	48	-	24	1.9	-	3.3	-	-	-	-	-	-	-
Oesophagus cancer	M	143	-	108	9.4	-	20.2	-	-	-	-	-	-	-
	F	20	-	10	0.8	-	1.4	-	-	-	-	-	-	-
Stomach cancer	M	411	3	211	25.8	0.4	40.3	-	-	-	-	-	-	3.0
	F	270	3	92	9.2	0.4	13.0	-	-	-	-	-	1.0	2.0
Colorectal cancer	M	480	-	173	29.1	-	35.0	-	-	-	-	-	-	-
	F	473	-	132	15.2	-	19.2	-	-	-	-	-	-	-
Liver cancer	M	97	1	52	6.1	0.1	9.8	-	-	-	-	-	-	1.0
	F	59	1	16	1.9	0.1	2.3	-	-	-	-	-	-	1.0
Pancreas cancer	M	225	-	142	14.5	-	26.9	-	-	-	-	-	-	-
	F	221	-	57	6.9	-	8.2	-	-	-	-	-	-	-
Larynx cancer	M	126	-	75	8.1	-	13.9	-	-	-	-	-	-	-
	F	5	-	2	0.2	-	0.3	-	-	-	-	-	-	-
Lung cancer	M	1115	3	606	70.6	0.4	121.7	-	-	-	-	-	1.0	2.0
	F	187	1	88	7.0	0.1	12.5	-	-	-	-	0.9	-	-
Malignant melanoma	M	62	1	36	3.9	0.1	6.4	-	-	-	-	-	-	1.0
	F	59	2	17	2.1	0.3	2.3	-	-	-	-	-	2.0	-
Female breast cancer	F	576	4	298	23.1	0.6	41.5	-	-	-	-	-	1.0	3.0
Cervix cancer	F	243	6	156	11.1	0.9	20.2	-	-	-	-	-	-	6.0
Other uterine cancer	F	144	-	56	5.1	-	8.2	-	-	-	-	-	-	-
Ovarian cancer	F	290	2	142	11.5	0.3	19.6	-	-	-	0.9	-	-	1.0
Prostate cancer	M	577	-	143	34.4	-	30.7	-	-	-	-	-	-	-
Bladder cancer	M	194	-	64	11.8	-	12.9	-	-	-	-	-	-	-
	F	54	-	8	1.4	-	1.2	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	643	25	335	40.8	3.5	63.2	1.3	1.4	3.4	3.5	5.2	5.8	4.1
	F	620	16	228	22.5	2.4	32.2	2.8	1.5	-	1.8	0.9	7.9	2.0
Hodgkin's disease	M	9	1	6	0.6	0.1	1.0	-	-	-	-	-	-	1.0
	F	6	1	-	0.2	0.1	-	-	-	-	-	-	1.0	-
Myeloma and non-Hodgkin lymphomas	M	127	4	56	7.9	0.6	10.5	1.3	-	1.1	0.9	-	1.0	-
	F	134	1	38	4.4	0.1	5.7	-	-	-	-	-	1.0	-
Leukaemia	M	136	11	51	8.4	1.6	9.8	2.6	1.4	1.1	2.6	1.7	1.9	-
	F	129	5	42	4.7	0.9	6.0	2.8	1.5	-	-	-	1.0	1.0
Diabetes	M	117	3	67	7.5	0.4	12.4	-	-	-	0.9	-	1.9	-
	F	160	1	46	5.2	0.1	6.8	-	-	-	0.9	-	-	-
ALL VASCULAR DISEASE	M	10130	86	3721	620.3	12.2	713.2	4.0	1.4	2.2	5.2	8.6	24.1	39.6
	F	13497	25	1484	347.1	3.6	216.6	1.4	1.5	-	2.7	1.8	6.9	11.0
Rheumatic heart disease and fever	M	49	2	26	3.0	0.3	4.5	-	-	-	-	-	-	2.0
	F	76	-	27	2.6	-	4.0	-	-	-	-	-	-	-
Hypertensive disease	M	244	6	133	15.5	0.8	24.9	-	-	-	-	0.9	1.9	3.0
	F	332	-	72	9.7	-	10.7	-	-	-	-	-	-	-
Ischaemic heart disease	M	6555	23	2238	399.8	3.2	435.6	-	-	-	-	1.7	7.7	13.2
	F	8557	8	767	212.9	1.1	113.4	-	-	-	-	0.9	3.9	3.0
Pulmonary embolism and other venous	M	138	-	69	8.7	-	13.6	-	-	-	-	-	-	-
	F	156	1	54	5.3	0.1	7.5	-	-	-	-	-	1.0	-
Cerebrovascular disease	M	2097	12	630	126.3	1.7	125.1	-	-	1.1	1.7	-	4.8	4.1
	F	3662	4	403	95.1	0.6	58.5	-	-	-	-	0.9	-	3.0
Other vascular disease	M	1047	43	625	66.9	6.1	109.6	4.0	1.4	1.1	3.5	6.0	9.6	17.3
	F	714	12	161	21.5	1.8	22.5	1.4	1.5	-	2.7	-	2.0	5.0
Chronic obstructive pulmonary disease	M	568	3	156	34.1	0.4	31.5	-	-	-	-	-	1.0	2.0
	F	223	1	37	6.4	0.1	5.2	-	-	-	-	-	-	1.0
Other respiratory disease	M	327	7	193	20.7	1.0	32.5	1.3	-	-	-	1.7	1.0	3.0
	F	162	5	54	5.7	0.7	7.5	-	-	1.2	-	1.8	-	2.0
Peptic ulcer	M	138	-	93	8.9	-	17.0	-	-	-	-	-	-	-
	F	130	-	34	4.0	-	4.7	-	-	-	-	-	-	-
Liver cirrhosis	M	646	26	557	43.1	3.7	91.2	-	-	-	-	0.9	4.8	20.3
	F	321	11	250	16.2	1.6	33.7	-	-	-	-	-	-	11.0
Renal disease	M	85	2	35	5.3	0.3	6.6	-	-	-	-	-	-	2.0
	F	147	1	27	4.3	0.1	3.9	-	-	-	-	-	-	1.0
Pregnancy, birth	F	2	1	1	0.1	0.1	0.1	-	-	-	-	-	-	1.0
Congenital and perinatal causes	M	89	80	8	8.6	14.5	1.2	87.5	2.8	-	2.6	1.7	2.9	4.1
	F	78	64	14	7.6	12.3	1.8	76.3	4.4	-	1.8	2.6	1.0	-
Ill-defined causes	M	373	64	250	24.8	9.3	39.5	11.9	1.4	-	1.7	9.5	15.4	25.4
	F	177	19	59	7.0	2.8	7.8	4.2	-	-	-	4.4	3.9	7.0
Other medical causes	M	1050	53	548	66.1	7.4	94.6	4.0	1.4	5.6	9.5	11.2	5.8	14.2
	F	1064	28	301	35.8	4.3	41.8	8.3	1.5	2.4	4.5	1.8	3.9	8.0
ALL NON-MEDICAL CAUSES	M	3125	616	2164	206.3	84.1	344.7	19.9	6.9	11.2	76.0	140.0	131.1	203.2
	F	920	109	524	44.3	16.0	69.3	16.6	4.4	8.3	10.8	22.1	23.6	26.0
Road traffic accidents	M	243	89	134	16.0	11.9	21.9	1.3	1.4	4.5	21.6	22.5	14.5	17.3
	F	81	18	35	3.9	2.6	4.9	1.4	1.5	-	3.6	3.5	4.9	3.0
Fire	M	69	2	58	4.6	0.3	9.1	-	-	-	-	-	-	1.0
	F	24	4	13	1.2	0.6	1.8	-	-	-	-	0.9	1.0	2.0
Suicide	M	829	204	541	54.2	27.2	83.5	-	-	1.1	20.7	59.6	47.2	62.0
	F	189	26	111	9.3	3.5	14.4	-	-	1.2	6.3	6.2	2.0	9.0
POPULATION:														
(1000s; UN, 2015 revision)			M=male		1440.0	670.1	644.0	75.4	72.1	89.0	115.7	115.7	103.7	98.4
			F=female		1682.8	650.2	763.2	72.1	68.5	84.1	110.7	113.2	101.6	100.0

## 2010: LITHUANIA

Annual death rates / 100,000  
(zero denoted by -)

## 9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
502.7	709.7	958.5	1417.9	2198.7	3152.0	4048.0	5121.0	7190.4	14022.5	M	ALL CAUSES	001-999/A00-Y89
112.7	191.4	338.1	461.4	733.5	1002.5	1399.3	2160.7	3947.5	11148.2	F		
13.3	18.8	21.4	20.7	30.1	32.9	21.9	20.7	20.6	26.5	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.9	2.6	5.5	5.7	4.9	4.3	2.2	3.2	5.0	3.1	F		
8.6	5.6	6.8	10.4	9.6	16.5	25.3	30.1	36.0	56.0	M	Other infective and parasitic	Rest of 001-139,279.5&6/ rest of A00-B99 excl A33,A34
0.9	1.8	1.6	6.5	9.7	8.7	10.9	19.3	29.1	36.0	F		
29.5	54.4	137.7	261.0	531.9	853.1	1187.4	1505.4	1784.8	2314.0	M	ALL CANCER	140-208/C00-C97
33.4	49.0	118.4	159.5	258.8	314.6	445.7	545.0	751.9	1016.7	F		
1.9	4.7	12.0	29.2	63.8	62.9	64.1	41.5	30.9	17.7	M	Mouth and pharynx cancer	140-149/C00-C14
-	0.9	1.6	4.1	6.8	6.5	3.3	6.4	8.8	11.3	F		
1.9	2.8	6.8	17.0	28.9	40.4	43.9	39.6	25.7	11.8	M	Oesophagus cancer	150/C15
-	-	1.6	-	1.9	1.1	5.5	3.2	3.8	4.1	F		
2.9	9.4	19.7	19.8	43.3	92.8	94.5	122.5	159.4	206.3	M	Stomach cancer	151/C16
2.7	1.8	9.3	8.1	14.6	16.3	38.1	37.5	60.6	94.8	F		
3.8	2.8	4.3	18.8	38.5	55.4	121.4	190.3	272.6	294.8	M	Colorectal cancer	153, 154/C18-C21
1.8	0.9	4.7	8.9	28.2	43.4	46.9	68.7	137.7	173.1	F		
-	2.8	2.6	8.5	15.6	13.5	25.3	37.7	33.4	32.4	M	Liver cancer	155.0/C22 excl C221
-	0.9	0.8	2.4	1.9	2.2	7.6	11.8	11.4	22.7	F		
1.9	6.6	8.6	17.9	39.7	47.9	65.8	62.2	61.7	76.6	M	Pancreas cancer	157/C25
-	-	4.7	4.9	8.8	10.8	28.3	40.8	50.5	88.6	F		
0.9	1.9	5.1	11.3	24.1	26.9	27.0	54.6	36.0	23.6	M	Larynx cancer	161/C32
-	-	-	0.8	-	1.1	-	1.1	1.3	1.0	F		
3.8	7.5	29.9	62.2	124.0	264.9	359.3	407.0	414.0	380.3	M	Lung cancer	162/C33, C34
0.9	1.8	6.2	9.8	16.5	23.9	28.3	19.3	37.9	51.5	F		
1.9	3.8	4.3	3.8	7.2	12.0	11.8	20.7	12.9	26.5	M	Malignant melanoma	172/C43
1.8	-	3.1	1.6	1.9	3.2	4.4	9.7	22.8	13.4	F		
10.8	7.0	23.4	42.3	51.6	68.3	87.2	90.1	99.8	114.3	F	Female breast cancer	174/C50
7.2	13.1	28.8	26.9	25.3	18.4	21.8	19.3	31.6	39.1	F	Cervix cancer	180/C53
-	-	3.1	4.1	8.8	15.2	26.2	33.3	22.8	40.2	F	Other uterine cancer	179, 182/C54, C55
1.8	11.4	9.3	17.9	35.0	27.1	34.9	50.4	45.5	64.9	F	Ovarian cancer	183/C56, C570-C574
-	-	4.3	7.5	19.3	64.4	119.8	209.1	306.0	601.3	M	Prostate cancer	185/C61
-	-	6.0	3.8	14.4	22.4	43.9	56.5	92.6	188.7	M	Bladder cancer	188/C67
-	-	-	0.8	1.9	2.2	3.3	2.1	16.4	31.9	F		
9.5	8.4	21.4	49.0	84.2	118.2	151.8	175.2	221.2	306.6	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
4.5	9.6	16.4	23.6	41.8	47.7	81.7	100.8	131.4	183.3	F		
-	0.9	0.9	0.9	1.2	1.5	1.7	-	5.1	-	M	Hodgkin's disease	201/C81
-	-	-	-	-	-	-	1.1	2.5	2.1	F		
0.9	1.9	5.1	4.7	19.3	16.5	25.3	49.0	61.7	50.1	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
-	0.9	0.8	0.8	6.8	15.2	15.3	27.9	36.6	41.2	F		
-	0.9	6.8	6.6	8.4	13.5	32.0	39.6	51.4	97.3	M	Leukaemia	204-208/C91-C95
1.8	0.9	4.7	2.4	6.8	11.9	13.1	21.5	30.3	39.1	F		
1.9	-	9.4	6.6	18.1	22.4	28.7	26.4	30.9	61.9	M	Diabetes	250/E10-E14
-	0.9	3.1	-	6.8	13.0	24.0	36.5	39.2	49.4	F		
77.1	159.4	256.5	456.9	790.7	1329.1	1922.8	2624.5	4222.7	9692.2	M	ALL VASCULAR DISEASE	390-459/I00-I99
10.8	35.8	54.5	118.8	218.9	407.9	669.2	1214.5	2589.2	9071.6	F		
0.9	1.9	3.4	3.8	8.4	4.5	8.4	15.1	25.7	8.8	M	Rheumatic heart disease and fever	390-398/I00-I09
-	0.9	1.6	0.8	2.9	5.4	16.4	15.0	24.0	16.5	F		
1.9	2.8	12.0	17.9	34.9	52.4	52.3	65.9	66.9	129.7	M	Hypertensive disease	401-405/I10-I15
0.9	0.9	2.3	1.6	12.7	22.8	33.8	36.5	68.2	177.2	F		
27.6	77.8	135.9	269.4	466.9	862.1	1209.3	1680.6	2746.6	6880.1	M	Ischaemic heart disease	410-414/I20-I25
3.6	9.6	17.1	52.1	113.8	224.6	372.7	714.5	1513.8	6095.8	F		
2.9	2.8	2.6	5.7	14.4	31.4	35.4	43.3	61.7	64.8	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
1.8	1.8	3.9	8.9	7.8	8.7	19.6	20.4	32.9	57.7	F		
16.2	15.0	32.5	61.2	133.6	227.5	389.6	593.5	1095.5	2104.7	M	Cerebrovascular disease	430-438/I60-I69
3.6	14.9	17.1	32.5	56.4	110.7	174.4	377.6	828.9	2314.5	F		
27.6	59.1	70.1	98.9	132.4	151.2	227.7	226.1	226.3	504.1	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
0.9	7.9	12.5	22.8	25.3	35.8	52.3	50.4	121.3	410.0	F		
-	4.7	7.7	11.3	34.9	67.3	94.5	160.2	318.9	589.5	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
-	1.8	2.3	4.1	6.8	9.8	12.0	31.1	54.3	116.4	F		
12.4	15.9	29.9	30.1	43.3	44.9	50.6	73.5	74.6	173.9	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
3.6	3.5	3.1	6.5	11.7	9.8	14.2	11.8	34.1	67.0	F		
0.9	5.6	8.6	14.1	22.9	32.9	33.7	17.0	36.0	64.8	M	Peptic ulcer	531-533/K25-K27
0.9	2.6	3.1	4.9	5.8	5.4	9.8	11.8	22.8	69.0	F		
48.6	70.3	72.7	89.5	121.5	136.2	99.5	73.5	38.6	26.5	M	Liver cirrhosis	571/K70, K74
13.5	13.1	28.8	35.8	53.5	56.4	34.9	25.8	27.8	14.4	F		
1.9	1.9	3.4	3.8	3.6	15.0	16.9	24.5	25.7	73.7	M	Renal disease	580-590/N00-N19
0.9	1.8	0.8	3.3	2.9	9.8	7.6	18.2	43.0	70.0	F		
0.9	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34, O00-O99
-	0.9	1.7	2.8	1.2	1.5	-	1.9	-	-	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.9	0.9	4.7	0.8	2.9	1.1	1.1	-	-	-	F		
32.4	36.6	34.2	40.5	50.5	41.9	40.5	49.0	28.3	64.8	M	Ill-defined causes	780-799/R00-R99
4.5	4.4	11.7	7.3	6.8	7.6	12.0	22.5	22.8	61.8	F		
35.2	41.2	68.4	92.3	109.5	146.7	168.7	220.4	331.8	598.4	M	Other medical causes	Rest of 001-799/ rest of A00-R99
11.7	14.9	21.8	41.5	51.6	64.0	87.2	141.6	231.2	432.6	F		
240.9	294.4	300.1	377.8	430.8	411.6	357.6	293.9	241.7	280.0	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
29.8	58.6	78.7	66.7	92.4	90.0	68.7	79.4	97.3	140.1	F		
20.9	16.9	12.8	23.6	21.7	28.4	28.7	11.3	30.9	5.9	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
2.7	1.8	3.1	2.4	6.8	7.6	9.8	10.7	13.9	7.2	F		
3.8	12.2	6.8	10.4	12.0	13.5	5.1	7.5	7.7	5.9	M	Fire	E890-E899/X00-X09
-	3.5	0.8	0.8	1.9	3.2	2.2	2.1	5.0	1.0	F		
74.3	78.8	81.2	94.2	114.3	68.8	72.5	65.9	56.6	79.6	M	Suicide	E950-E959/X60-X84
10.8	20.1	16.4	13.0	18.5	15.2	6.5	11.8	16.4	28.8	F		
105.0	106.7	117.0	106.1	83.1	66.8	59.3	53.1	38.9	33.9	M	POPULATION	
110.9	114.4	128.4	122.9	102.8	92.2	91.8	93.2	79.1	97.1	F	(1000s; UN, 2015 revision)	

## LITHUANIA: 2010

## Relative importance of deaths in MIDDLE age (35–69) in the year 2010

Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 1.1	– / 0.3	–
35–69	3.3 / 10	0.2 / 4.4	21 years
70+	2.3 / 10	0.2 / 16	8 years
All ages	5.7 / 22	0.4 / 20	15 years

## Deaths, by cause, attributed to SMOKING / total deaths (thousands) in the year 2010


Cause	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
Lung Cancer	–/0.0	0.6/0.6	0.5/0.5	1.0/1.1	–/0.0	0.0/0.1	0.0/0.1	0.1/0.2
All Cancer	–/0.0	1.0/2.2 (45%)	0.7/2.3 (32%)	1.7/4.5	–/0.0	0.0/1.5 (3%)	0.0/2.1 (2%)	0.1/3.6
Vascular	–/0.1	1.7/3.8	1.2/6.2	2.9/10	–/0.0	0.1/1.5	0.2/12	0.2/13
Respiratory	–/0.0	0.2/0.4	0.3/0.6	0.6/1.0	–/0.0	0.0/0.1	0.0/0.3	0.0/0.4
All Other	–/0.9	0.4/3.9	0.1/1.1	0.5/6.0	–/0.2	0.0/1.4	0.0/1.5	0.0/3.1
All Causes	–/1.1	3.3/10 (32%)	2.3/10 (23%)	5.7/22	–/0.3	0.2/4.4 (3%)	0.2/16 (2%)	0.4/20

## Cancer deaths, and all deaths, attributed to SMOKING / total deaths (thousands) in the year 2010

Cause	Male	Female	Male + Female
All Cancer	1.7 / 4.5 (38%)	0.1 / 3.6 (2%)	1.8 / 8.1 (22%)
All Causes	5.7 / 22 (26%)	0.4 / 20 (2%)	6.1 / 42 (14%)


1985-2015: LITHUANIA

Population risk of dying at ages 0–34



Population risk of a 35-year-old dying at ages 35–69 from smoking (shaded) or from any cause (shaded and white)

MALE




\*eg, at year 2010 male death rates, out of 100 men aged 35, 48 would die before age 70 (with 16 of these deaths attributed to smoking)

Note: Most of those killed by smoking would otherwise have survived beyond age 70, but a minority (shaded area to right of dotted line) would have died by 70 anyway

**Note: For smoking-attributed mortality (pages 280–287), the long-term average is more trustworthy and relevant than implausibly rapid short-term fluctuations.**

FEMALE



## LITHUANIA: 1980-2015

*Relative importance of deaths in MIDDLE age (35–69), 2015 projections*

Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 0.8	– / 0.2	–
35–69	2.9 / 9.2	0.2 / 4.0	20 years
70+	2.2 / 10	0.0 / 16	8 years
All ages	5.1 / 20	0.2 / 21	15 years

## Numbers of deaths attributed to smoking / total deaths (thousands)

Year	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
1955	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...
1975	...	...	...	...	...	...	...	...
1985	–/2.1	3.5/8.4 (42%)	1.8/8.8 (20%)	5.2/19	–/0.9	0.2/4.6 (5%)	0.2/13	0.4/18
1995	–/2.2	5.1/13 (40%)	2.0/8.8 (23%)	7.1/24	–/0.8	0.2/6.0 (4%)	0.5/14	0.7/21
2005	–/1.5	4.0/12 (34%)	2.4/9.8 (25%)	6.4/23	–/0.5	0.1/5.0 (3%)	0.5/15	0.6/20
2015 proj.	–/0.8	2.9/9.2 (32%)	2.2/10 (22%)	5.1/20	–/0.2	0.2/4.0 (5%)	0.0/16	0.2/21





40-year total (thousands), decade of 1980s to decade of 2010s (1980–2020\*): 258 / 1660

\*Estimated as 10 times the sum of the annual numbers for 1985, 1995, 2005 and 2015

## 1980–2020, by age &amp; sex:


–/66	155/422 (37%)	84/376 (22%)	239/865	–/23	7.8/195 (4%)	11/577 (2%)	19/795
------	------------------	-----------------	---------	------	-----------------	----------------	--------

1985-2015: LITHUANIA



**LITHUANIA: 1985-2015**

**ALL-CAUSE mortality rates attributed and not attributed to smoking**




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	...	...	...	...	...	...	...	...	...	...	...	
1955	...	...	...	...	...	...	...	...	...	...	...	
1960	...	...	...	...	...	...	...	...	...	...	...	
1965	...	...	...	...	...	...	...	...	...	...	...	
1970	...	...	...	...	...	...	...	...	...	...	...	
1975	...	...	...	...	...	...	...	...	...	...	...	
1980	...	...	...	...	...	...	...	...	...	...	...	
1985	-	2.16	7.04	9.91	15.8	51.9	-	0.93	0.38	6.73	0.89	41.8
1990	-	2.11	7.92	10.0	17.5	50.4	-	0.88	0.34	6.79	1.46	40.4
1995	-	2.34	8.84	12.7	18.7	53.0	-	0.86	0.28	7.47	1.79	39.2
2000	-	1.96	6.99	11.5	18.8	49.5	-	0.70	0.11	6.43	1.17	36.4
2005	-	1.95	7.15	13.2	17.7	48.5	-	0.65	0.19	6.53	1.13	33.2
2010	-	1.55	6.27	12.3	15.7	45.4	-	0.51	0.22	5.98	0.39	30.0
2015	-	1.23	5.57	11.5	13.9	42.5	-	0.40	0.29	5.44	0.00	27.0

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1985-2015: LITHUANIA

ALL CANCER mortality rates attributed and not attributed to smoking















† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)						FEMALE cancer mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	...	...	...	...	...	...	...	...	...	...	...	...
1955	...	...	...	...	...	...	...	...	...	...	...	...
1960	...	...	...	...	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...	...	...	...	...
1970	...	...	...	...	...	...	...	...	...	...	...	...
1975	...	...	...	...	...	...	...	...	...	...	...	...
1980	...	...	...	...	...	...	...	...	...	...	...	...
1985	-	0.11	2.12	2.08	4.30	8.11	-	0.10	0.06	2.06	0.10	5.76
1990	-	0.10	2.54	2.19	5.05	9.26	-	0.10	0.05	2.21	0.22	6.54
1995	-	0.10	2.62	2.26	5.60	10.2	-	0.09	0.05	2.30	0.28	6.65
2000	-	0.08	2.32	2.25	6.27	10.9	-	0.09	0.02	2.16	0.21	7.10
2005	-	0.07	2.11	2.32	6.10	10.7	-	0.07	0.04	2.01	0.23	6.77
2010	-	0.07	1.97	2.31	5.77	10.5	-	0.06	0.05	2.00	0.10	6.45
2015	-	0.07	1.88	2.29	5.48	10.3	-	0.06	0.08	1.99	0.00	6.13

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

**LITHUANIA: 1985-2012**


**Mortality\* trends at selected ages: 35–39, 55–59 & 75–79**



\* Annual mortality per 1000: averages of years available in 1985–89,.....,2005–09; then 3–year average 2010–12

1985-2012: LITHUANIA

Mortality\* trends at selected ages: 35-39, 55-59 & 75-79



\* Annual mortality per 1000: averages of years available in 1985-89, ..., 2005-09; then 3-year average 2010-12