

MORTALITY FROM SMOKING IN DEVELOPED COUNTRIES 1950–2020

(see also www.deathsfromsmoking.net)

**Richard Peto, Alan D Lopez, Hongchao Pan
Jillian Boreham and Michael Thun**

The Former Yugoslav Republic of MACEDONIA

Raw data (pages 300–301)

Analyses (pages 302–3, 304–5, 306–7)

Appendix (pages 308–9)

(revised September 2015)

MACEDONIA, The Former Yugoslav Republic of: 2010

	No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
	All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M 10168	323	3944	1125.6	65.6	1113.1	190.9	17.2	15.7	47.5	53.3	62.2	72.2
	F 8945	191	2283	759.1	42.8	601.7	167.8	11.5	10.5	23.0	18.2	22.1	46.5
Tuberculosis	M 24	2	16	2.5	0.3	4.5	-	-	-	1.3	-	1.2	-
	F 8	-	3	0.7	-	0.7	-	-	-	-	-	-	-
Other infective and parasitic	M 19	11	6	2.2	2.6	1.4	13.9	1.6	-	-	2.5	-	-
	F 11	3	7	1.1	0.7	1.7	3.6	-	-	-	-	-	1.3
ALL CANCER	M 2211	28	1253	231.9	5.1	353.1	-	4.7	4.3	3.9	5.0	9.4	8.7
	F 1474	24	809	129.2	4.5	203.5	1.8	1.6	-	1.4	1.3	6.2	19.4
Mouth and pharynx cancer	M 31	-	22	3.2	-	5.8	-	-	-	-	-	-	-
	F 17	-	9	1.5	-	2.5	-	-	-	-	-	-	-
Oesophagus cancer	M 18	-	14	1.8	-	3.2	-	-	-	-	-	-	-
	F 4	-	4	0.4	-	0.9	-	-	-	-	-	-	-
Stomach cancer	M 252	-	126	26.7	-	36.7	-	-	-	-	-	-	-
	F 126	3	59	10.9	0.5	15.4	-	-	-	-	-	1.2	2.6
Colorectal cancer	M 219	2	128	23.3	0.3	37.3	-	-	-	-	-	-	2.4
	F 163	1	70	14.0	0.2	18.6	-	-	-	-	-	-	1.3
Liver cancer	M 127	-	79	13.2	-	23.3	-	-	-	-	-	-	-
	F 78	-	29	6.7	-	7.9	-	-	-	-	-	-	-
Pancreas cancer	M 118	1	66	12.5	0.2	18.9	-	-	-	-	-	-	1.2
	F 71	-	31	6.0	-	8.1	-	-	-	-	-	-	-
Larynx cancer	M 96	-	66	9.9	-	18.6	-	-	-	-	-	-	-
	F 4	-	3	0.4	-	0.7	-	-	-	-	-	-	-
Lung cancer	M 667	2	449	68.4	0.3	124.7	-	-	-	-	-	-	1.2
	F 135	-	93	12.1	-	22.9	-	-	-	-	-	-	-
Malignant melanoma	M 37	-	21	4.0	-	5.6	-	-	-	-	-	-	-
	F 19	-	12	1.7	-	2.6	-	-	-	-	-	-	-
Female breast cancer	F 308	3	208	27.6	0.6	50.1	-	-	-	-	-	-	3.9
Cervix cancer	M 31	1	20	2.7	0.2	4.9	-	-	-	-	-	-	-
Other uterine cancer	F 108	1	60	9.5	0.2	14.7	-	-	-	-	-	-	1.3
Ovarian cancer	F 96	1	55	8.4	0.2	13.5	-	-	-	-	-	-	1.2
Prostate cancer	M 165	-	34	18.7	-	10.2	-	-	-	-	-	-	-
Bladder cancer	M 94	-	35	10.1	-	11.1	-	-	-	-	-	-	-
	F 22	1	10	1.9	0.2	2.7	-	-	-	-	-	-	1.3
Other and ill-defined cancer sites	M 278	10	152	29.0	1.9	41.3	-	3.1	-	2.6	2.5	2.4	2.5
	F 238	9	121	20.8	1.8	31.6	1.8	1.6	-	1.4	1.3	1.2	5.2
Hodgkin's disease	M 12	5	7	1.1	0.9	1.6	-	-	-	-	2.5	1.2	2.5
	F 4	1	-	0.3	0.2	-	-	-	-	-	-	-	1.3
Myeloma and non-Hodgkin lymphomas	M 35	2	20	3.6	0.4	5.2	-	1.6	-	-	-	-	1.2
	F 18	-	11	1.6	-	2.9	-	-	-	-	-	-	-
Leukaemia	M 62	6	34	6.3	1.1	9.6	-	-	4.3	1.3	-	1.2	1.2
	F 32	3	14	2.8	0.5	3.4	-	-	-	-	-	1.2	2.6
Diabetes	M 308	1	108	34.0	0.2	31.3	-	-	-	-	-	-	1.2
	F 429	1	105	35.5	0.2	30.1	-	-	-	-	-	-	1.3
ALL VASCULAR DISEASE	M 5500	41	1685	624.8	7.5	492.6	1.7	3.1	1.4	12.8	7.4	8.2	17.4
Rheumatic heart disease and fever	M 5	-	3	0.9	0.2	0.7	-	-	-	1.3	-	-	-
Hypertensive disease	M 283	-	73	32.7	-	22.2	-	-	-	-	-	-	-
	F 398	-	48	32.9	-	13.2	-	-	-	-	-	-	-
Ischaemic heart disease	M 1086	5	557	116.7	0.9	154.8	-	-	-	-	1.2	-	5.0
	F 666	3	223	56.4	0.5	60.3	-	-	-	-	1.2	-	2.6
Pulmonary embolism and other venous	M 14	1	7	1.5	0.2	2.5	-	-	-	-	-	-	1.2
	F 17	1	6	1.5	0.2	1.5	-	-	-	-	-	-	1.3
Cerebrovascular disease	M 1801	12	506	202.7	2.1	152.7	-	-	-	2.6	3.7	4.7	3.7
	F 2017	7	381	167.5	1.3	106.2	-	-	1.5	2.7	2.6	-	2.6
Other vascular disease	M 2307	22	539	270.3	4.1	159.7	1.7	3.1	1.4	9.0	2.5	3.5	7.5
	F 2464	14	315	204.8	2.8	87.5	3.6	1.6	-	2.7	1.3	4.9	5.2
Chronic obstructive pulmonary disease	M 235	3	66	26.5	0.6	20.6	-	1.6	-	-	2.5	-	-
	F 152	3	34	12.9	0.6	9.2	-	1.6	-	-	-	-	2.6
Other respiratory disease	M 166	7	53	19.0	1.5	15.9	5.2	1.6	-	2.6	-	1.2	-
	F 158	5	39	13.4	1.1	10.2	3.6	-	1.5	-	-	2.5	-
Peptic ulcer	M 26	1	9	2.9	0.2	2.4	-	-	-	-	-	-	1.2
	F 14	-	2	1.1	-	0.6	-	-	-	-	-	-	-
Liver cirrhosis	M 130	1	94	13.4	0.2	24.5	-	-	-	-	-	1.2	-
	F 41	-	21	3.5	-	5.1	-	-	-	-	-	-	-
Renal disease	M 146	1	64	15.8	0.2	18.2	-	-	-	-	-	-	1.2
	F 114	2	45	9.7	0.4	12.3	-	-	-	1.4	-	-	1.3
Pregnancy, birth	F 2	1	1	0.2	0.2	0.2	-	-	-	-	-	-	1.3
Congenital and perinatal causes	M 87	85	2	11.9	20.9	0.4	144.0	-	-	1.3	-	-	1.2
III-defined causes	M 70	69	1	9.9	17.6	0.2	116.8	-	1.5	1.4	3.9	-	-
	F 578	20	107	75.2	6.4	71.9	12.2	1.6	2.9	5.1	5.0	8.2	10.0
Other medical causes	M 222	14	94	23.7	2.9	24.4	6.9	1.6	2.9	1.3	2.5	2.4	2.5
	F 161	11	62	14.1	2.5	15.5	7.3	3.3	3.0	2.7	-	1.2	-
ALL NON-MEDICAL CAUSES	M 422	95	229	41.9	17.1	51.8	6.9	1.6	4.3	19.3	28.5	30.5	28.6
Road traffic accidents	M 98	37	51	9.2	6.7	10.7	3.5	-	1.4	6.4	11.2	14.1	10.0
	F 30	12	17	2.9	2.5	3.8	5.5	1.6	-	5.2	1.2	4.7	6.2
Fire	M 5	-	3	0.5	-	0.6	-	-	-	-	-	-	-
	F 4	-	2	0.3	-	0.4	-	-	-	-	-	-	-
Suicide	M 87	16	57	8.4	2.8	12.7	-	-	1.4	1.3	6.2	4.7	6.2
	F 35	2	25	3.1	0.4	5.5	-	-	1.4	-	1.2	-	-
POPULATION: (1000s; UN, 2015 revision)	M=male			1027.5	515.8	447.2	57.6	64.1	70.1	77.8	80.6	85.3	80.3
	F=female			1034.9	492.0	454.1	54.8	60.9	66.8	74.1	76.7	81.3	77.4

2010: The Former Yugoslav Republic of MACEDONIA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
136.1	217.7	433.2	750.4	1146.0	1973.3	3135.1	4859.8	8952.4	18315.5	M	ALL CAUSES	001-999/A00-Y89
73.0	142.3	204.5	391.8	578.0	1064.9	1757.2	3316.7	6701.3	14393.8	F	Tuberculosis	010-018, 137/ A15-A19, B90
-	2.6	2.8	2.8	3.0	6.5	13.8	10.0	5.0	13.8	F	Other infective and parasitic	Rest of 001-139, 279, 58/6/ rest of A00-B99 excl A33,A34
1.3	-	1.4	-	1.4	1.9	-	2.6	3.7	12.8	M		
1.4	2.7	-	1.4	3.0	4.3	-	3.3	5.0	-	F		
-	-	-	1.4	3.9	2.3	-	3.7	-	-	M		
31.4	51.8	120.4	235.6	410.7	685.0	936.4	1218.3	1603.6	1684.5	M	ALL CANCER	140-208/C00-C97
32.5	53.2	99.5	189.5	225.1	369.1	455.6	608.3	814.6	798.7	F		
1.3	3.9	-	7.0	4.5	12.9	11.1	13.3	10.0	20.7	M	Mouth and pharynx cancer	140-149/C00-C14
-	-	-	-	4.4	5.8	7.0	2.6	11.1	17.0	F	Oesophagus cancer	150/C15
1.3	-	1.4	2.8	10.4	6.5	-	3.3	10.0	6.9	M		
-	-	2.8	1.4	-	-	2.3	-	-	-	F		
2.6	3.9	15.2	18.2	35.6	71.1	110.5	176.9	209.8	214.0	M	Stomach cancer	151/C16
2.7	5.3	4.2	15.7	7.3	30.9	42.1	52.4	99.5	72.2	F		
7.8	6.5	11.1	12.6	37.1	75.4	110.5	103.5	139.9	207.1	M	Colorectal cancer	153, 154/C18-C21
2.7	2.7	4.2	17.1	13.1	36.7	53.7	76.0	118.0	131.7	F		
3.9	-	5.5	11.2	22.2	53.9	66.3	70.1	94.9	55.2	M	Liver cancer	155.0, 155.1/C22
-	1.3	-	7.1	2.9	25.1	18.7	60.3	44.2	59.5	F		
-	1.3	8.3	15.4	16.3	38.8	52.5	66.8	79.9	103.6	M	Pancreas cancer	157/C25
-	1.3	1.4	7.1	10.2	13.5	23.4	42.0	66.3	25.5	F		
-	-	6.9	14.0	29.6	21.5	58.0	50.1	40.0	48.3	M	Larynx cancer	161/C32
-	-	-	2.9	-	1.9	-	-	3.7	-	F		
2.6	20.7	38.8	95.4	166.0	237.0	312.1	363.8	359.7	241.6	M	Lung cancer	162/C33, C34
5.4	5.3	11.2	21.4	30.5	46.4	39.7	44.6	36.9	63.7	F		
-	1.3	1.4	5.6	8.9	10.8	11.1	6.7	35.0	48.3	M	Malignant melanoma	172/C43
-	1.3	4.2	5.7	2.9	1.9	2.3	2.6	3.7	21.2	F		
8.1	9.3	36.4	55.6	75.5	79.2	86.5	94.4	114.3	127.5	M	Female breast cancer	174/C50
-	1.3	5.6	1.4	8.7	5.8	11.7	10.5	11.1	12.8	F	Cervix cancer	180/C53
5.4	4.0	7.0	12.8	20.3	25.1	28.0	52.4	47.9	59.5	M	Other uterine cancer	179, 182/C54, C55
2.7	5.3	11.2	10.0	17.4	17.4	30.4	52.4	51.6	25.5	F	Ovarian cancer	183.0/C56
-	-	1.4	5.6	8.9	28.0	27.6	93.5	244.8	372.8	M	Prostate cancer	185/C61
-	1.3	1.4	1.4	10.4	21.5	41.4	73.4	109.9	103.6	M	Bladder cancer	188/C67
-	-	1.4	1.4	2.9	3.9	9.3	5.2	18.4	17.0	F		
5.2	7.8	20.8	33.7	50.4	68.9	102.2	136.8	214.8	220.9	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
5.4	13.3	7.0	22.8	26.1	58.0	88.8	94.4	140.1	144.4	F	Hodgkin's disease	201/C81
-	-	1.4	2.8	-	4.3	-	2.6	3.7	4.2	M		
1.3	-	5.5	4.2	4.5	12.9	8.3	26.7	10.0	20.7	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
-	-	2.8	1.4	-	11.6	4.7	2.6	14.7	8.5	F		
2.6	5.2	1.4	5.6	5.9	21.5	24.9	33.4	45.0	20.7	M	Leukaemia	204-208/C91-C95
-	2.7	-	5.7	2.9	5.8	7.0	13.1	29.5	8.5	F		
1.3	1.3	5.5	25.2	38.5	45.2	102.2	196.9	309.7	538.5	M	Diabetes	250/E10-E14
2.7	1.3	-	11.4	24.7	44.5	126.2	225.5	435.0	505.6	F		
34.0	72.6	167.5	288.9	458.1	863.9	1563.4	2613.5	5610.2	12896.1	M	ALL VASCULAR DISEASE	390-459/100-I99
10.8	35.9	58.8	125.4	229.5	481.2	944.0	2037.2	4530.2	10876.0	F		
-	-	-	1.4	1.5	2.1	-	3.3	15.0	6.9	M	Rheumatic heart disease and fever	390-398/I00-I09
-	1.3	-	-	-	1.9	2.3	-	-	8.5	F		
-	1.3	1.4	19.6	16.3	36.6	80.1	140.2	294.8	752.5	M	Hypertensive disease	401-405/I10-I15
-	-	2.8	11.4	8.7	27.1	42.1	154.7	350.2	832.7	F		
17.0	32.4	70.6	115.0	158.6	286.5	403.3	537.4	839.3	1346.2	M	Ischaemic heart disease	410-414/I20-I25
-	5.3	14.0	38.5	63.9	106.3	193.9	280.6	508.7	828.5	F		
-	-	-	-	-	6.5	11.1	16.7	-	6.9	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
7.8	15.6	34.6	74.3	142.3	258.5	535.9	981.3	2158.2	3845.4	M	Cerebrovascular disease	430-438/I60-I69
5.4	16.0	22.4	45.6	78.4	187.5	387.9	881.0	1750.9	3475.2	F		
9.2	23.3	60.9	78.5	139.4	273.6	533.1	934.6	2300.3	6938.2	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
5.4	12.0	15.4	29.9	78.4	158.5	313.1	718.4	1913.1	5701.4	F		
-	1.3	6.9	12.6	11.9	25.9	85.6	126.8	284.8	490.2	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
-	1.3	2.8	5.7	8.7	15.5	30.4	55.1	81.1	305.9	F		
2.6	5.2	5.5	5.6	10.4	21.5	60.8	73.4	134.9	393.5	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
-	5.3	4.2	7.1	5.8	21.3	28.0	76.0	110.6	233.7	F		
-	1.3	-	1.4	4.5	4.3	5.5	6.7	35.0	48.3	M	Peptic ulcer	531-533/K25-K27
-	-	-	-	-	3.9	-	-	22.1	25.5	F		
1.3	13.0	13.8	21.0	25.2	56.0	41.4	53.4	45.0	69.0	M	Liver cirrhosis	571/K70, K74
1.4	-	2.8	2.9	10.2	11.6	7.0	18.4	22.1	29.7	F		
6.5	1.3	6.9	14.0	13.3	30.2	55.2	76.8	144.9	200.2	M	Renal disease	580-590/N00-N19
2.7	1.3	4.2	7.1	5.8	25.1	39.7	44.6	110.6	85.0	F		
1.4	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-O99 740-779/A33, P00-P96, Q00-Q99
-	-	1.4	1.5	-	-	-	-	-	-	F		
1.3	-	-	-	-	-	-	-	-	-	M	Ill-defined causes	780-799/R00-R99
7.8	23.3	31.8	50.5	83.0	146.5	160.2	260.4	439.6	1436.0	M		
5.4	12.0	19.6	17.1	29.1	32.9	72.4	162.6	376.0	1219.3	F		
6.5	11.7	18.0	23.8	19.3	38.8	52.5	123.5	199.8	255.4	M	Other medical causes	Rest of 001-799/ rest of A00-R99
4.1	6.7	7.0	10.0	20.3	23.2	37.4	55.1	114.3	152.9	F		
43.2	32.4	52.6	67.3	63.8	45.2	58.0	96.8	134.9	290.0	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
10.8	21.3	4.2	14.2	17.4	30.9	14.0	31.5	77.4	148.7	F		
10.5	13.0	12.5	16.8	8.9	10.8	2.8	13.3	20.0	13.8	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
4.1	4.0	-	1.4	8.7	3.9	4.7	2.6	-	-	F		
-	1.3	1.4	1.4	-	-	-	3.3	5.0	-	M	Fire	E890-E899/X00-X09
-	-	1.4	1.4	-	-	-	5.2	-	-	F		
7.8	7.8	12.5	16.8	22.2	10.8	11.1	20.0	25.0	20.7	M	Suicide	E950-E959/X60-X84
4.1	8.0	1.4	4.3	7.3	13.5	-	10.5	14.7	-	F		
76.4	77.2	72.2	71.3	67.5	46.4	36.2	30.0	20.0	14.5	M	POPULATION (1000s; UN, 2015 revision)	
74.0	75.2	71.4	70.2	68.9	51.7	42.8	38.1	27.1	23.5	F		

MACEDONIA, The Former Yugoslav Republic of: 2010**Relative importance of deaths in MIDDLE age (35–69) in the year 2010**



Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 0.4	– / 0.2	–
35–69	1.6 / 3.9	0.3 / 2.3	21 years
70+	1.1 / 5.8	0.2 / 6.5	8 years
All ages	2.7 / 10	0.4 / 9.0	16 years

Deaths, by cause, attributed to SMOKING / total deaths in the year 2010

Cause	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
Lung Cancer	–/3	409/439	187/211	596/653	–/1	51/86	18/49	69/136
All Cancer	–/35	596/1235 (48%)	275/912 (30%)	871/2182	–/28	64/778 (8%)	21/625 (3%)	85/1431
Vascular	–/45	785/1673	603/3666	1388/5384	–/23	159/1018	112/4570	271/5611
Respiratory	–/8	80/126	129/270	209/404	–/9	21/73	23/222	44/304
All Other	–/292	183/891	74/909	257/2092	–/152	32/451	13/1042	45/1645
All Causes	–/383	1644/3921 (42%)	1081/5757 (19%)	2725/10061	–/212	276/2321 (12%)	169/6459 (3%)	445/8992



**Cancer deaths, and all deaths,
attributed to SMOKING / total deaths (thousands) in the year 2010**

Cause	Male	Female	Male + Female
All Cancer	0.9 / 2.2 (40%)	0.1 / 1.4 (6%)	1.0 / 3.6 (26%)
All Causes	2.7 / 10 (27%)	0.4 / 9.0 (5%)	3.2 / 19 (17%)

1995-2015: The Former Yugoslav Republic of MACEDONIA**Population risk of dying at ages 0–34****Population risk of a 35-year-old dying at ages 35–69 from smoking (shaded) or from any cause (shaded and white)****MALE**

*eg, at year 2010 male death rates, out of 100 men aged 35, 33 would die before age 70 (with 13 of these deaths attributed to smoking)

Note: Most of those killed by smoking would otherwise have survived beyond age 70, but a minority (shaded area to right of dotted line) would have died by 70 anyway

FEMALE

MACEDONIA, The Former Yugoslav Republic of: 1990-2015***Relative importance of deaths in MIDDLE age (35–69), 2015 projections***

Age range (years)	Deaths attributed to SMOKING		Mean years lost PER DEATH FROM SMOKING
	/total deaths (thousands) Male	Female	
0–34	– / 0.4	– / 0.2	–
35–69	1.7 / 4.3	0.3 / 2.4	21 years
70+	1.2 / 6.2	0.2 / 7.2	8 years
All ages	3.0 / 11	0.5 / 9.9	15 years

Numbers of deaths attributed to smoking / total deaths

Year	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
1955
1965
1975
1985
1995	–/742	1515/3857 (39%)	656/4288 (15%)	2171/8887	–/516	186/2381 (8%)	180/4287 (4%)	366/7184
2005	–/459	1655/4000 (41%)	963/5471 (18%)	2618/9930	–/262	202/2405 (8%)	200/5922 (3%)	402/8589
2015 proj.	–/354	1740/4254 (41%)	1235/6168 (20%)	2975/10776	–/191	329/2423 (14%)	162/7249 (2%)	491/9863





30-year total (thousands), decade of 1990s to decade of 2010s (1990–2020*): 90 / 552

*Estimated as 10 times the sum of the annual numbers for 1995, 2005 and 2015

1990–2020, by age & sex:


–/16	49/121 (41%)	29/159 (18%)	78/296	–/9.7	7.2/72 (10%)	5.4/175 (3%)	13/256
------	------------------------	------------------------	--------	-------	------------------------	------------------------	--------

1995-2015: The Former Yugoslav Republic of MACEDONIA



MACEDONIA, The Former Yugoslav Republic of: 1995-2015

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35–69 (or ages 0–34)

Year	Attributed to smoking?	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
		0–34		35–69		70–79		0–34		35–69		70–79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	
1955	
1960	
1965	
1970	
1975	
1980	
1985	
1990	
1995	-	1.33	5.22	8.39	14.0	69.0	-	0.97	0.59	7.08	2.93	61.6	
2000	-	1.08	5.14	8.15	13.8	64.6	-	0.69	0.56	6.86	2.22	57.5	
2005	-	0.89	4.85	7.27	14.8	61.9	-	0.55	0.56	6.22	2.39	52.8	
2010	-	0.78	4.65	6.67	14.7	56.2	-	0.47	0.71	5.52	1.86	50.2	
2015	-	0.74	4.42	6.40	14.6	50.5	-	0.44	0.75	5.03	1.26	48.0	

0–34 and 35–69 = means of 7 age-specific rates; 70–79 = mean of 2 rates (70–74 & 75–79)

1995-2015: The Former Yugoslav Republic of MACEDONIA


ALL CANCER mortality rates attributed and not attributed to smoking



[†] Mean of 7 age-specific rates, ages 35–69 (or ages 0–34)


Year	MALE cancer mortality (annual rate/1000, by age)						FEMALE cancer mortality (annual rate/1000, by age)					
	0–34		35–69		70–79		0–34		35–69		70–79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950
1955
1960
1965
1970
1975
1980
1985
1990
1995	–	0.09	1.53	1.88	3.36	8.72	–	0.08	0.09	1.86	0.29	6.37
2000	–	0.07	1.63	1.95	3.75	9.59	–	0.07	0.10	1.91	0.23	6.47
2005	–	0.07	1.63	1.80	4.17	9.37	–	0.06	0.10	1.88	0.30	6.42
2010	–	0.07	1.70	1.86	4.49	9.54	–	0.06	0.16	1.82	0.26	6.73
2015	–	0.10	1.73	1.94	4.86	9.21	–	0.05	0.17	1.72	0.19	6.80

0–34 and 35–69 = means of 7 age-specific rates; 70–79 = mean of 2 rates (70–74 & 75–79)

MACEDONIA, The Former Yugoslav Republic of: 1991-2010**Mortality* trends at selected ages: 35-39, 55-59 & 75-79**

* Annual mortality per 1000: averages of years available in 1990-94,...,2000-04; then 6-year average 2005-10

1991-2010: The Former Yugoslav Republic of MACEDONIA
Mortality* trends at selected ages: 35-39, 55-59 & 75-79



* Annual mortality per 1000: averages of years available in 1990-94,...,2000-04; then 6-year average 2005-10