

MORTALITY FROM SMOKING IN DEVELOPED COUNTRIES 1950–2020

(see also www.deathsfromsmoking.net)

**Richard Peto, Alan D Lopez, Hongchao Pan
Jillian Boreham and Michael Thun**

SLOVAKIA

Raw data (pages 408–9)

Analyses (pages 410–11, 412–13, 414–15)

Appendix (pages 416–17)

(revised September 2015)

SLOVAKIA: 2010

	No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
	All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M 27645	1043	12671	1134.0	77.0	1307.2	157.8	17.4	21.9	45.4	87.4	90.5	118.5
	F 25800	451	5685	623.5	38.8	509.1	133.2	15.9	15.8	19.9	25.7	25.0	36.3
Tuberculosis	M 27	-	22	1.0	-	1.9	-	-	-	-	-	-	-
	F 8	-	4	0.2	-	0.3	-	-	-	-	-	-	-
Other infective and parasitic	M 159	9	78	6.5	0.8	8.1	4.2	-	-	0.5	-	-	0.8
	F 179	4	46	4.5	0.4	4.3	2.2	-	-	-	-	-	0.5
ALL CANCER	M 7007	82	3872	285.6	5.7	415.6	2.8	3.0	2.0	4.3	7.6	7.4	12.4
	F 5067	62	2254	138.9	4.5	198.5	2.9	2.4	4.3	1.1	4.5	5.9	10.7
Mouth and pharynx cancer	M 563	1	476	21.5	0.1	45.8	-	-	-	-	-	0.4	-
	F 74	-	48	2.2	-	3.9	-	-	-	-	-	-	-
Oesophagus cancer	M 243	-	194	9.4	-	19.4	-	-	-	-	-	-	-
	F 20	-	12	0.6	-	1.1	-	-	-	-	-	-	-
Stomach cancer	M 428	1	219	17.4	0.1	22.4	-	-	-	-	-	-	0.4
	F 258	6	91	6.8	0.4	8.2	-	-	-	-	0.5	0.9	1.3
Colorectal cancer	M 1058	4	494	44.0	0.2	56.1	-	-	-	-	0.5	-	1.2
	F 701	1	254	18.1	0.1	22.8	-	-	-	-	-	-	0.4
Liver cancer	M 201	1	102	8.3	0.1	11.6	-	-	-	-	-	-	0.4
	F 120	-	44	3.2	-	4.0	-	-	-	-	-	-	-
Pancreas cancer	M 396	2	249	16.0	0.1	27.1	-	-	-	-	-	-	0.8
	F 340	-	137	9.1	-	12.9	-	-	-	-	-	-	-
Larynx cancer	M 151	-	116	5.9	-	11.8	-	-	-	-	-	-	-
	F 5	-	5	0.2	-	0.4	-	-	-	-	-	-	-
Lung cancer	M 1588	3	952	64.9	0.2	105.7	-	-	-	-	-	0.4	0.8
	F 525	2	282	14.8	0.1	24.8	-	-	-	0.6	-	-	0.4
Malignant melanoma	M 108	3	62	4.4	0.2	6.5	-	-	-	-	-	-	1.2
	F 90	1	41	2.5	0.1	3.5	-	-	-	-	-	0.5	-
Female breast cancer	F 785	5	390	21.9	0.3	33.6	-	-	-	-	-	0.5	1.7
Cervix cancer	F 206	2	143	6.3	0.1	11.5	-	-	-	-	-	0.5	0.4
Other uterine cancer	F 198	1	86	5.3	0.1	7.9	-	-	-	-	-	-	0.4
Ovarian cancer	F 279	6	157	8.1	0.4	13.5	-	-	0.7	-	-	0.9	1.3
Prostate cancer	M 533	-	144	22.8	-	17.9	-	-	-	-	-	-	-
Bladder cancer	M 219	-	73	9.3	-	8.2	-	-	-	-	-	-	-
	F 84	-	20	2.1	-	1.9	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M 1125	54	597	45.5	3.8	62.6	2.1	1.5	1.4	3.2	6.7	5.7	5.8
	F 1040	21	411	28.1	1.6	36.7	0.7	0.8	2.9	0.6	1.0	1.8	3.4
Hodgkin's disease	M 20	1	12	0.8	0.1	1.0	-	-	-	0.5	-	-	-
	F 20	6	8	0.6	0.4	0.7	-	-	-	-	2.0	0.5	0.4
Myeloma and non-Hodgkin lymphomas	M 195	3	97	8.1	0.2	10.7	-	0.8	-	-	-	0.4	0.4
	F 185	2	81	5.1	0.2	7.2	0.7	-	-	-	-	-	0.4
Leukaemia	M 179	9	85	7.3	0.7	8.9	0.7	0.8	0.7	0.5	0.5	0.4	1.2
	F 137	9	44	3.8	0.8	3.9	1.5	1.6	0.7	-	1.0	0.5	0.4
Diabetes	M 269	4	133	11.1	0.2	14.8	-	-	-	-	-	0.9	0.8
	F 382	1	88	9.3	0.1	8.3	-	-	-	-	0.5	-	-
ALL VASCULAR DISEASE	M 12856	61	4498	539.8	4.0	485.9	2.1	0.8	1.4	1.6	4.3	4.4	13.6
	F 15682	35	1896	348.8	2.7	178.0	3.7	1.6	0.7	1.7	3.5	3.6	3.8
Rheumatic heart disease and fever	M 25	1	15	1.0	0.1	1.5	-	-	-	-	-	-	0.4
	F 52	-	18	1.4	-	1.8	-	-	-	-	-	-	-
Hypertensive disease	M 328	1	123	13.6	0.1	13.0	-	-	-	-	-	0.4	-
	F 521	2	72	11.6	0.2	6.5	0.7	-	-	0.5	-	-	-
Ischaemic heart disease	M 7723	18	2555	325.3	1.1	277.5	-	-	-	0.5	0.9	1.3	5.0
	F 9221	2	947	201.9	0.1	90.7	-	-	-	-	0.5	-	0.4
Pulmonary embolism and other venous	M 324	5	153	13.3	0.3	16.4	-	-	-	-	0.5	0.4	1.2
	F 433	3	104	10.5	0.2	9.4	-	-	-	0.6	-	-	0.8
Cerebrovascular disease	M 2514	8	845	106.3	0.5	95.2	-	-	0.7	-	0.5	0.4	2.1
	F 3342	12	437	75.4	0.9	41.0	-	0.8	0.7	1.1	1.0	1.8	0.8
Other vascular disease	M 1942	28	807	80.3	2.0	82.3	2.1	0.8	0.7	1.1	2.4	1.8	5.0
	F 2113	16	318	47.9	1.2	28.6	2.9	0.8	-	-	1.5	1.8	1.7
Chronic obstructive pulmonary disease	M 569	4	180	24.0	0.2	20.4	-	-	-	-	0.9	0.8	-
	F 278	3	84	7.0	0.2	7.5	0.7	-	-	-	0.5	-	0.4
Other respiratory disease	M 1270	46	455	53.0	3.7	46.8	9.8	3.8	0.7	3.2	0.5	3.1	5.0
	F 1192	33	188	28.1	2.9	16.7	8.8	1.6	3.6	1.1	1.5	1.8	2.1
Peptic ulcer	M 127	-	82	5.1	-	7.9	-	-	-	-	-	-	-
	F 101	3	21	2.5	0.2	1.9	-	-	-	-	0.5	-	0.8
Liver cirrhosis	M 996	18	864	37.7	1.1	80.5	-	-	-	-	-	2.2	5.4
	F 344	4	297	11.0	0.3	24.4	-	-	-	-	1.0	-	0.8
Renal disease	M 300	2	111	12.5	0.1	11.6	-	-	-	-	0.5	0.4	-
	F 369	3	88	9.0	0.2	8.6	0.7	-	-	-	0.5	0.5	-
Pregnancy, birth	F -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital and perinatal causes	M 169	159	9	9.2	15.8	0.8	105.5	1.5	2.0	0.5	0.5	-	0.4
	F 136	127	8	7.6	13.2	0.6	90.0	-	-	0.6	1.0	0.5	-
Ill-defined causes	M 405	83	264	15.2	5.8	22.6	11.2	-	0.7	1.1	8.6	7.9	11.6
	F 225	35	83	6.5	2.8	6.7	7.3	0.8	0.7	2.3	2.0	2.7	3.8
Other medical causes	M 1210	84	623	48.8	6.1	62.1	10.5	1.5	2.7	2.7	6.2	7.4	11.6
	F 1171	51	350	30.6	4.3	31.0	11.0	3.2	2.9	1.7	3.5	3.6	4.3
ALL NON-MEDICAL CAUSES	M 2281	491	1480	84.6	33.4	128.4	11.9	6.8	12.3	31.4	59.4	55.9	56.1
	F 666	90	278	19.3	7.0	22.4	5.9	6.3	3.6	11.3	6.9	5.9	9.4
Road traffic accidents	M 306	139	139	11.1	9.6	11.8	2.1	3.8	2.7	10.8	19.9	14.9	12.8
	F 105	32	46	3.5	2.6	3.7	-	4.0	2.2	5.7	2.5	1.4	2.6
Fire	M 27	4	17	1.1	0.3	1.5	0.7	-	-	-	0.5	-	0.8
	F 5	1	2	0.1	0.1	0.2	-	-	-	-	0.5	-	-
Suicide	M 539	122	371	19.5	7.9	31.4	-	-	2.7	4.9	15.7	15.7	16.5
	F 92	16	63	3.0	1.1	5.0	-	-	0.7	2.8	1.0	0.9	2.6
POPULATION: (1000s; UN, 2015 revision)	M=male			2621.2	1287.9	1176.0	143.2	132.2	146.2	184.9	210.5	228.8	242.2
	F=female			2785.7	1234.5	1258.0	136.6	126.1	139.2	176.3	202.2	220.0	234.1

2010: SLOVAKIA

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80+/NK			
189.1	322.5	578.2	966.6	1439.8	2363.6	3290.7	5006.8	7761.0	15454.9	M	ALL CAUSES	001–999/A00–Y89
80.5	132.3	202.2	367.6	520.5	897.7	1363.1	2491.7	4684.9	12463.6	F	Tuberculosis	010–018, 137/ A15–A19, B90
—	0.6	2.1	2.1	4.3	3.1	1.1	3.1	4.1	2.2	M	Other infective and parasitic	Rest of 001–139, 279, 58, 6/ rest of A00–B99 excl A33, A34
0.5	0.6	0.5	—	—	—	0.8	—	1.1	2.9	F		
—	0.6	6.4	4.7	9.2	16.2	19.6	20.4	41.3	86.2	M		
0.5	—	1.6	2.0	5.0	5.1	15.9	22.8	43.4	65.0	F		
20.3	47.3	118.6	283.3	469.4	789.4	1181.0	1553.1	2000.7	2425.1	M	ALL CANCER	140–208/C00–C97
31.3	54.3	73.9	163.5	225.6	374.1	466.6	705.0	921.0	1178.0	F		
0.9	7.9	24.1	52.2	75.1	74.6	85.9	62.9	66.1	30.9	M	Mouth and pharynx cancer	140–149/C00–C14
1.0	1.7	2.6	5.0	5.5	7.1	4.8	5.0	9.1	12.4	F	Oesophagus cancer	150/C15
0.9	1.7	10.7	18.1	25.0	40.0	39.1	33.0	31.0	28.7	M		
—	—	—	1.5	0.5	1.9	4.0	3.0	2.3	2.9	F		
3.8	4.5	5.9	16.5	32.6	37.7	55.5	106.9	132.3	168.0	M	Stomach cancer	151/C16
1.0	3.4	1.6	6.4	8.5	14.8	21.5	37.7	44.5	80.2	F		
1.9	5.6	15.5	27.9	48.4	100.0	193.6	235.8	380.3	499.6	M	Colorectal cancer	153, 154/C18–C21
2.4	5.1	7.4	16.8	23.4	45.6	58.8	80.3	148.4	224.5	F		
—	1.1	2.7	6.7	10.9	19.2	40.2	51.9	64.1	75.2	M	Liver cancer	155.0, 155.1/C22
0.5	2.3	1.1	1.5	5.5	5.1	11.9	20.8	30.8	26.8	F		
0.5	1.7	5.3	19.1	34.8	41.5	87.0	78.6	107.5	95.1	M	Pancreas cancer	157/C25
1.0	2.8	1.6	5.9	8.5	31.4	39.0	53.5	77.6	77.4	F		
0.5	0.6	3.2	9.3	17.4	28.5	22.8	36.2	12.4	13.3	M	Larynx cancer	161/C32
—	—	0.5	1.0	—	1.3	—	—	—	—	F		
1.4	5.6	16.6	64.6	103.3	233.9	314.3	402.4	419.6	384.7	M	Lung cancer	162/C33, C34
2.9	2.3	8.4	21.8	32.4	46.8	58.8	69.4	76.5	99.4	F		
0.9	2.8	2.1	5.7	6.0	9.2	18.5	25.1	26.9	30.9	M	Malignant melanoma	172/C43
2.4	1.7	2.1	3.0	2.5	6.4	6.4	11.9	14.8	22.0	F		
4.8	8.5	14.2	36.2	43.8	54.5	73.1	110.1	129.0	158.6	F	Female breast cancer	174/C50
4.8	9.1	10.0	11.9	16.9	17.3	10.3	22.8	16.0	22.9	F	Cervix cancer	180/C53
1.0	—	2.1	4.0	9.0	16.0	23.1	28.8	39.9	44.9	F	Other uterine cancer	179, 182/C54, C55
2.9	2.8	5.3	11.4	18.9	26.3	27.0	45.6	38.8	34.4	F	Ovarian cancer	183.0/C56
—	0.6	—	2.6	15.2	30.8	76.1	133.6	235.6	420.0	M	Prostate cancer	185/C61
—	—	—	3.6	12.0	13.8	28.3	59.7	76.5	157.0	M	Bladder cancer	188/C67
—	—	1.1	0.5	1.5	2.6	8.0	13.9	20.5	30.6	F		
8.0	8.4	26.2	40.8	66.4	131.6	156.6	238.9	308.0	382.4	M	Other and ill-defined cancer sites	Rest of 140–199/ rest of C00–C80, C97
4.3	10.2	11.6	28.2	37.9	72.5	92.2	152.7	203.2	263.7	F	Hodgkin's disease	201/C81
—	1.1	—	2.6	1.6	0.8	1.1	1.6	10.3	2.2	M		
0.5	0.6	—	0.5	0.5	1.9	0.8	2.0	1.1	2.9	F		
—	3.9	2.7	6.7	9.8	16.9	34.8	44.0	68.2	75.2	M	Myeloma and non– Hodgkin lymphomas	200, 202–203/ C82–C90, C96
1.0	2.3	2.6	4.0	8.5	15.4	16.7	25.8	39.9	39.2	F		
1.4	1.7	3.7	6.7	10.9	10.8	27.2	42.4	62.0	61.9	M	Leukaemia	204–208/C91–C95
1.0	1.7	1.6	4.0	2.0	7.1	10.3	21.8	28.5	35.4	F		
2.4	2.8	2.1	6.2	16.3	24.6	48.9	70.7	90.9	95.1	M	Diabetes	250/E10–E14
0.5	0.6	2.6	5.9	6.0	12.2	30.2	48.6	98.2	150.9	F		
32.1	71.5	163.5	290.5	501.0	947.1	1395.2	2497.9	4321.8	10206.7	M	ALL VASCULAR DISEASE	390–459/I00–I99
15.4	21.5	45.4	87.7	150.9	320.2	604.9	1300.9	2930.8	9430.3	F		
—	1.1	1.6	1.6	—	3.9	2.2	3.1	10.3	4.4	M	Rheumatic heart disease and fever	390–398/I00–I09
—	0.6	0.5	1.0	1.0	1.3	8.0	16.9	8.0	9.6	F		
1.9	—	3.2	8.8	14.1	32.3	30.4	55.0	124.0	241.0	M	Hypertensive disease	401–405/I10–I15
0.5	1.1	1.1	3.0	9.5	10.9	19.9	36.7	77.6	326.7	F		
12.7	33.8	83.4	175.7	283.9	541.7	811.3	1488.7	2660.0	6446.3	M	Ischaemic heart disease	410–414/I20–I25
3.9	6.8	17.9	32.2	71.2	174.5	328.2	745.6	1667.4	5788.5	F		
0.9	2.2	7.5	6.7	19.6	32.3	45.7	58.2	93.0	185.7	M	Pulmonary embolism and other venous	415.1, 451–453/ I26, 180–182
0.5	2.3	4.2	6.4	9.5	17.3	25.4	40.6	100.4	188.2	F		
3.8	14.1	23.5	44.5	82.1	190.8	307.8	561.2	913.5	1905.6	M	Cerebrovascular disease	430–438/I60–I69
7.2	4.5	11.1	19.8	34.4	66.7	143.1	299.4	715.6	1876.3	F		
12.7	20.3	44.4	53.2	101.2	146.2	197.9	331.7	520.8	1423.7	M	Other vascular disease	Rest of 390–459/ rest of I00–I99
3.4	6.2	10.6	25.3	25.4	49.4	80.3	161.6	361.8	1241.0	F		
—	1.7	2.1	8.3	21.8	43.9	65.2	103.8	225.3	464.2	M	Chronic obstructive pulmonary disease	490–496/ J40–J47, J67
1.0	0.6	3.2	5.5	7.5	16.7	18.3	31.7	47.9	111.8	F		
9.9	12.4	29.4	26.4	49.5	82.3	117.5	215.4	382.4	988.2	M	Other respiratory disease	Rest of 460–519/ rest of J00–J98
3.4	9.6	6.9	11.9	17.4	23.7	43.7	108.1	218.0	641.0	F		
0.9	2.2	5.9	7.8	10.9	12.3	15.2	22.0	20.7	46.4	M	Peptic ulcer	531–533/K25–K27
—	0.6	1.1	1.5	1.5	2.6	6.4	18.8	13.7	44.0	F		
15.6	29.3	57.7	98.2	100.6	144.7	117.5	99.0	57.9	50.9	M	Liver cirrhosis	571/K70, K74
4.8	8.5	22.2	26.8	38.4	35.9	34.2	18.8	17.1	8.6	F		
1.9	1.7	5.9	7.8	12.0	22.3	29.4	53.5	121.9	207.8	M	Renal disease	580–590/N00–N19
—	—	1.1	3.0	7.5	13.5	35.0	48.6	84.5	148.1	F		
—	—	—	—	—	—	—	—	—	—	F	Pregnancy, birth Congenital and perinatal causes	630–676/A34, 000–099 740–779/A33, P00–P96, Q00–Q99
0.9	1.1	0.5	1.0	0.5	—	1.1	—	—	2.2	M	III-defined causes	780–799/R00–R99
0.5	1.1	—	1.0	1.5	—	—	—	1.1	—	F		
12.3	20.8	25.1	22.2	31.6	26.9	19.6	23.6	20.7	73.0	M		
3.4	4.0	6.9	9.4	6.5	10.3	6.4	15.9	17.1	72.6	F		
12.7	25.9	35.3	49.1	67.5	106.2	138.1	202.8	312.1	493.0	M	Other medical causes	Rest of 001–799/ rest of A00–R99
6.8	15.3	16.9	20.3	27.4	55.2	75.5	126.9	214.6	433.7	F		
80.2	104.7	123.5	159.2	145.2	144.7	141.4	141.5	161.2	313.9	M	ALL NON– MEDICAL CAUSES	E800–E999/V01–Y89
12.5	15.8	20.1	29.2	25.4	28.2	25.4	45.6	76.5	176.7	F		
8.0	12.4	12.8	12.9	13.6	13.1	9.8	15.7	12.4	26.5	M	Road traffic accidents	E810–E819, E826–E829/ part of V01–V99, Y850
3.4	4.0	2.1	4.0	3.5	5.1	4.0	8.9	11.4	7.6	F		
0.5	0.6	1.6	2.6	0.5	3.9	1.1	3.1	2.1	6.6	M	Fire	E890–E899/X00–X09
—	—	0.5	—	0.6	—	—	—	1.1	1.0	F		
26.4	29.8	27.8	40.3	34.3	33.1	28.3	20.4	26.9	44.2	M	Suicide	E950–E959/X60–X84
207.4	212.0	177.7	187.1	193.5	183.8	130.0	63.6	48.4	45.2	M	POPULATION	
207.4	212.0	176.9	189.5	201.9	200.8	155.8	100.9	87.6	104.7	F	(1000s; UN, 2015 revision)	

SLOVAKIA: 2010**Relative importance of deaths in MIDDLE age (35–69) in the year 2010**

Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 1.1	– / 0.5	–
35–69	4.3 / 13	0.7 / 5.8	21 years
70+	3.0 / 14	0.8 / 19	8 years
All ages	7.3 / 28	1.6 / 25	15 years



Deaths, by cause, attributed to SMOKING / total deaths (thousands) in the year 2010

Cause	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
Lung Cancer	–/0.0	0.9/1.0	0.6/0.6	1.5/1.6	–/0.0	0.2/0.3	0.1/0.2	0.3/0.5
All Cancer	–/0.1	1.6/3.8 (43%)	0.9/3.0 (31%)	2.6/6.9	–/0.1	0.2/2.3 (9%)	0.1/2.7 (5%)	0.4/5.1
Vascular	–/0.1	1.9/4.6	1.6/8.3	3.5/13	–/0.0	0.4/1.9	0.6/14	0.9/15
Respiratory	–/0.1	0.3/0.6	0.4/1.1	0.7/1.8	–/0.0	0.1/0.3	0.1/1.1	0.2/1.4
All Other	–/0.9	0.4/3.8	0.1/1.4	0.5/6.1	–/0.3	0.1/1.3	0.0/1.9	0.1/3.6
All Causes	–/1.1	4.3/13 (33%)	3.0/14 (22%)	7.3/28	–/0.5	0.7/5.8 (12%)	0.8/19 (4%)	1.6/25

**Cancer deaths, and all deaths,
attributed to SMOKING / total deaths (thousands) in the year 2010**



Cause	Male	Female	Male + Female
All Cancer	2.6 / 6.9 (37%)	0.4 / 5.1 (7%)	2.9 / 12 (24%)
All Causes	7.3 / 28 (26%)	1.6 / 25 (6%)	8.8 / 53 (17%)

1965-2015: SLOVAKIA

Population risk of dying at ages 0–34**MALE**

*eg, at year 2010 male death rates, out of 100 men aged 35, 38 would die before age 70 (with 13 of these deaths attributed to smoking)

Note: Most of those killed by smoking would otherwise have survived beyond age 70, but a minority (shaded area to right of dotted line) would have died by 70 anyway

FEMALE

SLOVAKIA: 1960-2015***Relative importance of deaths in MIDDLE age (35–69), 2015 projections***

Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 1.0	– / 0.4	–
35–69	4.2 / 14	1.0 / 6.0	21 years
70+	2.9 / 14	1.0 / 20	8 years
All ages	7.1 / 29	2.0 / 26	15 years

Numbers of deaths attributed to smoking / total deaths (thousands)

Year	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
1955
1965	–/2.9	3.3/8.3 (40%)	1.5/7.3 (21%)	4.9/18	–/1.7	0.2/5.5 (4%)	0.3/9.1 (4%)	0.5/16
1975	–/3.0	4.7/11 (42%)	3.2/11 (29%)	7.9/25	–/1.6	0.2/6.1 (4%)	0.3/13 (2%)	0.5/20
1985	–/2.3	6.1/13 (49%)	3.3/14 (24%)	9.5/29	–/1.2	0.5/6.2 (8%)	0.5/16 (3%)	1.0/24
1995	–/1.6	5.9/13 (45%)	3.1/13 (23%)	9.0/28	–/0.7	0.5/6.5 (7%)	0.8/17 (5%)	1.2/24
2005	–/1.2	4.7/13 (37%)	3.3/14 (24%)	8.0/28	–/0.5	0.5/5.8 (9%)	0.7/19 (4%)	1.2/25
2015 proj.	–/1.0	4.2/14 (31%)	2.9/14 (21%)	7.1/29	–/0.4	1.0/6.0 (17%)	1.0/20 (5%)	2.0/26





60-year total (thousands), decade of 1960s to decade of 2010s (1960–2020*): 529 / 2919


*Estimated as 10 times the sum of the annual numbers for 1965, 1975, 1985, 1995, 2005 and 2015

1960–2020, by age & sex:

–/119	289/715 (40%)	174/732 (24%)	463/1565	–/61	29/361 (8%)	36/931 (4%)	66/1353
-------	-------------------------	-------------------------	----------	------	-----------------------	-----------------------	---------

1965-2015: SLOVAKIA



SLOVAKIA: 1965-2015**ALL-CAUSE mortality rates attributed and not attributed to smoking**


[†] Mean of 7 age-specific rates, ages 35–69 (or ages 0–34)

Year	Attributed to smoking?	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
		0–34		35–69		70–79		0–34		35–69		70–79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	
1955	
1960	
1965	-	2.17	5.27	7.74		17.2	55.1	-	1.27	0.30	7.50	2.30	54.8
1970	-	2.22	6.49	8.61		25.0	58.2	-	1.20	0.28	7.87	2.49	56.9
1975	-	2.05	6.65	8.93		24.6	55.5	-	1.13	0.31	7.52	1.35	52.9
1980	-	1.73	7.70	9.02		24.2	56.5	-	0.92	0.50	7.29	1.61	51.1
1985	-	1.48	8.64	9.59		20.5	58.4	-	0.78	0.65	7.34	1.90	49.2
1990	-	1.35	8.70	10.0		20.0	60.3	-	0.69	0.54	7.00	2.61	47.4
1995	-	1.13	7.79	9.27		19.3	58.2	-	0.56	0.50	6.49	2.27	45.4
2000	-	1.03	6.85	9.39		19.4	52.7	-	0.50	0.51	5.84	1.73	40.7
2005	-	0.89	5.50	9.24		18.0	51.8	-	0.45	0.50	5.29	1.88	38.2
2010	-	0.83	4.59	8.93		15.9	48.4	-	0.39	0.66	4.62	2.05	34.5
2015	-	0.77	3.85	8.56		14.0	45.2	-	0.34	0.83	4.00	2.22	31.1

0–34 and 35–69 = means of 7 age-specific rates; 70–79 = mean of 2 rates (70–74 & 75–79)


1965-2015: SLOVAKIA

ALL CANCER mortality rates attributed and not attributed to smoking

[†] Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	Attributed to smoking?	MALE cancer mortality (annual rate/1000, by age)						FEMALE cancer mortality (annual rate/1000, by age)					
		0-34		35-69		70-79		0-34		35-69		70-79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	
1955	
1960	
1965	-	0.13	1.69	2.05		4.68	10.4	-	0.11	0.04	2.37	0.26	9.00
1970	-	0.13	1.90	2.12		6.71	10.7	-	0.10	0.04	2.42	0.29	9.28
1975	-	0.13	1.97	2.20		6.59	10.2	-	0.10	0.05	2.35	0.16	8.49
1980	-	0.13	2.38	2.19		6.81	10.1	-	0.09	0.08	2.39	0.21	8.20
1985	-	0.11	2.76	2.21		5.74	9.94	-	0.09	0.10	2.31	0.25	7.47
1990	-	0.10	2.94	2.23		6.05	10.8	-	0.09	0.09	2.21	0.39	7.62
1995	-	0.08	2.85	2.34		6.37	11.2	-	0.08	0.10	2.17	0.41	7.95
2000	-	0.07	2.58	2.52		6.75	11.9	-	0.07	0.12	2.17	0.32	8.03
2005	-	0.07	2.09	2.44		6.36	11.5	-	0.05	0.13	2.03	0.36	7.64
2010	-	0.06	1.79	2.36		5.95	11.4	-	0.05	0.19	1.89	0.45	7.56
2015	-	0.06	1.56	2.26		5.56	11.4	-	0.04	0.27	1.74	0.55	7.46


0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

SLOVAKIA: 1965-2010**Mortality* trends at selected ages: 35-39, 55-59 & 75-79**

* Annual mortality per 1000: averages of years available in 1965-69,...,2000-04; then 6-year average 2005-10

1965-2010: SLOVAKIA

Mortality* trends at selected ages: 35-39, 55-59 & 75-79



* Annual mortality per 1000: averages of years available in 1965-69,...,2000-04; then 6-year average 2005-10