

MORTALITY FROM SMOKING IN DEVELOPED COUNTRIES 1950–2020

(see also www.deathsfromsmoking.net)

**Richard Peto, Alan D Lopez, Hongchao Pan
Jillian Boreham and Michael Thun**

SWEDEN

Raw data (pages 432–33)

Analyses (pages 434–35, 436–37, 438–39)

Appendix (pages 440–41)

(revised September 2015)

SWEDEN: 2010

	No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
	All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M 43919	968	10286	610.0	46.3	508.4	68.7	5.0	10.0	33.2	66.5	72.8	67.9
	F 46600	502	6584	434.4	25.6	326.6	60.8	7.7	8.0	19.1	24.9	25.7	33.0
Tuberculosis	M 16	-	-	0.2	-	-	-	-	-	-	-	-	-
	F 18	1	1	0.2	0.1	0.0	-	-	-	-	-	0.4	-
Other infective and parasitic	M 919	17	148	12.1	0.8	7.2	3.1	-	0.8	0.3	0.3	0.3	1.0
	F 1011	20	88	8.8	1.0	4.4	4.5	-	-	1.3	-	0.4	1.1
ALL CANCER	M 11295	70	3525	162.8	3.4	175.9	1.8	1.1	2.0	2.7	4.1	4.4	7.5
	F 10351	79	3431	126.5	4.0	169.9	2.6	2.4	1.3	4.2	2.7	6.4	8.5
Mouth and pharynx cancer	M 175	-	92	2.8	-	4.6	-	-	-	-	-	-	-
	F 112	2	38	1.4	0.1	1.9	-	0.4	-	-	0.3	-	-
Oesophagus cancer	M 309	-	134	4.7	-	6.7	-	-	-	-	-	-	-
	F 99	-	31	1.2	-	1.5	-	-	-	-	-	-	-
Stomach cancer	M 378	1	142	5.6	0.1	7.0	-	-	-	-	-	-	0.3
	F 284	4	84	3.3	0.2	4.2	-	-	-	-	-	1.1	0.3
Colorectal cancer	M 1316	6	420	19.2	0.3	20.9	-	-	-	-	0.3	1.0	0.7
	F 1281	6	285	14.0	0.3	14.1	-	-	-	-	0.3	1.4	0.3
Liver cancer	M 345	1	154	5.2	0.1	7.6	-	-	-	-	-	-	0.3
	F 176	1	38	2.0	0.1	1.9	-	-	-	-	-	-	0.3
Pancreas cancer	M 720	-	289	10.9	-	14.5	-	-	-	-	-	-	-
	F 828	1	274	9.9	0.1	13.6	-	-	-	-	-	-	0.3
Larynx cancer	M 36	-	14	0.6	-	0.7	-	-	-	-	-	-	-
	F 3	-	2	0.0	-	0.1	-	-	-	-	-	-	-
Lung cancer	M 1922	4	739	28.6	0.2	37.1	-	-	-	-	-	-	1.4
	F 1661	-	739	22.3	-	36.9	-	-	-	-	-	-	-
Malignant melanoma	M 281	5	125	4.5	0.2	6.1	-	-	-	-	-	1.4	0.3
	F 189	2	81	2.5	0.1	4.0	-	-	-	-	0.3	0.4	-
Female breast cancer	F 1395	8	624	19.0	0.4	30.6	-	-	-	-	-	0.7	2.1
Cervix cancer	F 139	3	69	2.1	0.1	3.3	-	-	-	-	-	-	1.1
Other uterine cancer	F 358	-	96	4.1	-	4.8	-	-	-	-	-	-	-
Ovarian cancer	F 645	5	300	8.9	0.2	14.9	-	-	-	0.3	0.3	0.4	0.7
Prostate cancer	M 2398	-	320	30.8	-	16.4	-	-	-	-	-	-	-
Bladder cancer	M 476	1	113	6.6	0.1	5.7	-	-	-	-	-	-	0.3
	F 208	-	35	2.0	-	1.7	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M 1927	35	687	28.7	1.7	33.9	1.1	0.8	1.2	1.5	2.9	1.7	2.7
	F 2123	27	562	24.4	1.4	27.9	1.1	2.0	0.4	1.9	0.3	1.8	2.1
Hodgkin's disease	M 23	2	11	0.4	0.1	0.5	-	-	-	0.3	0.3	-	-
	F 23	1	5	0.2	0.1	0.3	-	-	-	-	-	-	0.3
Myeloma and non-Hodgkin lymphomas	M 617	1	186	8.9	0.1	9.3	-	-	0.4	-	-	-	-
	F 515	6	107	5.6	0.3	5.3	-	-	-	0.6	0.7	0.4	0.3
Leukaemia	M 372	14	99	5.4	0.7	4.9	0.7	0.4	0.4	1.2	0.6	-	1.4
	F 312	13	61	3.5	0.7	3.0	1.5	-	0.8	1.3	0.3	0.4	0.3
Diabetes	M 1000	5	241	13.7	0.2	12.0	-	-	-	0.3	0.3	0.3	0.7
	F 936	4	90	8.2	0.2	4.5	-	-	0.8	-	0.3	0.4	-
ALL VASCULAR DISEASE	M 17054	47	2911	222.6	2.2	144.8	1.4	-	0.4	1.8	4.1	4.1	3.7
	F 18890	21	1107	148.3	1.1	55.5	1.9	-	-	1.0	1.0	1.1	2.5
Rheumatic heart disease and fever	M 23	-	5	0.3	-	0.2	-	-	-	-	-	-	-
	F 48	-	5	0.5	-	0.3	-	-	-	-	-	-	-
Hypertensive disease	M 643	-	85	8.1	-	4.3	-	-	-	-	-	-	0.3
	F 1165	1	37	8.6	0.1	1.8	-	-	-	-	-	-	-
Ischaemic heart disease	M 8204	6	1703	109.4	0.3	84.6	-	-	-	0.3	-	1.4	0.3
	F 6808	3	521	55.6	0.1	26.2	-	-	-	-	0.3	-	0.7
Pulmonary embolism and other venous	M 206	1	66	2.9	0.1	3.2	-	-	-	-	-	-	0.3
	F 242	3	41	2.4	0.1	2.1	-	-	-	0.3	-	0.7	-
Cerebrovascular disease	M 3111	3	400	39.9	0.1	20.0	-	-	-	-	0.3	0.3	0.3
	F 4491	3	262	35.5	0.1	13.1	-	-	-	-	0.4	-	0.3
Other vascular disease	M 4867	37	652	62.0	1.8	32.5	1.4	-	0.4	1.5	3.8	2.4	2.7
	F 6136	11	241	45.8	0.6	12.1	1.9	-	0.3	0.7	-	-	1.1
Chronic obstructive pulmonary disease	M 1281	-	191	16.8	-	9.7	-	-	-	-	-	-	-
	F 1449	-	240	14.5	-	12.1	-	-	-	-	-	-	-
Other respiratory disease	M 1270	16	189	16.5	0.8	9.4	1.8	-	0.4	0.9	0.9	0.3	1.0
	F 1057	9	85	8.8	0.5	4.3	1.5	-	0.3	0.3	0.4	0.4	0.7
Peptic ulcer	M 130	-	38	1.8	-	1.9	-	-	-	-	-	-	-
	F 166	1	28	1.6	0.1	1.4	-	-	-	-	-	-	0.3
Liver cirrhosis	M 415	1	289	7.2	0.1	14.1	-	-	-	-	-	0.3	-
	F 173	-	99	2.6	-	4.9	-	-	-	-	-	-	-
Renal disease	M 395	1	33	4.9	0.1	1.6	-	-	-	-	-	0.3	-
	F 340	3	25	2.9	0.2	1.2	0.4	0.4	-	-	-	-	0.3
Pregnancy, birth and congenital and perinatal causes	F 3	1	1	0.1	0.1	0.0	-	-	-	-	-	-	0.3
Ill-defined causes	M 178	122	41	4.4	6.1	1.9	39.2	-	0.8	0.6	0.6	0.3	1.0
	F 158	99	39	3.8	5.2	1.9	32.6	1.2	0.4	0.6	0.3	0.4	1.1
Other medical causes	M 1826	101	532	26.9	4.9	26.1	13.0	0.4	0.8	2.4	5.4	7.5	4.8
	F 2407	53	282	21.6	2.8	13.9	10.4	0.4	1.3	0.6	2.0	2.9	1.8
Other non-medical causes	M 5228	85	914	69.9	4.1	45.1	6.3	1.5	2.0	3.0	3.5	6.1	6.5
	F 7894	61	621	65.3	3.1	30.9	6.3	2.0	1.3	2.5	4.0	1.8	3.9
ALL NON-MEDICAL CAUSES	M 2912	503	1234	50.3	23.6	58.7	2.1	1.9	2.8	21.1	47.1	48.8	41.8
	F 1747	150	447	21.3	7.4	21.6	0.7	1.2	3.0	8.6	14.3	11.8	12.4
Road traffic accidents	M 182	73	81	3.7	3.4	3.8	0.7	1.1	0.8	5.4	6.7	5.4	3.7
	F 70	16	29	1.2	0.8	1.4	-	0.8	0.4	1.6	1.7	0.7	0.3
Fire	M 48	4	26	0.8	0.2	1.3	-	-	-	0.3	1.0	-	-
	F 32	2	5	0.4	0.1	0.2	-	-	-	0.3	0.4	-	-
Suicide	M 836	194	503	16.4	9.1	23.8	-	-	0.4	9.4	17.8	18.6	17.3
	F 302	64	187	5.9	3.1	9.0	-	-	0.8	3.8	6.3	5.0	6.0
POPULATION: (1000s; UN, 2015 revision)	M=male	4671.7	2030.7	2139.6	285.4	260.3	249.7	331.1	314.5	295.1	294.5		
	F=female	4710.6	1929.3	2101.2	269.6	247.0	236.7	313.4	300.7	279.7	282.1		

2010: SWEDEN

Annual death rates / 100,000
 (zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
70.6 43.0	113.2 66.3	196.6 121.7	330.4 205.5	543.9 344.2	882.4 582.0	1421.7 923.2	2381.2 1516.1	4352.4 2734.4	12240.5 10190.3	M F	ALL CAUSES	001-999/A00-Y89
-	-	-	-	-	-	-	0.6	1.5	7.1	M F	Tuberculosis	010-018, 137/ A15-A19, B90
1.6	2.1	3.1	5.1	6.3	15.2	17.2	33.9	81.2	317.8	M F	Other infective and parasitic	Rest of 001-139, 279, 58/6/ rest of A00-B99 excl A33, A34
-	-	1.3	3.1	4.9	7.5	14.0	27.1	56.6	240.8	M F		
12.1 16.0	25.0 31.8	40.9 64.1	86.8 107.4	185.8 184.3	323.9 320.4	556.6 465.0	861.6 666.1	1392.2 885.9	2314.8 1286.5	M F	ALL CANCER	140-208/C00-C97
-	0.6	0.6	2.4	6.0	8.5	14.1	13.7	22.1	15.3	M F	Mouth and pharynx cancer	140-149/C00-C14
-	0.3	0.3	1.0	3.9	3.8	3.8	7.5	9.5	13.1	M F	Oesophagus cancer	150/C15
0.3	0.3	0.3	4.0	8.1	13.9	19.8	23.5	38.4	43.7	M F		
-	-	1.3	-	1.1	3.1	5.3	7.5	10.1	11.5	M F		
0.6	1.2	4.1	4.0	7.7	11.7	19.8	26.8	45.8	67.7	M F	Stomach cancer	151/C16
1.3	1.2	1.9	1.0	4.6	6.9	12.1	16.1	22.0	40.6	M F	Colorectal cancer	153, 154/C18-C21
1.9	4.1	5.7	12.2	21.7	36.0	64.8	119.2	156.5	251.2	M F	Liver cancer	155.0/C22 excl C221
1.0	2.4	5.9	9.3	11.7	27.7	40.9	74.3	129.3	199.6	M F		
-	0.6	2.2	4.0	12.6	15.8	17.9	22.4	34.7	55.7	M F	Pancreas cancer	157/C25
-	-	0.3	1.0	2.8	4.4	4.5	13.6	19.7	24.6	M F	Larynx cancer	161/C32
1.2	0.9	1.9	8.4	17.5	25.6	45.8	71.7	82.7	102.7	M F	Lung cancer	162/C33, C34
0.3	1.5	2.6	6.2	10.6	30.2	43.9	56.3	73.9	101.2	M F		
-	-	-	-	2.1	1.6	1.1	3.8	3.7	5.5	M F		
-	-	-	-	-	0.3	0.4	-	0.6	-	M F		
0.6	1.5	5.0	14.5	34.6	76.5	126.7	182.2	259.1	270.3	M F		
0.6	1.5	7.5	20.7	40.2	74.6	112.8	128.6	152.5	130.9	M F		
1.2	2.6	2.8	7.8	8.4	7.0	13.0	18.6	36.9	36.6	M F	Malignant melanoma	172/C43
1.3	0.6	2.9	3.1	3.5	7.5	8.7	10.1	11.3	21.4	M F	Female breast cancer	174/C50
3.9	8.9	18.9	32.5	36.4	51.0	62.8	80.9	88.8	144.7	M F	Cervix cancer	180/C53
1.3	2.4	2.9	1.7	5.3	6.0	3.4	8.5	7.7	11.8	M F	Other uterine cancer	179, 182/C54, C55
1.3	2.8	4.9	9.3	19.1	25.5	41.6	44.2	54.8	51.1	M F	Ovarian cancer	183/C56, C570-C574
-	0.3	0.6	1.7	9.8	29.4	72.9	138.4	295.3	778.1	M F	Prostate cancer	185/C61
0.3	-	0.3	1.7	5.6	12.0	19.8	32.8	69.4	113.6	M F	Bladder cancer	188/C67
-	-	1.0	-	0.3	5.0	5.7	8.5	15.5	41.5	M F		
4.7	7.7	12.3	17.9	37.5	62.6	95.0	137.8	222.2	356.0	M F	Other and ill-defined	Rest of 140-199/ rest of C00-C80, C97
4.5	7.0	9.8	16.2	31.4	46.6	79.8	129.1	182.9	309.8	M F	cancer sites	201/C81
0.6	0.6	-	-	0.3	1.3	0.8	1.1	1.5	3.3	M F	Hodgkin's disease	
-	-	0.3	-	-	-	1.5	-	1.2	4.8	M F		
-	3.2	3.8	6.8	10.8	12.3	27.9	41.0	75.3	138.2	M F	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
-	0.9	0.7	2.4	7.4	12.0	13.6	31.1	47.7	83.0	M F	Leukaemia	204-208/C91-C95
0.6	1.5	1.3	1.4	3.1	9.5	17.2	28.4	48.7	77.0	M F		
0.6	0.9	1.0	0.3	2.5	7.2	8.3	19.6	28.6	48.2	M F		
2.2	2.6	3.1	5.4	10.5	21.5	38.5	56.9	121.1	265.4	M F	Diabetes	250/E10-E14
0.3	0.9	1.3	1.4	5.7	8.5	13.2	29.6	68.5	213.3	M F		
5.9	20.3	41.5	85.8	158.6	266.9	434.9	826.0	1593.8	5693.8	M F	ALL VASCULAR DISEASE	390-459/100-I99
3.9	7.9	13.7	29.7	58.6	93.2	181.2	390.8	889.4	4947.6	M F	Rheumatic heart disease and fever	390-398/I00-I09
-	0.3	-	0.3	0.3	0.3	0.4	1.1	2.2	7.1	M F	Hypertensive disease	401-405/I10-I15
-	-	0.3	-	0.3	-	1.1	3.0	3.0	10.2	M F		
-	-	1.3	1.4	5.6	6.3	15.6	23.0	65.7	233.2	M F		
-	-	0.7	0.3	1.8	4.7	5.3	17.6	50.6	321.6	M F		
1.9	7.3	22.0	48.3	97.3	170.2	245.3	428.9	829.7	2504.8	M F	Ischaemic heart disease	410-414/I20-I25
1.9	1.8	4.9	14.8	28.2	43.8	87.8	172.8	360.4	1703.9	M F	Pulmonary embolism and other venous	415.1, 451-453/I26, 180-182
0.9	0.3	0.9	3.4	2.1	7.9	6.9	7.1	17.0	56.2	M F	Cerebrovascular disease	430-438/I60-I69
-	0.6	1.0	1.4	1.4	2.2	8.0	10.1	14.3	49.2	M F		
1.2	4.1	5.7	11.5	17.1	32.3	68.3	173.9	305.6	1079.0	M F		
0.6	4.0	4.6	7.9	19.1	18.9	36.3	90.4	231.1	1168.3	M F		
1.9	8.2	11.6	20.9	36.0	50.0	98.4	192.0	373.5	1813.5	M F	Other vascular disease	Rest of 390-459/ rest of I00-I99
1.3	1.5	2.6	4.8	7.8	23.6	42.8	97.0	229.9	1694.3	M F	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
-	0.9	0.6	2.0	8.4	18.7	37.0	76.6	177.9	387.2	M F	Other respiratory disease	J40-460/I51-519/ rest of J00-J98
-	-	0.3	5.9	7.8	23.0	48.0	85.4	144.2	254.6	M F		
1.2	1.5	3.8	6.8	10.5	14.6	27.5	53.6	110.0	446.7	M F		
0.6	0.6	2.9	2.1	2.8	4.4	16.6	26.1	45.9	266.4	M F		
-	0.3	0.6	-	1.4	4.4	6.5	7.7	10.3	35.0	M F	Peptic ulcer	531-533/K25-K27
-	-	0.7	-	0.3	3.1	5.7	9.0	9.5	32.9	M F		
0.9	2.4	6.9	14.9	17.5	26.6	29.8	27.9	31.0	17.5	M F	Liver cirrhosis	571/K70, K74
0.3	-	1.3	4.8	6.3	9.8	11.7	16.1	11.9	7.0	M F		
0.3	-	0.3	1.0	1.4	4.4	3.8	20.2	31.0	154.0	M F	Renal disease	580-590/N00-N19
-	0.3	-	0.7	0.7	3.1	3.8	7.5	26.8	80.5	M F		
1.2	0.9	1.9	2.4	3.5	1.9	1.9	2.7	4.4	2.2	M F	Pregnancy, birth and perinatal causes	630-676/A34, 000-O99 740-779/A33, P00-P96, Q00-Q99
1.3	-	0.7	2.8	1.4	4.1	3.0	3.0	1.8	3.5	M F	Ill-defined causes	780-799/R00-R99
4.0	7.7	12.6	22.3	29.1	44.3	62.6	85.9	147.6	456.5	M F		
3.2	4.6	6.2	8.3	17.6	22.4	35.2	48.7	99.5	577.5	M F		
7.5	13.2	16.7	37.8	43.8	71.8	125.1	243.4	510.8	1688.4	M F	Other medical causes	Rest of 001-799/ rest of A00-R99
4.5	6.7	13.0	15.9	28.9	52.2	95.0	161.8	417.0	1977.0	M F		
33.6	36.5	64.5	60.1	67.2	68.3	80.5	84.2	139.5	454.3	M F	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
12.8	13.4	15.9	23.5	24.7	29.9	30.6	44.7	75.1	298.6	M F		
3.4	2.9	3.1	4.7	4.2	4.1	4.2	5.5	3.7	7.1	M F	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
0.6	0.9	1.0	1.4	1.4	3.1	1.1	1.5	6.5	3.5	M F		
0.3	0.3	0.9	0.3	1.1	2.2	3.8	3.8	2.2	4.4	M F	Fire	E890-E899/X00-X09
-	0.3	-	-	0.6	0.8	-	2.5	2.4	5.1	M F	Suicide	E950-E959/X60-X84
321.5	340.0	318.0	296.1	285.7	316.2	262.1	182.8	135.5	183.1	M F	POPULATION (1000s; UN, 2015 revision)	
311.9	327.3	307.3	289.5	283.2	317.7	264.3	199.1	167.9	313.1	M F		

SWEDEN: 2010**Relative importance of deaths in MIDDLE age (35–69) in the year 2010**

Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 1.0	– / 0.5	–
35–69	1.4 / 10	1.3 / 6.6	21 years
70+	3.9 / 33	5.1 / 40	7 years
All ages	5.4 / 44	6.4 / 47	10 years


Deaths, by cause, attributed to SMOKING / total deaths (thousands) in the year 2010

Cause	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
Lung Cancer	–/0.0	0.5/0.7	0.9/1.2	1.5/1.9	–/0.0	0.5/0.7	0.8/1.0	1.3/1.7
All Cancer	–/0.1	0.7/3.5 (21%)	1.4/7.8 (18%)	2.2/11	–/0.1	0.6/3.5 (18%)	1.0/6.9 (15%)	1.6/10
Vascular	–/0.0	0.4/3.0	1.4/14	1.8/17	–/0.0	0.3/1.2	2.3/18	2.6/19
Respiratory	–/0.0	0.1/0.4	0.7/2.4	0.9/2.8	–/0.0	0.2/0.3	1.0/2.6	1.2/2.9
All Other	–/0.8	0.1/3.4	0.4/8.5	0.5/13	–/0.4	0.2/1.7	0.8/13	1.0/15
All Causes	–/1.0	1.4/10 (14%)	3.9/33 (12%)	5.4/44	–/0.5	1.3/6.6 (20%)	5.1/40 (13%)	6.4/47

**Cancer deaths, and all deaths,
attributed to SMOKING / total deaths (thousands) in the year 2010**



Cause	Male	Female	Male + Female
All Cancer	2.2 / 11 (19%)	1.6 / 10 (16%)	3.8 / 22 (17%)
All Causes	5.4 / 44 (12%)	6.4 / 47 (14%)	12 / 91 (13%)

1965-2015: SWEDEN

Population risk of dying at ages 0–34**Population risk of a 35-year-old dying at ages 35–69 from smoking (shaded) or from any cause (shaded and white)****MALE**

*eg, at year 2010 male death rates, out of 100 men aged 35, 16 would die before age 70 (with 2 of these deaths attributed to smoking)

Note: Most of those killed by smoking would otherwise have survived beyond age 70, but a minority (shaded area to right of dotted line) would have died by 70 anyway

FEMALE

Real risk too low to estimate reliably

SWEDEN: 1960-2015***Relative importance of deaths in MIDDLE age (35–69), 2015 projections***

Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 1.0	– / 0.5	–
35–69	1.2 / 9.5	1.3 / 6.4	21 years
70+	4.0 / 33	5.6 / 39	7 years
All ages	5.1 / 43	6.9 / 45	10 years

Numbers of deaths attributed to smoking / total deaths (thousands)

Year	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
1955
1965	–/2.6	2.5/15 (16%)	1.7/24 (7%)	4.1/42	–/1.5	0.0/9.9	0.0/25	0.0/36
1975	–/2.2	3.5/17 (20%)	4.1/29 (14%)	7.6/48	–/1.2	0.4/9.3 (4%)	0.7/29 (2%)	1.1/40
1985	–/1.6	3.2/15 (22%)	4.5/33 (14%)	7.7/49	–/0.9	0.8/7.9 (10%)	1.2/34 (4%)	2.1/43
1995	–/1.2	2.3/11 (20%)	4.3/35 (12%)	6.6/47	–/0.7	1.1/6.8 (16%)	2.7/39 (7%)	3.8/47
2005	–/1.0	1.7/10 (16%)	4.0/33 (12%)	5.7/45	–/0.5	1.4/6.6 (21%)	4.6/40 (11%)	5.9/47
2015 proj.	–/1.0	1.2/9.5 (12%)	4.0/33 (12%)	5.1/43	–/0.5	1.3/6.4 (20%)	5.6/39 (14%)	6.9/45





60-year total (thousands), decade of 1960s to decade of 2010s (1960–2020*): 567 / 5323

*Estimated as 10 times the sum of the annual numbers for 1965, 1975, 1985, 1995, 2005 and 2015

1960–2020, by age & sex:


–/95	142/785 (18%)	226/1863 (12%)	368/2744	–/52	50/468 (11%)	149/2059 (7%)	198/2579
------	-------------------------	--------------------------	----------	------	------------------------	-------------------------	----------

1965-2015: SWEDEN



SWEDEN: 1965-2015

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	Attributed to smoking?	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
		0–34		35–69		70–79		0–34		35–69		70–79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	
1955	
1960	
1965	-	1.32		1.72	8.84	5.27	59.8	-	0.82	0.00	6.41	0.00	48.0
1970	-	1.21		1.93	8.61	8.14	56.3	-	0.69	0.09	5.87	0.87	42.8
1975	-	1.05		2.18	8.53	10.2	54.2	-	0.61	0.23	5.29	1.15	38.0
1980	-	0.93		2.20	8.16	9.96	51.6	-	0.52	0.39	4.76	1.35	33.9
1985	-	0.84		2.07	7.35	8.73	48.9	-	0.48	0.49	4.24	1.51	30.1
1990	-	0.78		1.82	6.66	7.62	45.8	-	0.44	0.62	3.90	2.05	27.5
1995	-	0.57		1.51	5.92	7.01	41.1	-	0.33	0.67	3.48	2.60	24.1
2000	-	0.54		1.20	5.32	6.49	36.8	-	0.28	0.74	3.19	3.05	22.0
2005	-	0.50		0.97	4.81	5.77	32.2	-	0.29	0.76	2.86	3.68	19.3
2010	-	0.46		0.72	4.36	4.97	28.4	-	0.25	0.67	2.62	3.77	17.3
2015	-	0.44		0.55	3.93	4.34	25.0	-	0.22	0.61	2.39	3.87	15.5

0–34 and 35–69 = means of 7 age-specific rates; 70–79 = mean of 2 rates (70–74 & 75–79)


1965-2015: SWEDEN

ALL CANCER mortality rates attributed and not attributed to smoking

[†] Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	Attributed to smoking?	MALE cancer mortality (annual rate/1000, by age)						FEMALE cancer mortality (annual rate/1000, by age)					
		0-34		35-69		70-79		0-34		35-69		70-79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	
1955	
1960	
1965	-	0.10	0.50	1.94		1.58	11.3	-	0.09	0.00	2.26	0.00	8.43
1970	-	0.10	0.56	1.93		2.49	11.2	-	0.09	0.02	2.21	0.16	8.56
1975	-	0.10	0.64	1.97		3.34	11.9	-	0.08	0.06	2.21	0.24	8.67
1980	-	0.08	0.66	1.89		3.23	11.0	-	0.07	0.11	2.11	0.30	7.98
1985	-	0.06	0.66	1.78		2.88	10.2	-	0.06	0.15	1.98	0.35	7.26
1990	-	0.06	0.65	1.79		2.69	10.4	-	0.05	0.21	1.90	0.53	7.23
1995	-	0.05	0.60	1.72		2.66	10.3	-	0.05	0.26	1.81	0.74	7.03
2000	-	0.05	0.52	1.62		2.68	10.1	-	0.05	0.30	1.68	0.94	6.95
2005	-	0.04	0.46	1.53		2.64	9.79	-	0.05	0.35	1.55	1.27	6.79
2010	-	0.04	0.37	1.40		2.45	8.80	-	0.04	0.32	1.40	1.42	6.31
2015	-	0.04	0.29	1.27		2.28	7.90	-	0.04	0.30	1.26	1.56	5.85


0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

SWEDEN: 1965-2013**Mortality* trends at selected ages: 35-39, 55-59 & 75-79**

* Annual mortality per 1000: averages of years available in 1965-69,...,2005-09; then 4-year average 2010-13

1965-2013: SWEDEN

Mortality* trends at selected ages: 35-39, 55-59 & 75-79



* Annual mortality per 1000: averages of years available in 1965-69,...,2005-09; then 4-year average 2010-13