

MORTALITY FROM SMOKING IN DEVELOPED COUNTRIES 1950–2020

(see also www.deathsfromsmoking.net)

**Richard Peto, Alan D Lopez, Hongchao Pan
Jillian Boreham and Michael Thun**

SWITZERLAND

Raw data (pages 442–43)

Analyses (pages 444–45, 446–47, 448–49)

Appendix (pages 450–51)

(revised September 2015)

SWITZERLAND: 2010

	No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
	All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M 30283	669	8128	564.2	41.2	504.7	86.9	6.7	9.3	35.3	43.4	49.8	57.0
	F 32366	424	4724	379.0	28.2	283.9	92.8	6.5	6.9	18.9	16.6	24.7	30.8
Tuberculosis	M 10	-	5	0.2	-	0.3	-	-	-	-	-	-	-
	F 9	-	1	0.1	-	0.1	-	-	-	-	-	-	-
Other infective and parasitic	M 353	11	124	6.7	0.7	7.1	1.0	-	0.5	1.3	-	0.4	1.5
	F 345	6	54	4.2	0.4	3.1	-	0.5	-	0.5	-	0.8	0.8
ALL CANCER	M 9054	58	3282	175.0	3.5	209.0	2.0	2.0	1.9	3.0	2.9	4.7	7.7
	F 7223	55	2556	110.8	3.3	153.4	1.6	1.6	2.0	1.4	2.6	6.3	7.6
Mouth and pharynx cancer	M 292	-	187	6.1	-	11.6	-	-	-	-	-	-	-
	F 100	1	48	1.7	0.1	3.0	-	-	-	-	-	0.4	-
Oesophagus cancer	M 334	1	160	6.7	0.1	10.2	-	-	-	-	-	-	0.4
	F 102	-	40	1.5	-	2.5	-	-	-	-	-	-	-
Stomach cancer	M 307	1	137	6.0	0.1	8.6	-	-	-	-	-	-	0.4
	F 174	-	58	2.6	-	3.3	-	-	-	-	-	-	-
Colorectal cancer	M 991	6	352	19.1	0.3	22.8	-	-	-	-	-	0.8	1.5
	F 734	3	192	10.3	0.2	11.7	-	-	-	-	0.4	0.4	0.4
Liver cancer	M 419	2	182	8.5	0.1	11.4	-	-	-	-	-	0.4	0.4
	F 185	2	58	2.8	0.1	3.5	-	-	-	-	0.4	0.4	-
Pancreas cancer	M 557	-	265	11.2	-	16.9	-	-	-	-	-	-	-
	F 622	-	170	8.8	-	10.5	-	-	-	-	-	-	-
Larynx cancer	M 69	-	33	1.4	-	2.1	-	-	-	-	-	-	-
	F 14	-	7	0.3	-	0.5	-	-	-	-	-	-	-
Lung cancer	M 2063	1	910	41.2	0.1	58.2	-	-	-	-	-	-	0.4
	F 1086	2	530	18.7	0.1	32.1	-	-	-	-	-	-	0.8
Malignant melanoma	M 179	5	74	3.5	0.3	4.6	-	-	-	-	-	0.4	0.4
	F 131	1	57	2.1	0.1	3.3	-	-	-	-	-	0.4	-
Female breast cancer	F 1411	8	608	22.8	0.4	35.9	-	-	-	-	-	0.8	2.3
Cervix cancer	M 63	2	38	1.1	0.1	2.1	-	-	-	-	-	0.4	0.4
Other uterine cancer	F 216	1	60	3.1	0.1	3.7	-	-	-	-	-	0.4	-
Ovarian cancer	F 421	3	176	6.9	0.2	10.6	-	-	-	-	0.4	0.4	0.4
Prostate cancer	M 1421	-	165	24.4	-	11.3	-	-	-	-	-	-	-
Bladder cancer	M 388	1	95	7.0	0.1	6.3	-	-	-	0.4	-	-	-
	F 158	-	38	2.1	-	2.4	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M 1311	34	506	26.0	2.1	31.6	2.0	2.0	1.9	1.3	2.5	2.7	2.3
	F 1192	20	345	17.4	1.2	20.4	1.1	1.1	1.0	0.5	0.8	1.6	2.7
Hodgkin's disease	M
	F
Myeloma and non-Hodgkin lymphomas	M 420	3	128	8.0	0.2	8.1	-	-	-	0.8	-	-	0.4
	F 366	3	75	5.0	0.2	4.5	-	-	-	-	-	0.8	0.4
Leukaemia	M 303	4	88	5.7	0.2	5.5	-	-	-	0.4	-	0.4	0.8
	F 248	9	56	3.5	0.6	3.4	0.5	0.5	1.0	0.9	0.4	0.4	0.4
Diabetes	M 565	3	130	10.2	0.2	8.5	-	-	-	0.4	0.4	-	0.4
	F 685	1	72	7.3	0.1	4.6	-	-	-	0.5	-	-	-
ALL VASCULAR DISEASE	M 9924	42	1859	175.3	2.4	117.6	0.5	0.5	0.5	3.0	0.8	4.7	6.9
	F 12035	20	622	117.2	1.2	38.2	1.6	0.5	-	0.9	0.8	0.8	3.8
Rheumatic heart disease and fever	M 31	-	7	0.6	-	0.4	-	-	-	-	-	-	-
	F 62	-	12	0.8	-	0.7	-	-	-	-	-	-	-
Hypertensive disease	M 870	-	109	14.7	-	7.1	-	-	-	-	-	-	-
	F 1826	-	46	16.7	-	2.9	-	-	-	-	-	-	-
Ischaemic heart disease	M 4351	9	973	78.2	0.5	61.2	-	-	-	0.4	-	1.2	1.9
	F 3963	-	211	38.8	-	13.2	-	-	-	-	-	-	-
Pulmonary embolism and other venous	M
	F
Cerebrovascular disease	M 1589	6	207	27.4	0.3	13.3	-	-	-	-	-	0.8	1.5
	F 2250	7	146	22.6	0.4	9.0	-	-	-	0.5	-	0.4	1.9
Other vascular disease, incl. venous	M 3083	27	563	54.4	1.6	35.6	0.5	0.5	0.5	2.5	0.8	2.7	3.4
	F 3934	13	207	38.3	0.8	12.5	1.6	0.5	-	0.5	0.8	0.4	1.9
Chronic obstructive pulmonary disease	M 1104	2	172	19.4	0.1	11.8	-	-	-	-	-	0.4	0.4
	F 824	-	116	9.7	-	7.5	-	-	-	-	-	-	-
Other respiratory disease	M 903	7	116	15.6	0.4	7.3	1.0	-	0.5	-	0.8	0.4	0.4
	F 895	4	60	9.0	0.3	3.7	1.1	-	-	-	-	-	0.8
Peptic ulcer	M 73	-	10	1.2	-	0.7	-	-	-	-	-	-	-
	F 75	-	7	0.8	-	0.5	-	-	-	-	-	-	-
Liver cirrhosis & other liver disease	M 481	2	323	10.2	0.1	19.7	-	-	-	-	-	-	0.8
	F 245	-	139	4.4	-	8.1	-	-	-	-	-	-	-
Renal disease	M
	F
Pregnancy, birth	M 3	2	1	0.1	0.1	0.1	-	-	-	-	-	0.8	-
Congenital and perinatal causes	M 207	149	44	7.1	10.5	2.6	66.2	1.5	-	2.5	0.8	1.2	1.5
	F 217	161	44	7.9	12.2	2.6	78.9	1.6	1.0	1.8	1.3	0.4	0.4
Ill-defined causes	M 1026	33	378	20.0	2.1	22.7	6.6	-	-	0.4	2.5	1.6	3.4
	F 1122	27	173	13.2	1.7	10.3	3.8	-	0.5	1.4	1.3	2.4	2.7
Other medical causes	M 4471	46	720	78.4	2.9	44.2	4.5	1.5	2.3	2.5	2.5	3.1	3.4
	F 7234	44	531	73.9	2.8	32.5	4.8	1.6	1.0	3.6	2.6	2.0	4.2
ALL NON-MEDICAL CAUSES	M 2112	316	965	45.0	18.4	53.0	5.0	1.0	3.7	22.1	32.5	33.5	30.6
	F 1454	104	348	20.5	6.2	19.2	1.1	0.5	2.5	9.0	8.1	11.3	10.7
Road traffic accidents	M
	F
Fire	M 12	1	4	0.2	0.1	0.2	-	-	-	-	-	-	0.4
	F 9	1	3	0.2	0.1	0.2	-	-	-	0.5	-	-	-
Suicide	M 723	122	446	16.4	7.0	24.1	-	-	0.9	6.8	12.9	15.2	13.0
	F 281	47	182	6.2	2.7	10.0	-	-	3.6	3.0	7.0	5.3	5.3
POPULATION: (1000s; UN, 2015 revision)	M=male			3855.3	1599.9	1876.3	197.9	195.3	213.8	234.9	239.7	256.9	261.4
	F=female			3975.2	1546.9	1873.9	186.3	183.8	201.7	222.4	234.5	255.4	262.7

2010: SWITZERLAND

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
72.9	131.9	199.1	325.8	556.4	853.1	1393.6	2132.3	3854.2	10963.5	M	ALL CAUSES	001-999/A00-Y89
47.9	71.8	124.8	205.7	327.1	494.0	716.2	1218.4	2176.3	8984.4	F	Tuberculosis	010-018/A15-A19
-	0.6	0.3	0.3	-	-	0.5	-	-	-	M	Other infective & parasitic	Rest of 001-139,279,5&/rest of A00-B99 excl A33,A34
1.4	4.3	6.7	6.4	6.2	10.0	14.9	18.7	34.5	118.2	F	Mouth and pharynx cancer	140-149/C00-C14
1.4	1.9	0.9	4.0	3.3	4.3	5.9	15.9	22.0	92.5	F	Oesophagus cancer	150/C15
11.3	32.4	56.4	117.9	232.8	390.1	622.2	884.5	1361.1	2294.1	M	ALL CANCER	140-208/C00-C97
19.9	38.4	64.9	114.3	192.1	279.4	364.5	539.6	724.5	1089.9	F	Colorectal cancer	153, 154/C18-C21
-	1.2	3.7	7.4	21.2	22.7	24.9	18.0	28.2	37.6	M	Liver cancer	155.0, 155.1/C22
0.3	-	0.6	2.5	4.5	5.1	7.4	8.6	6.2	11.4	F	Pancreas cancer	157/C25
0.3	0.9	1.8	7.1	9.1	24.4	27.6	31.7	46.4	59.9	M	Bladder cancer	161/C32
0.3	-	0.6	1.5	0.8	6.4	7.9	4.3	12.3	15.1	F	Female breast cancer	174/C50
0.7	2.8	3.4	4.6	8.7	14.8	24.9	22.4	40.9	71.4	M	Cervix cancer	180/C53
0.7	1.9	2.2	3.6	2.9	6.0	5.9	15.9	15.8	27.3	F	Other uterine cancer	179, 182/C54, C55
1.4	2.2	6.7	9.6	26.1	38.4	74.9	101.6	154.6	247.1	M	Ovarian cancer	183.0/C56
1.4	2.2	3.8	9.1	14.1	17.9	33.6	60.7	67.2	139.3	F	Prostate cancer	185/C61
0.3	1.9	3.4	7.4	14.9	24.0	27.6	62.7	67.3	56.8	M	Bladder cancer	188/C67
-	0.3	2.2	2.9	2.9	6.8	9.4	14.1	24.0	27.3	F	Other and ill-defined cancer sites	Rest of 140-199/
1.1	6.5	14.7	35.8	66.4	107.7	175.2	234.3	336.4	350.6	M	Hodgkin's disease	rest of C00-C80, C97
1.8	4.7	10.7	22.9	42.6	68.7	73.7	93.8	105.0	101.0	F	Not given separately	
0.7	1.9	1.2	2.8	5.0	8.3	12.2	17.3	20.9	40.7	M	Malignant melanoma	172/C43
0.3	2.5	1.6	2.9	3.7	5.1	6.9	7.4	10.3	18.7	F	Female breast cancer	174/C50
8.2	13.4	18.2	29.9	39.8	59.7	82.1	93.8	120.1	190.2	F	Cervix cancer	180/C53
0.7	2.2	1.9	2.2	1.7	3.0	3.0	1.2	2.7	6.9	M	Other uterine cancer	179, 182/C54, C55
-	0.3	1.6	1.5	5.4	9.0	7.9	19.6	22.6	36.7	F	Ovarian cancer	183.0/C56
1.4	2.5	2.8	7.3	14.9	23.0	22.3	32.5	48.7	48.1	M	Prostate cancer	185/C61
-	0.3	0.3	3.2	8.3	20.1	46.7	98.8	210.9	680.6	F	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C85, C90
-	0.6	0.6	1.4	7.0	11.8	22.8	26.7	63.6	141.9	M	Leukaemia	204-208/C91-C95
0.3	0.3	0.3	1.1	4.5	2.6	7.4	8.0	18.5	32.6	F	Diabetes	250/E10-E14
4.6	7.7	12.9	18.4	28.6	58.4	90.8	134.1	188.2	290.0	M	All VASCULAR DISEASE	390-459/100-I99
3.5	4.4	11.9	16.7	28.6	32.0	46.0	76.7	130.4	208.5	F	Rheumatic heart disease and fever	390-398/I00-I09
...	M	Hypertensive disease	401-404/I10-I13
1.4	2.2	1.8	4.6	9.1	13.1	24.4	43.2	70.9	115.9	M	Ischaemic heart disease	410-414/I20-I25
-	0.9	2.2	3.3	6.6	8.5	9.9	27.0	49.4	70.0	F	Pulmonary embolism and other venous	Not given separately
-	1.9	1.5	3.5	5.0	10.9	15.9	25.9	53.6	89.0	M	Cerebrovascular disease	430-438/I60-I69
0.3	0.6	1.6	2.2	2.5	6.4	10.4	21.5	23.3	46.4	F	Other vascular disease, incl. venous	Rest of 390-459/
-	1.2	3.7	1.4	10.0	11.3	31.9	38.2	98.2	207.9	M	Chronic obstructive pulmonary disease	rest of 100-I99
0.7	0.3	1.9	1.5	2.5	6.8	18.3	22.7	46.0	206.9	F	Other respiratory disease	490-494, 496/J40-J47
7.0	22.5	38.6	67.3	132.8	204.9	350.4	622.8	1233.8	4451.7	M	Peptic ulcer	531-533/K25-K27
3.9	8.1	13.8	24.0	32.3	67.8	117.7	294.3	655.9	4055.4	F	Liver cirrhosis & other liver disease	570-573/K70-K76
-	0.6	0.3	-	1.3	0.5	0.5	2.2	4.5	12.3	M	Renal disease	Not given separately
-	0.3	0.3	0.7	-	2.1	1.5	1.8	7.5	14.7	F	Pregnancy, birth and perinatal causes	P00-P96, Q00-Q99
-	0.3	3.1	2.1	7.0	12.2	24.9	31.7	99.1	466.5	M	Ill-defined causes	780-799/R00-R99
-	0.9	2.5	1.2	1.2	4.3	11.4	30.1	89.2	652.1	F	Other medical causes	Rest of 001-799/
3.5	10.8	21.7	35.4	73.4	111.6	172.0	305.6	554.6	1791.6	M	Road traffic accidents	rest of A00-R99
0.7	2.2	2.8	9.1	9.5	25.2	42.5	109.8	230.5	1318.4	F	Fire	E890-E899/X00-X09
...	M	Suicide	E950-E959/X60-X84
0.3	0.9	5.2	7.8	12.4	22.7	43.5	95.9	230.9	758.8	M	POPULATION (1000s; UN, 2015 revision)	
0.7	1.2	4.1	5.1	9.5	13.2	29.2	62.5	135.8	731.9	F		
3.2	10.5	8.0	21.6	39.8	57.1	109.4	187.4	344.6	1422.5	M		
2.5	4.4	5.7	6.5	12.0	23.0	33.1	90.1	192.8	1338.4	F		
-	-	1.2	2.5	7.5	21.4	49.9	87.2	171.8	475.7	M		
0.3	-	0.6	0.7	9.1	14.1	27.7	52.1	69.3	212.6	F		
0.3	0.6	2.8	3.5	10.0	13.5	20.7	54.8	94.6	460.4	M		
0.7	0.3	1.2	3.3	1.7	5.5	13.3	20.9	54.2	292.4	F		
-	-	0.3	-	0.4	0.9	3.2	2.9	8.2	38.4	M		
-	-	-	-	0.8	0.4	2.0	1.8	5.5	23.2	F		
2.5	4.9	7.3	17.0	27.8	33.1	45.1	33.9	47.3	43.7	M		
1.4	1.2	5.3	7.3	16.6	9.8	15.3	12.3	22.0	22.0	F		
...	M		
...	F		
0.3	-	-	-	-	-	-	-	-	-	M		
1.1	0.6	0.9	2.1	2.1	7.4	4.2	2.9	1.8	6.1	M		
-	1.2	1.6	2.2	1.7	5.5	5.9	1.8	2.7	2.0	F		
7.4	9.2	10.1	17.0	29.5	31.8	54.1	64.9	95.5	322.2	M		
2.8	2.5	4.7	7.6	10.8	19.2	24.7	28.8	58.3	321.8	F		
9.2	11.7	24.2	31.5	44.0	62.8	126.4	247.2	554.6	2111.5	M		
3.2	8.1	13.2	17.5	28.2	59.3	98.4	184.6	448.7	2323.2	F		
32.7	43.8	46.5	58.8	53.5	65.8	70.1	74.2	152.8	429.7	M		
13.1	9.7	16.6	23.3	27.7	21.8	22.3	42.3	67.2	340.1	F		
...	M		
...	F		
-	-	0.3	-	0.4	0.9	-	1.4	1.8	2.3	M		
-	-	0.3	0.4	0.4	-	-	1.2	-	1.2	F		
15.1	21.6	22.1	29.0	29.0	26.1	26.0	29.6	40.0	53.7	M		
6.0	5.6	8.5	14.9	12.8	11.9	9.9	9.8	8.9	9.4	F		
284.1	324.6	326.5	282.4	241.0	229.4	188.4	138.7	110.0	130.3	M		
281.9	320.4	318.8	274.7	241.5	234.4	202.2	163.1	145.7	245.5	F		

SWITZERLAND: 2010**Relative importance of deaths in MIDDLE age (35–69) in the year 2010**

Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 0.7	– / 0.4	–
35–69	1.9 / 8.0	0.8 / 4.7	23 years
70+	3.3 / 21	2.2 / 27	7 years
All ages	5.2 / 30	3.1 / 32	13 years

Deaths, by cause, attributed to SMOKING / total deaths (thousands) in the year 2010


Cause	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
Lung Cancer	–/0.0	0.8/0.9	0.9/1.1	1.7/2.0	–/0.0	0.4/0.5	0.4/0.5	0.8/1.1
All Cancer	–/0.1	1.1/3.3 (33%)	1.4/5.7 (25%)	2.5/9.0	–/0.1	0.5/2.6 (18%)	0.5/4.6 (11%)	1.0/7.2
Vascular	–/0.0	0.5/1.8	1.0/7.9	1.4/9.8	–/0.0	0.2/0.6	0.9/11	1.1/12
Respiratory	–/0.0	0.1/0.3	0.7/1.7	0.8/2.0	–/0.0	0.1/0.2	0.5/1.6	0.6/1.8
All Other	–/0.6	0.2/2.6	0.3/6.0	0.5/9.3	–/0.3	0.1/1.3	0.4/9.6	0.5/11
All Causes	–/0.7	1.9/8.0 (24%)	3.3/21 (16%)	5.2/30	–/0.4	0.8/4.7 (18%)	2.2/27 (8%)	3.1/32

**Cancer deaths, and all deaths,
attributed to SMOKING / total deaths (thousands) in the year 2010**

Cause	Male	Female	Male + Female
All Cancer	2.5 / 9.0 (28%)	1.0 / 7.2 (13%)	3.4 / 16 (21%)
All Causes	5.2 / 30 (17%)	3.1 / 32 (9%)	8.3 / 63 (13%)


1955-2015: SWITZERLAND

Population risk of dying at ages 0–34



Population risk of a 35-year-old dying at ages 35–69 from smoking (shaded) or from any cause (shaded and white)



MALE



*eg, at year 2010 male death rates, out of 100 men aged 35, 16 would die before age 70 (with 4 of these deaths attributed to smoking)

Note: Most of those killed by smoking would otherwise have survived beyond age 70, but a minority (shaded area to right of dotted line) would have died by 70 anyway

FEMALE



Real risk too low to estimate reliably

SWITZERLAND: 1950-2015***Relative importance of deaths in MIDDLE age (35–69), 2015 projections***

Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 0.6	– / 0.4	–
35–69	1.6 / 7.6	0.9 / 4.7	23 years
70+	3.2 / 22	2.6 / 28	7 years
All ages	4.8 / 30	3.6 / 33	12 years

Numbers of deaths attributed to smoking / total deaths (thousands)

Year	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
1955	–/3.0	2.9/11 (27%)	1.1/12 (9%)	4.0/26	–/1.9	0.0/8.0	0.0/15	0.0/24
1965	–/2.9	4.0/12 (33%)	1.8/14 (13%)	5.9/29	–/1.6	0.0/7.6	0.0/17	0.0/26
1975	–/2.1	4.4/11 (38%)	3.5/16 (21%)	7.9/30	–/1.1	0.1/6.3 (2%)	0.1/19 (0.3%)	0.2/27
1985	–/1.8	3.9/10 (38%)	4.5/19 (24%)	8.4/31	–/0.8	0.3/5.2 (6%)	0.4/23 (2%)	0.7/29
1995	–/1.6	2.9/9.3 (31%)	4.1/20 (20%)	7.0/31	–/0.8	0.6/5.0 (11%)	1.2/26 (5%)	1.8/32
2005	–/0.9	2.2/8.2 (26%)	3.5/20 (17%)	5.7/30	–/0.5	0.7/4.7 (16%)	1.9/26 (7%)	2.6/32
2015 proj.	–/0.6	1.6/7.6 (22%)	3.2/22 (14%)	4.8/30	–/0.4	0.9/4.7 (20%)	2.6/28 (9%)	3.6/33





60-year total (thousands), decade of 1960s to decade of 2010s (1960–2020*): 484 / 3585

*Estimated as 10 times the sum of the annual numbers for 1965, 1975, 1985, 1995, 2005 and 2015

1960–2020, by age & sex:


–/100	190/587 (32%)	207/1124 (18%)	396/1810	–/52	27/335 (8%)	61/1389 (4%)	88/1776
-------	-------------------------	--------------------------	----------	------	-----------------------	------------------------	---------

1955-2015: SWITZERLAND



SWITZERLAND: 1955-2015

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	Attributed to smoking?	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
		0–34		35–69		70–79		0–34		35–69		70–79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	
1955		–	2.20	3.66	10.5	7.70	70.8	–	1.40	0.00	8.83	0.00	61.1
1960		–	1.96	3.98	9.53	8.53	65.4	–	1.16	0.00	7.64	0.00	54.0
1965		–	1.71	4.38	8.93	10.8	63.4	–	0.99	0.00	7.05	0.00	51.3
1970		–	1.50	4.41	8.13	14.1	57.6	–	0.85	0.00	6.36	0.00	47.0
1975		–	1.29	4.34	6.91	15.5	50.1	–	0.68	0.10	5.29	0.13	39.1
1980		–	1.21	4.11	6.43	15.8	45.6	–	0.61	0.17	4.77	0.42	33.9
1985		–	1.10	3.78	5.97	14.8	40.7	–	0.56	0.27	4.15	0.83	28.6
1990		–	1.18	3.19	5.54	13.4	38.1	–	0.55	0.32	3.72	1.11	25.1
1995		–	0.94	2.45	5.23	11.3	35.7	–	0.46	0.42	3.36	1.50	22.5
2000		–	0.72	1.93	4.74	9.41	31.9	–	0.36	0.47	2.96	1.52	19.9
2005		–	0.57	1.55	4.21	7.30	27.2	–	0.32	0.50	2.61	1.87	17.1
2010		–	0.45	1.22	3.78	5.76	24.0	–	0.28	0.52	2.33	2.01	15.1
2015		–	0.37	0.97	3.38	4.56	21.1	–	0.24	0.55	2.07	2.15	13.2

0–34 and 35–69 = means of 7 age-specific rates; 70–79 = mean of 2 rates (70–74 & 75–79)

1955-2015: SWITZERLAND


ALL CANCER mortality rates attributed and not attributed to smoking



[†] Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	Attributed to smoking?	MALE cancer mortality (annual rate/1000, by age)						FEMALE cancer mortality (annual rate/1000, by age)					
		0-34		35-69		70-79		0-34		35-69		70-79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	
1955	-	0.12		1.17	2.40			2.52	13.5		0.10	0.00	2.55
1960	-	0.13		1.33	2.23			2.91	13.0		0.10	0.00	2.42
1965	-	0.11		1.50	2.06			3.60	12.2		0.09	0.00	2.35
1970	-	0.11		1.57	2.00			4.80	12.1		0.08	0.00	2.25
1975	-	0.11		1.71	1.90			5.71	11.6		0.08	0.02	2.13
1980	-	0.09		1.70	1.83			6.01	11.0		0.07	0.05	2.08
1985	-	0.08		1.66	1.84			6.13	11.3		0.07	0.09	1.99
1990	-	0.07		1.46	1.78			5.68	11.2		0.06	0.12	1.86
1995	-	0.06		1.16	1.71			4.88	10.3		0.04	0.18	1.71
2000	-	0.05		0.99	1.61			4.37	9.46		0.04	0.22	1.50
2005	-	0.05		0.85	1.51			3.76	8.52		0.04	0.26	1.40
2010	-	0.04		0.70	1.39			3.18	8.00		0.03	0.28	1.27
2015	-	0.04		0.59	1.26			2.70	7.50		0.03	0.31	1.13


0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

SWITZERLAND: 1951-2012**Mortality* trends at selected ages: 35-39, 55-59 & 75-79**

* Annual mortality per 1000: averages of years available in 1950-54,...,2005-09; then 3-year average 2010-12

1951-2012: SWITZERLAND

Mortality* trends at selected ages: 35-39, 55-59 & 75-79



* Annual mortality per 1000: averages of years available in 1950-54,...,2005-09; then 3-year average 2010-12