

MORTALITY FROM SMOKING IN DEVELOPED COUNTRIES 1950–2020

(see also www.deathsfromsmoking.net)

**Richard Peto, Alan D Lopez, Hongchao Pan
Jillian Boreham and Michael Thun**

LATVIA

Raw data (pages 270–71)

Analyses (pages 272–73, 274–75, 276–77)

Appendix (pages 278–79)

(revised September 2015)

LATVIA: 2010

	No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
	All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M 14584	580	6867	1374.0	121.4	1816.8	131.9	32.4	27.8	79.5	150.8	176.7	250.5
	F 15489	223	3321	665.6	52.3	661.2	131.4	10.6	33.9	31.9	29.9	59.3	69.0
Tuberculosis	M 69	6	59	6.9	1.2	14.0	1.8	-	-	-	1.2	2.7	2.9
	F 16	2	8	1.1	0.5	1.5	1.9	-	-	-	-	-	1.5
Other infective and parasitic	M 87	22	54	8.6	4.6	12.2	7.2	-	-	1.5	2.5	9.3	11.7
	F 75	11	41	5.3	2.5	8.0	3.8	-	2.3	-	-	4.1	7.3
ALL CANCER	M 3206	43	1533	299.0	9.2	423.9	5.4	4.0	8.6	7.7	11.2	15.9	11.7
	F 2831	35	1136	147.3	7.6	225.1	5.6	-	6.8	6.4	6.5	19.3	8.8
Mouth and pharynx cancer	M 116	-	84	11.1	-	21.8	-	-	-	-	-	-	-
	F 33	-	14	1.6	-	2.8	-	-	-	-	-	-	-
Oesophagus cancer	M 117	-	77	11.1	-	21.0	-	-	-	-	-	-	-
	F 18	-	8	1.0	-	1.5	-	-	-	-	-	-	-
Stomach cancer	M 284	1	142	26.5	0.2	38.6	-	-	-	-	-	-	1.5
	F 214	2	76	10.8	0.4	15.0	-	-	-	-	-	1.4	1.5
Colorectal cancer	M 318	1	123	29.3	0.2	34.7	-	-	-	-	-	-	1.5
	F 362	1	114	17.0	0.2	22.7	-	-	-	-	-	1.3	-
Liver cancer	M 67	-	41	6.4	-	11.8	-	-	-	-	-	-	-
	F 51	-	15	2.2	-	3.0	-	-	-	-	-	-	-
Pancreas cancer	M 191	-	102	17.9	-	28.8	-	-	-	-	-	-	-
	F 193	-	66	8.9	-	13.6	-	-	-	-	-	-	-
Larynx cancer	M 83	-	55	7.8	-	15.3	-	-	-	-	-	-	-
	F 6	-	1	0.2	-	0.2	-	-	-	-	-	-	-
Lung cancer	M 817	3	442	76.2	0.6	123.0	-	-	-	-	-	1.2	2.7
	F 188	-	79	9.6	-	15.8	-	-	-	-	-	-	-
Malignant melanoma	M 40	2	20	3.8	0.4	5.3	-	-	-	-	-	1.3	1.5
	F 56	3	20	3.0	0.6	3.9	-	-	-	-	-	4.1	-
Female breast cancer	F 424	4	221	24.5	0.8	43.2	-	-	-	-	-	2.8	2.9
Cervix cancer	F 142	3	98	9.8	0.6	18.8	-	-	-	-	-	2.8	1.5
Other uterine cancer	F 137	-	69	7.4	-	13.9	-	-	-	-	-	-	-
Ovarian cancer	F 221	1	101	12.4	0.2	19.6	-	-	-	-	-	-	1.5
Prostate cancer	M 363	-	75	32.9	-	22.9	-	-	-	-	-	-	-
Bladder cancer	M 159	-	55	14.7	-	16.4	-	-	-	-	-	-	-
	F 41	-	5	1.5	-	1.0	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M 470	25	233	44.4	5.3	61.6	5.4	2.0	2.1	7.7	6.2	8.0	5.8
	F 525	15	174	26.3	3.6	34.9	5.6	-	6.8	3.2	2.6	5.5	1.5
Hodgkin's disease	M 11	3	7	1.1	0.6	1.5	-	-	-	-	1.2	1.3	1.5
	F 6	2	2	0.5	0.4	0.4	-	-	-	-	-	2.8	-
Myeloma and non-Hodgkin lymphomas	M 94	2	46	8.7	0.4	12.9	-	-	-	-	-	1.2	1.3
	F 122	1	42	6.0	0.2	8.5	-	-	-	1.6	-	-	-
Leukaemia	M 76	6	31	7.2	1.6	8.3	-	2.0	6.4	-	1.2	1.3	-
	F 92	3	31	4.6	0.6	6.3	-	-	-	1.6	2.6	-	-
Diabetes	M 178	4	73	16.7	0.9	19.2	-	2.0	-	-	-	1.3	2.9
	F 360	-	75	14.9	-	15.3	-	-	-	-	-	-	-
ALL VASCULAR DISEASE	M 7249	52	3050	675.3	10.4	836.3	-	-	-	3.1	8.7	14.6	46.6
Rheumatic heart disease and fever	M 9030	8	1309	345.6	1.6	264.2	-	-	-	-	1.3	1.4	8.8
Hypertensive disease	M 22	-	12	2.0	-	3.2	-	-	-	-	-	-	-
	F 36	-	13	1.8	-	2.6	-	-	-	-	-	-	-
Ischaemic heart disease	M 1767	7	633	163.3	1.5	180.2	-	-	-	-	-	-	10.2
	F 2893	2	356	108.1	0.4	72.0	-	-	-	-	1.3	-	1.5
Pulmonary embolism and other venous	M 4022	11	1592	374.0	2.2	442.7	-	-	-	-	2.5	1.3	11.7
	F 4569	1	560	169.9	0.2	113.6	-	-	-	-	-	-	1.5
Cerebrovascular disease	M 62	1	43	6.0	0.2	10.9	-	-	-	-	-	1.3	-
	F 60	-	27	3.3	-	5.3	-	-	-	-	-	-	-
Other vascular disease	M 217	2	80	19.8	0.6	23.7	-	2.0	2.1	-	-	-	-
	F 68	2	17	3.1	0.4	3.4	-	-	-	-	1.4	1.5	-
Chronic obstructive pulmonary disease	M 251	14	160	24.2	2.9	40.3	3.6	-	-	1.2	4.0	11.7	-
	F 127	8	55	7.3	1.8	10.7	3.8	-	2.3	-	2.6	4.1	-
Other respiratory disease	M 67	-	30	6.3	-	7.7	-	-	-	-	-	-	-
	F 66	1	17	2.9	0.2	3.4	-	-	-	-	-	1.5	-
Peptic ulcer	M 270	9	225	26.3	1.8	54.0	-	-	-	-	1.2	4.0	7.3
	F 145	2	124	10.8	0.4	24.1	-	-	-	-	-	-	2.9
Renal disease	M 78	-	23	7.3	-	6.5	-	-	-	-	-	-	1.5
	F 131	1	30	5.7	0.2	5.9	-	-	-	-	-	-	-
Pregnancy, birth and congenital anomalies	M 4	3	1	0.4	0.6	0.2	-	-	-	-	-	2.8	1.5
	F 61	52	9	8.2	13.2	2.2	81.3	4.0	-	-	2.5	-	4.4
Ill-defined causes	M 61	49	9	8.0	13.0	1.8	82.6	-	2.3	3.2	-	2.8	-
	F 569	16	119	54.0	3.5	30.7	10.8	-	-	1.5	1.2	4.0	7.3
Other medical causes	M 1337	9	35	43.2	2.3	6.9	13.1	-	-	-	1.3	1.4	-
	F 655	37	348	62.3	7.8	87.8	5.4	2.0	4.3	4.6	8.7	10.6	18.9
ALL NON-MEDICAL CAUSES	M 1627	323	1104	159.1	65.2	258.4	16.3	18.2	12.8	61.2	112.2	110.3	125.2
Road traffic accidents	M 156	49	88	15.2	9.9	19.8	1.8	6.1	-	18.4	23.7	12.0	7.3
	F 67	22	37	6.0	5.2	7.0	1.9	-	11.3	11.2	6.5	5.5	-
Fire	M 116	12	84	11.5	2.7	19.9	1.8	4.0	-	3.1	-	4.0	5.8
	F 40	3	19	2.4	0.6	3.7	-	-	-	-	-	1.4	2.9
Suicide	M 375	92	238	36.4	17.9	54.8	-	-	-	10.7	33.6	35.9	45.1
	F 61	6	36	4.2	1.2	7.0	-	-	-	3.2	2.6	1.4	1.5
POPULATION: (1000s; UN, 2015 revision)	M=male			955.1	441.0	432.1	55.4	49.3	46.7	65.4	80.2	75.3	68.7
	F=female			1135.4	424.7	518.6	53.3	47.0	44.2	62.7	76.9	72.5	68.1

2010: LATVIA

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80+/NK			
388.1	625.2	966.1	1413.1	2073.5	3068.5	4183.3	5836.5	8506.9	14267.5	M	ALL CAUSES	001–999/A00–Y89
159.2	211.4	299.9	466.7	753.0	1134.1	1604.1	2557.4	4363.0	11451.8	F	Tuberculosis	010–018, 137/ A15–A19, B90
1.4	7.3	18.0	17.0	20.6	26.6	7.1	2.6	8.5	4.9	M	Other infective and parasitic	Rest of 001–139, 279, 58, 6/ rest of A00–B99 excl A33, A34
1.4	1.4	2.5	1.2	2.7	1.4	—	1.4	1.9	5.9	F		
18.2	7.3	13.8	12.8	12.0	14.3	7.1	15.8	16.9	4.9	M		
6.9	8.2	6.2	4.9	8.1	8.7	13.3	9.9	7.5	17.6	F		
29.4	58.2	121.6	288.0	542.4	805.6	1121.9	1588.4	2014.6	2697.3	M	ALL CANCER	140–208/C00–C97
56.3	68.6	108.7	181.6	279.8	395.9	484.6	680.9	800.4	1103.7	F		
1.4	4.4	12.4	24.1	25.8	53.3	30.9	47.3	33.9	29.5	M	Mouth and pharynx cancer	140–149/C00–C14
—	—	—	1.2	5.4	7.2	5.9	5.7	7.5	16.1	F	Oesophagus cancer	150/C15
—	1.4	5.5	15.6	41.2	30.8	52.3	57.8	42.3	39.3	M		
—	—	—	4.9	1.4	2.9	1.5	4.3	3.7	7.3	F		
5.6	8.7	13.8	28.4	44.6	71.7	97.5	128.7	203.2	216.2	M	Stomach cancer	151/C16
8.2	5.5	12.5	7.3	18.9	20.3	32.4	51.2	69.2	92.3	F		
1.4	1.4	8.3	22.7	39.5	69.7	99.8	178.5	228.5	353.7	M	Colorectal cancer	153, 154/C18–C21
—	—	6.2	19.5	36.5	40.6	56.0	100.9	112.2	170.0	F		
—	1.4	1.4	7.1	15.4	14.3	42.8	26.2	8.5	68.8	M	Liver cancer	155.0/C22 excl C221
—	—	1.2	1.2	4.1	4.3	10.3	11.4	9.3	33.7	F		
1.4	8.7	8.3	9.9	32.6	59.4	80.8	86.6	114.3	142.5	M	Pancreas cancer	157/C25
—	1.4	1.2	2.4	12.2	26.1	51.6	48.3	69.2	82.1	F		
—	—	1.4	12.8	24.0	28.7	40.4	44.6	25.4	24.6	M	Larynx cancer	161/C32
—	—	—	—	—	—	1.5	1.4	1.9	4.4	F		
2.8	8.7	26.3	83.7	180.2	235.7	323.3	425.3	478.2	476.6	M	Lung cancer	162/C33, C34
1.4	1.4	3.8	11.0	21.6	31.9	39.8	41.2	61.7	68.9	F		
1.4	—	1.4	2.8	8.6	18.4	4.8	13.1	21.2	39.3	M	Malignant melanoma	172/C43
1.4	1.4	1.2	3.7	9.5	2.9	7.4	19.9	9.3	20.5	F		
6.9	13.7	25.0	50.0	56.8	84.1	66.3	95.2	93.5	120.2	F	Female breast cancer	174/C50
20.6	11.0	18.7	24.4	23.0	20.3	13.3	11.4	20.6	32.2	F	Cervix cancer	180/C53
—	2.8	5.0	6.1	20.3	23.2	39.8	31.3	46.8	30.8	F	Other uterine cancer	179, 182/C54, C55
5.5	13.7	16.2	25.6	20.3	29.0	26.5	54.0	69.2	64.5	F	Ovarian cancer	183/C56, C570–C574
—	—	—	8.5	17.2	34.9	99.8	210.0	368.2	594.5	M	Prostate cancer	185/C61
—	—	1.4	5.7	13.7	34.9	59.4	73.5	131.2	221.1	M	Bladder cancer	188/C67
—	—	—	1.2	—	2.9	3.0	4.3	9.3	41.0	F		
11.2	20.4	29.0	55.3	68.7	106.6	140.2	183.8	283.6	368.5	M	Other and ill-defined cancer sites	Rest of 140–199/ rest of C00–C80, C97
8.2	13.7	13.7	18.3	32.4	68.2	89.9	139.3	138.4	240.4	F	Hodgkin's disease	201/C81
1.4	—	5.5	—	1.7	2.0	—	2.6	—	—	M		
—	1.4	1.2	—	—	—	—	1.4	1.9	—	F		
1.4	2.9	4.2	2.8	18.9	26.6	33.3	57.8	46.5	63.9	M	Myeloma and non– Hodgkin lymphomas	200, 202–203/ C82–C90, C96
2.8	—	1.2	2.4	10.8	18.9	23.6	39.8	37.4	45.4	F		
1.4	—	2.8	8.5	10.3	18.4	16.6	52.5	29.6	59.0	M	Leukaemia	204–208/C91–C95
1.4	2.8	1.2	2.4	6.8	13.1	16.2	19.9	39.3	33.7	F		
4.2	2.9	11.1	15.6	22.3	45.1	33.3	76.1	114.3	221.1	M	Diabetes	250/E10–E14
2.8	1.4	1.2	6.1	13.5	30.5	51.6	92.4	119.7	228.7	F		
91.1	170.1	341.4	591.6	872.0	1523.0	2265.2	3216.2	4985.6	8568.3	M	ALL VASCULAR DISEASE	390–459/I00–I99
23.3	50.8	80.0	130.4	266.3	494.6	804.3	1441.5	2853.8	7582.3	F		
—	1.4	1.4	4.3	—	8.2	7.1	10.5	16.9	9.8	M	Rheumatic heart disease and fever	390–398/I00–I09
—	2.8	1.2	1.2	2.7	4.3	5.9	14.2	7.5	13.2	F		
2.8	8.7	15.2	31.2	41.2	79.9	92.7	173.3	207.4	245.7	M	Hypertensive disease	401–405/I10–I15
—	4.1	—	9.8	23.0	34.8	66.3	83.9	155.2	392.8	F		
23.8	66.9	143.8	310.7	472.0	822.0	1259.8	1835.2	2835.6	5158.7	M	Ischaemic heart disease	410–414/I20–I25
11.0	1.4	22.5	54.8	108.1	226.2	371.2	740.6	1490.5	3942.8	F		
1.4	4.4	11.1	7.1	20.6	10.2	21.4	13.1	29.6	29.5	M	Pulmonary embolism	415.1, 451–453/ I26, 180–182
1.4	5.5	6.2	3.7	5.4	7.2	7.4	11.4	16.8	23.4	F		
9.8	27.6	58.0	92.2	168.2	311.6	594.2	834.9	1422.0	2323.9	M	Cerebrovascular disease	430–438/I60–I69
4.1	11.0	30.0	29.2	63.5	129.1	237.2	460.6	996.8	2459.5	F		
53.2	61.1	112.0	146.1	169.9	291.1	290.0	349.2	474.0	800.8	M	Other vascular disease	Rest of 390–459/ rest of I00–I99
6.9	26.1	20.0	31.7	63.5	92.8	116.4	130.8	187.0	750.5	F		
1.4	1.4	5.5	4.3	24.0	41.0	87.9	136.5	186.2	191.6	M	Chronic obstructive pulmonary disease	490–496/ J40–J47, J67
1.4	1.4	2.5	—	4.1	2.9	11.8	21.3	15.0	38.1	F		
15.4	17.4	24.9	36.9	65.2	53.3	68.9	57.8	101.6	152.3	M	Other respiratory disease	Rest of 460–519/ rest of J00–J98
4.1	6.9	7.5	9.8	16.2	11.6	19.1	11.4	28.1	60.1	F		
—	1.4	6.9	8.5	6.9	18.4	11.9	31.5	38.1	78.6	M	Peptic ulcer	531–533/K25–K27
—	1.4	1.2	3.7	2.7	4.3	10.3	7.1	18.7	48.4	F		
21.0	37.8	55.3	65.3	63.5	63.5	71.3	44.6	59.2	24.6	M	Liver cirrhosis	571/K70, K74
8.2	20.6	13.7	30.5	32.4	30.5	32.4	14.2	13.1	2.9	F		
4.2	—	1.4	4.3	5.2	4.1	26.1	13.1	72.0	162.1	M	Renal disease	580–590/N00–N19
1.4	—	—	8.5	10.8	5.8	14.7	27.0	33.7	92.3	F		
—	1.4	—	—	—	—	—	—	—	—	F	Pregnancy, birth Congenital and perinatal causes	630–676/A34, 000–099 740–779/A33, P00–P96, Q00–Q99
1.4	4.4	1.4	—	3.4	—	4.8	—	—	—	M	III-defined causes	780–799/R00–R99
—	1.4	3.8	—	1.4	2.9	3.0	2.8	1.9	—	F		
4.2	23.3	22.1	19.9	36.0	45.1	64.2	173.3	338.6	1415.0	M		
2.8	1.4	3.8	6.1	8.1	15.9	10.3	64.0	192.6	1678.3	F		
32.2	53.8	60.8	76.6	96.1	147.6	147.4	215.3	368.2	496.2	M	Other medical causes	Rest of 001–799/ rest of A00–R99
15.1	13.7	22.5	39.0	40.5	72.5	92.8	126.5	213.2	463.2	F		
163.9	239.9	282.0	272.4	303.8	280.8	266.2	265.2	203.2	250.6	M	ALL NON– MEDICAL CAUSES	E800–E999/V01–Y89
35.7	33.0	46.2	45.1	66.2	56.6	56.0	56.9	63.6	130.4	F		
23.8	16.0	22.1	27.0	18.9	16.4	14.3	36.8	4.2	19.6	M	Road traffic accidents	E810–E819, E826–E829/ part of V01–V99, Y850
5.5	6.9	13.7	6.1	6.8	5.8	4.4	8.5	—	2.9	F		
2.8	21.8	18.0	25.5	27.5	22.6	21.4	18.4	29.6	29.5	M	Fire	E890–E899/X00–X09
2.8	—	3.8	3.7	6.8	2.9	5.9	1.4	7.5	19.1	F		
53.2	53.8	63.6	45.4	63.5	61.5	42.8	52.5	38.1	78.6	M	Suicide	E950–E959/X60–X84
4.1	6.9	3.8	6.1	12.2	5.8	10.3	12.8	7.5	8.8	F		
71.4	68.8	72.3	70.5	58.3	48.8	42.1	38.1	23.6	20.4	M	POPULATION	
72.9	72.8	80.0	82.1	74.0	69.0	67.9	70.3	53.5	68.2	F	(1000s; UN, 2015 revision)	

LATVIA: 2010**Relative importance of deaths in MIDDLE age (35–69) in the year 2010**

Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 0.7	– / 0.2	–
35–69	2.5 / 6.8	0.2 / 3.3	20 years
70+	1.6 / 7.0	0.3 / 12	8 years
All ages	4.1 / 14	0.5 / 15	15 years

Deaths, by cause, attributed to SMOKING / total deaths in the year 2010


Cause	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
Lung Cancer	–/2	417/449	330/364	747/815	–/0	36/81	36/102	72/183
All Cancer	–/37	711/1554 (46%)	532/1605 (33%)	1243/3196	–/28	46/1100 (4%)	47/1618 (3%)	93/2746
Vascular	–/65	1404/3003	880/4072	2284/7140	–/15	130/1275	181/7740	311/9030
Respiratory	–/17	149/250	113/214	262/481	–/8	12/80	12/123	24/211
All Other	–/532	239/2014	103/1092	342/3638	–/177	21/807	25/2296	46/3280
All Causes	–/654	2503/6819 (37%)	1628/6983 (23%)	4131/14456	–/232	209/3260 (6%)	265/11778 (2%)	474/15270

**Cancer deaths, and all deaths,
attributed to SMOKING / total deaths (thousands) in the year 2010**

Cause	Male	Female	Male + Female
All Cancer	1.2 / 3.2 (39%)	0.1 / 2.7 (3%)	1.3 / 5.9 (22%)
All Causes	4.1 / 14 (29%)	0.5 / 15 (3%)	4.6 / 30 (15%)


1985-2015: LATVIA

**Population risk of
dying at ages 0–34**



**Population risk of a 35-year-old dying at ages 35–69
from smoking (shaded) or from any cause (shaded and white)**

MALE




*eg, at year 2010 male death rates, out of 100 men aged 35, 47 would die before age 70 (with 17 of these deaths attributed to smoking)

Note: Most of those killed by smoking would otherwise have survived beyond age 70, but a minority (shaded area to right of dotted line) would have died by 70 anyway

**Note: For smoking-attributed mortality (pages 270–277),
the long-term average is more trustworthy and relevant
than implausibly rapid short-term fluctuations.**

FEMALE



LATVIA: 1980-2015***Relative importance of deaths in MIDDLE age (35–69), 2015 projections***

Age range (years)	Deaths attributed to SMOKING /total deaths (thousands)		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 0.5	– / 0.2	–
35–69	2.1 / 5.6	0.2 / 2.7	21 years
70+	1.5 / 7.0	0.2 / 11	8 years
All ages	3.6 / 13	0.4 / 14	15 years

Numbers of deaths attributed to smoking / total deaths

Year	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
1955
1965
1975
1985	–/1529	3144/7018 (45%)	1355/6931 (20%)	4499/15478	–/634	327/4210 (8%)	402/12354 (3%)	729/17198
1995	–/1643	4689/11282 (42%)	1431/6517 (22%)	6120/19442	–/569	282/5325 (5%)	414/12219 (3%)	696/18113
2005	–/892	3178/8571 (37%)	1725/6827 (25%)	4903/16290	–/332	237/4043 (6%)	410/12022 (3%)	647/16397
2015 proj.	–/473	2060/5648 (36%)	1532/7045 (22%)	3592/13166	–/156	204/2663 (8%)	173/11292 (2%)	377/14111





40-year total (thousands), decade of 1980s to decade of 2010s (1980–2020*): 216 / 1302

*Estimated as 10 times the sum of the annual numbers for 1985, 1995, 2005 and 2015

1980–2020, by age & sex:


–/45	131/325 (40%)	60/273 (22%)	191/644	–/17	11/162 (6%)	14/479 (3%)	24/658
------	-------------------------	------------------------	---------	------	-----------------------	-----------------------	--------

1985-2015: LATVIA



LATVIA: 1985-2015

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	Attributed to smoking?	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
		0-34		35-69		70-79		0-34		35-69		70-79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	
1955	
1960	
1965	
1970	
1975	
1980	
1985	-	2.27	8.42	10.6	17.9	63.2	-	0.97	0.64	7.39	2.07	47.8	
1990	-	2.38	9.61	11.0	18.2	60.0	-	0.95	0.71	7.53	2.05	45.6	
1995	-	2.76	10.9	15.0	21.5	63.9	-	1.02	0.49	8.64	2.14	45.5	
2000	-	2.15	8.61	13.0	20.3	56.2	-	0.88	0.35	7.37	1.87	41.1	
2005	-	1.76	7.98	13.2	21.0	55.2	-	0.74	0.44	7.05	1.69	38.7	
2010	-	1.37	6.70	11.3	17.7	51.2	-	0.54	0.43	6.05	0.88	33.6	
2015	-	1.08	5.63	9.81	15.1	47.3	-	0.40	0.43	5.17	0.42	29.0	

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)


1985-2015: LATVIA

ALL CANCER mortality rates attributed and not attributed to smoking

[†] Mean of 7 age-specific rates, ages 35–69 (or ages 0–34)

Year	MALE cancer mortality (annual rate/1000, by age)						FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?	0–34		35–69		70–79		Yes	0–34		35–69		70–79	
		Yes	No	Yes	No	Yes	No		Yes	No	Yes	No	Yes	No
1950
1955
1960
1965
1970
1975
1980
1985	–	0.12	2.43	2.27	4.77	9.39	–	0.10	0.10	2.26	0.29	6.38		
1990	–	0.11	2.86	2.30	5.19	10.1	–	0.10	0.11	2.26	0.30	6.59		
1995	–	0.10	2.60	2.28	6.11	10.3	–	0.09	0.07	2.20	0.32	6.90		
2000	–	0.09	2.34	2.29	6.59	10.8	–	0.07	0.06	2.12	0.33	7.24		
2005	–	0.09	2.12	2.33	7.16	11.5	–	0.06	0.08	2.07	0.32	7.23		
2010	–	0.08	1.98	2.33	6.45	11.6	–	0.06	0.09	2.08	0.21	7.06		
2015	–	0.07	1.87	2.31	5.91	11.6	–	0.07	0.12	2.09	0.12	6.87		


0–34 and 35–69 = means of 7 age-specific rates; 70–79 = mean of 2 rates (70–74 & 75–79)

LATVIA: 1985-2012**Mortality* trends at selected ages: 35-39, 55-59 & 75-79**

* Annual mortality per 1000: averages of years available in 1985-89,...,2005-09; then 3-year average 2010-12

1985-2012: LATVIA

Mortality* trends at selected ages: 35-39, 55-59 & 75-79



* Annual mortality per 1000: averages of years available in 1985-89, ..., 2005-09; then 3-year average 2010-12