

MORTALITY FROM SMOKING IN DEVELOPED COUNTRIES 1950–2020

(see also www.deathsfromsmoking.net)

**Richard Peto, Alan D Lopez, Hongchao Pan
Jillian Boreham and Michael Thun**

LUXEMBOURG

Raw data (pages 290–91)

Analyses (pages 292–93, 294–95, 296–97)

Appendix (pages 298–99)

(revised September 2015)

LUXEMBOURG: 2010

	No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
	All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M 1810	45	541	633.8	39.5	578.5	67.6	-	12.7	25.9	78.5	33.6	58.2
	F 1811	32	320	402.3	28.8	335.9	78.2	-	-	20.4	20.2	39.9	42.6
Tuberculosis	M 1	-	1	0.4	-	1.5	-	-	-	-	-	-	-
	F -	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M 40	-	11	13.9	-	12.4	-	-	-	-	-	-	-
	F 47	1	3	9.5	0.8	3.5	-	-	-	-	-	-	5.3
ALL CANCER	M 577	1	218	205.3	0.9	246.1	-	-	-	-	-	6.5	-
	F 443	6	156	118.8	4.9	164.8	7.1	-	-	-	-	11.4	16.0
Mouth and pharynx cancer	M 10	-	8	3.8	-	8.4	-	-	-	-	-	-	-
	F 3	-	1	0.9	-	1.4	-	-	-	-	-	-	-
Oesophagus cancer	M 18	-	11	6.8	-	13.3	-	-	-	-	-	-	-
	F 10	-	4	2.6	-	5.2	-	-	-	-	-	-	-
Stomach cancer	M 29	-	7	10.0	-	7.3	-	-	-	-	-	-	-
	F 12	2	6	4.0	1.6	5.0	-	-	-	-	-	5.7	5.3
Colorectal cancer	M 72	-	20	25.0	-	21.1	-	-	-	-	-	-	-
	F 55	-	15	13.9	-	15.5	-	-	-	-	-	-	-
Liver cancer	M 28	-	13	10.3	-	15.4	-	-	-	-	-	-	-
	F 9	-	1	1.7	-	1.4	-	-	-	-	-	-	-
Pancreas cancer	M 30	-	13	10.9	-	15.9	-	-	-	-	-	-	-
	F 31	-	7	7.6	-	6.8	-	-	-	-	-	-	-
Larynx cancer	M 7	-	5	2.6	-	5.1	-	-	-	-	-	-	-
	F 1	-	-	0.1	-	-	-	-	-	-	-	-	-
Lung cancer	M 144	-	69	52.2	-	79.8	-	-	-	-	-	-	-
	F 55	-	31	17.1	-	35.0	-	-	-	-	-	-	-
Malignant melanoma	M 6	-	1	2.0	-	0.7	-	-	-	-	-	-	-
	F 6	-	2	1.6	-	1.6	-	-	-	-	-	-	-
Female breast cancer	F 92	-	40	25.2	-	41.9	-	-	-	-	-	-	-
Cervix cancer	F 5	-	3	1.5	-	2.5	-	-	-	-	-	-	-
Other uterine cancer	F 12	-	6	3.4	-	6.7	-	-	-	-	-	-	-
Ovarian cancer	F 21	-	6	5.6	-	6.3	-	-	-	-	-	-	-
Prostate cancer	M 38	-	2	12.5	-	1.8	-	-	-	-	-	-	-
Bladder cancer	M 29	-	7	9.9	-	7.3	-	-	-	-	-	-	-
	F 13	-	2	2.8	-	2.6	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M 113	-	47	40.2	-	52.1	-	-	-	-	-	-	5.3
Hodgkin's disease	M 1	-	-	0.4	-	-	7.1	-	-	-	-	-	-
	F -	-	-	-	-	-	-	-	-	-	-	-	-
Myeloma and non-Hodgkin lymphomas	M 26	-	10	9.3	-	12.3	-	-	-	-	-	-	-
	F 22	1	3	5.6	0.8	3.5	-	-	-	-	-	5.7	-
Leukaemia	M 26	1	5	9.3	0.9	5.5	-	-	-	-	6.5	-	-
	F 18	1	4	4.2	0.8	4.4	-	-	-	-	-	5.3	-
Diabetes	M 34	-	5	11.6	-	4.2	-	-	-	-	-	-	-
	F 35	-	6	7.5	-	6.8	-	-	-	-	-	-	-
ALL VASCULAR DISEASE	M 562	2	137	193.2	1.5	149.8	-	-	-	-	-	-	10.6
Rheumatic heart disease and fever	F 666	2	50	127.1	1.8	54.8	-	-	-	-	6.7	5.7	-
Hypertensive disease	M 1	-	-	0.3	-	-	-	-	-	-	-	-	-
	F 5	-	1	1.0	-	1.1	-	-	-	-	-	-	-
Ischaemic heart disease	M 185	1	62	64.9	0.8	65.9	-	-	-	-	-	-	5.3
	F 130	-	14	25.7	-	16.6	-	-	-	-	-	-	-
Pulmonary embolism and other venous	M 30	-	13	10.7	-	14.3	-	-	-	-	-	-	-
	F 44	-	7	9.6	-	7.2	-	-	-	-	-	-	-
Cerebrovascular disease	M 130	-	23	44.3	-	26.6	-	-	-	-	-	-	-
	F 198	1	10	37.4	0.8	10.6	-	-	-	-	-	5.7	-
Other vascular disease	M 202	1	38	68.4	0.8	41.4	-	-	-	-	-	-	5.3
	F 269	1	18	49.6	1.0	19.2	-	-	-	-	6.7	-	-
Chronic obstructive pulmonary disease	M 74	-	8	25.3	-	10.7	-	-	-	-	-	-	-
	F 53	-	10	11.7	-	12.2	-	-	-	-	-	-	-
Other respiratory disease	M 53	-	6	17.6	-	7.2	-	-	-	-	-	-	-
	F 86	1	11	18.0	1.0	12.1	7.1	-	-	-	-	-	-
Peptic ulcer	M 1	-	-	0.3	-	-	-	-	-	-	-	-	-
	F 3	-	1	0.9	-	1.0	-	-	-	-	-	-	-
Liver cirrhosis	M 39	1	28	14.7	0.8	27.3	-	-	-	-	-	-	5.3
	F 26	-	16	8.4	-	16.6	-	-	-	-	-	-	-
Renal disease	M 35	-	1	11.5	-	1.1	-	-	-	-	-	-	-
	F 25	-	3	5.1	-	3.2	-	-	-	-	-	-	-
Pregnancy, birth	F 1	-	1	0.3	-	0.7	-	-	-	-	-	-	-
Congenital and perinatal causes	M 10	9	1	5.1	8.7	0.7	54.1	-	-	6.5	-	-	-
	F 8	6	2	4.2	6.1	2.1	42.7	-	-	-	-	-	-
Ill-defined causes	M 42	2	16	14.9	1.5	17.5	-	-	-	-	-	-	10.6
	F 70	1	13	15.2	0.8	12.5	-	-	-	-	-	5.7	-
Other medical causes	M 179	2	42	60.9	1.9	43.0	6.8	-	-	6.5	-	-	-
	F 254	4	21	50.7	3.7	21.4	7.1	-	-	13.6	-	-	5.3
ALL NON-MEDICAL CAUSES	M 163	28	67	59.1	24.2	57.0	6.8	-	12.7	12.9	72.0	33.6	31.7
Road traffic accidents	F 94	11	27	24.8	9.7	24.3	14.2	-	-	6.8	13.4	17.1	16.0
Fire	M 11	2	6	4.1	1.7	5.7	-	-	-	-	6.5	-	5.6
	F 4	-	2	1.1	-	1.7	-	-	-	-	-	-	-
Suicide	M 43	7	29	15.7	6.0	23.1	-	-	6.3	-	19.6	5.6	10.6
	F 11	2	8	4.0	1.6	7.0	-	-	-	-	-	5.7	5.3
POPULATION: (1000s; UN, 2015 revision)	M=male	252.3	113.6	118.1	14.8	15.5	15.8	15.5	15.3	17.8	18.9		
	F=female	255.6	109.4	115.3	14.1	14.4	15.0	14.7	14.9	17.5	18.8		

2010: LUXEMBOURG

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
86.4	119.7	285.6	336.5	642.0	1016.0	1563.2	2706.4	4409.0	11730.4	M	ALL CAUSES	001-999/A00-Y89
40.3	86.1	215.6	224.6	406.1	556.3	822.4	1278.4	2613.6	8602.9	F	Tuberculosis	010-018, 137/ A15-A19, B90
-	-	-	-	-	-	10.5	-	-	-	M	Other infective and parasitic	Rest of 001-139, 279, 58/6/ rest of A00-B99 excl A33, A34
-	4.6	4.8	-	19.6	15.6	42.0	62.9	61.9	324.0	M		
-	-	5.0	-	-	19.8	53.3	82.4	238.8	-	F		
15.2	13.8	85.7	110.3	255.5	508.0	734.4	1057.4	1578.0	2786.8	M	ALL CANCER	140-208/C00-C97
20.2	43.1	100.3	109.4	176.0	298.3	406.3	500.7	635.7	1386.3	F	Mouth and pharynx cancer	140-149/C00-C14
-	-	4.8	11.0	6.5	15.6	21.0	-	15.5	16.2	M	Oesophagus cancer	150/C15
-	-	-	-	-	9.9	10.7	-	-	7.7	F		
-	-	-	5.5	19.6	15.6	52.5	25.2	46.4	32.4	M		
-	-	-	6.8	-	29.7	-	-	11.8	38.5	F		
-	-	-	-	-	-	-	-	-	-	M	Stomach cancer	151/C16
-	-	10.0	17.3	-	8.1	-	50.4	92.8	194.4	F		
5.1	4.6	9.5	11.0	26.2	39.1	52.5	138.5	185.6	469.9	M	Colorectal cancer	153, 154/C18-C21
-	4.8	10.0	11.5	20.3	32.2	29.7	85.2	82.4	192.5	F		
-	-	4.8	-	19.6	31.3	52.5	88.1	77.3	48.6	M	Liver cancer	155.0/C22 excl C221
-	-	-	-	-	9.9	-	-	11.8	53.9	F		
-	-	14.3	-	-	23.4	73.4	88.1	77.3	81.0	M	Pancreas cancer	157/C25
-	4.8	5.0	-	13.5	24.2	-	53.3	58.9	107.8	F		
-	-	-	5.5	6.5	23.4	-	-	15.5	16.2	M	Larynx cancer	161/C32
-	-	-	-	-	-	-	-	-	7.7	F		
-	4.6	19.0	49.6	59.0	164.1	262.3	214.0	371.3	550.9	M	Lung cancer	162/C33, C34
-	4.8	10.0	23.0	54.1	24.2	128.8	42.6	70.6	107.8	F		
5.1	-	-	-	-	-	-	25.2	30.9	16.2	M	Malignant melanoma	172/C43
-	4.8	-	-	6.8	-	-	10.7	11.8	15.4	F		
5.0	9.6	25.1	34.6	27.1	112.9	79.3	74.6	58.9	308.1	F	Female breast cancer	174/C50
-	4.8	5.0	-	-	8.1	-	-	11.8	7.7	F	Cervix cancer	180/C53
-	-	-	5.8	6.8	24.2	9.9	-	11.8	38.5	F	Other uterine cancer	179, 182/C54, C55
-	4.8	-	-	6.8	32.2	-	32.0	58.9	53.9	F	Ovarian cancer	183/C56, C570-C574
-	-	4.8	-	-	7.8	-	50.4	92.8	421.3	M	Prostate cancer	185/C61
-	-	4.8	11.0	6.5	7.8	21.0	25.2	108.3	210.6	M	Bladder cancer	188/C67
-	-	-	-	-	8.1	9.9	21.3	-	69.3	F		
5.1	4.6	23.8	11.0	59.0	125.0	136.4	188.8	324.9	486.1	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
10.1	4.8	35.1	11.5	27.1	16.1	69.4	85.2	164.8	223.3	F	Hodgkin's disease	201/C81
-	-	-	-	-	-	-	-	-	-	M		
-	-	-	-	13.1	31.3	42.0	37.8	46.4	162.0	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
-	-	-	-	6.8	8.1	9.9	63.9	35.3	69.3	F		
-	-	-	5.5	6.5	15.6	10.5	113.3	92.8	81.0	M	Leukaemia	204-208/C91-C95
5.0	-	-	5.8	-	-	19.8	-	47.1	69.3	F		
5.1	-	4.8	5.5	6.5	7.8	-	100.7	92.8	243.0	M	Diabetes	250/E10-E14
-	-	10.0	-	-	8.1	29.7	32.0	35.3	177.1	F		
10.2	27.6	61.9	82.8	144.1	312.6	409.1	742.7	1268.6	4569.0	M	ALL VASCULAR DISEASE	390-459/I00-I99
-	9.6	30.1	28.8	67.7	88.7	158.5	340.9	977.2	3843.2	F	Rheumatic heart disease and fever	390-398/I00-I09
-	-	-	-	-	8.1	-	-	15.5	-	M	Hypertensive disease	401-405/I10-I15
5.1	18.4	23.8	44.1	72.1	140.7	157.4	302.1	402.2	1166.6	M	Ischaemic heart disease	410-414/I20-I25
-	-	-	5.8	27.1	24.2	59.5	53.3	200.1	724.0	F		
-	-	4.8	5.5	19.6	39.1	31.5	37.8	77.3	145.8	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, 180-182
-	-	10.0	5.8	6.8	8.1	19.8	32.0	106.0	192.5	F		
-	4.6	9.5	5.5	32.8	39.1	94.4	176.2	247.5	1247.6	M	Cerebrovascular disease	430-438/I60-I69
-	9.6	5.0	-	13.5	16.1	29.7	127.8	341.4	1124.5	F		
5.1	4.6	23.8	27.6	19.6	93.8	115.4	214.0	464.1	1879.5	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
-	-	15.0	17.3	20.3	32.2	49.5	95.9	294.3	1663.6	F	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
-	-	4.8	-	6.5	15.6	52.5	201.4	232.1	567.1	M		
-	-	4.8	-	6.8	24.2	49.5	21.3	117.7	238.8	F	Other respiratory disease	Rest of 460-519/ rest of J00-J98
-	-	5.0	5.8	13.5	40.3	19.8	85.2	47.1	477.5	M		
-	-	-	-	-	-	-	-	-	16.2	M	Peptic ulcer	531-533/K25-K27
-	-	-	-	6.8	-	-	10.7	-	7.7	F		
-	9.2	14.3	27.6	59.0	39.1	42.0	75.5	30.9	32.4	M	Liver cirrhosis	571/K70, K74
-	-	10.0	23.0	27.1	16.1	39.6	32.0	11.8	46.2	F		
-	-	-	-	-	7.8	-	37.8	92.8	405.1	M	Renal disease	580-590/N00-N19
-	-	-	5.8	6.8	-	9.9	-	70.6	123.2	F		
5.0	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-O99 740-779/A33, P00-P96, Q00-Q99
-	-	4.8	-	-	-	-	-	-	-	M	Ill-defined causes	780-799/R00-R99
-	-	5.0	-	-	-	-	-	-	-	F		
5.1	27.6	28.6	27.6	39.3	46.9	125.9	163.7	510.5	1442.0	M	Other medical causes	Rest of 001-799/ rest of A00-R99
-	9.6	15.0	17.3	33.8	24.2	49.5	170.4	388.5	1386.3	F		
50.8	36.8	71.4	77.2	65.5	23.4	73.4	176.2	263.0	599.5	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
15.1	9.6	25.1	23.0	47.4	40.3	9.9	10.7	117.7	346.6	F		
5.1	-	4.8	-	19.6	-	10.5	12.6	15.5	16.2	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
-	-	5.0	-	6.8	-	-	-	11.8	7.7	F		
-	-	-	-	-	-	-	12.6	-	-	M	Fire	E890-E899/X00-X09
-	-	-	-	-	-	-	-	-	-	F		
15.2	13.8	38.1	55.2	13.1	15.6	10.5	-	61.9	48.6	M	Suicide	E950-E959/X60-X84
10.1	4.8	-	11.5	6.8	16.1	-	-	-	7.7	F		
19.7	21.7	21.0	18.1	15.3	12.8	9.5	7.9	6.5	6.2	M	POPULATION	
19.8	20.9	19.9	17.4	14.8	12.4	10.1	9.4	8.5	13.0	F	(1000s; UN, 2015 revision)	

LUXEMBOURG: 2010**Relative importance of deaths in MIDDLE age (35–69) in the year 2010**

Age range (years)	Deaths attributed to SMOKING /total deaths		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 43	– / 23	–
35–69	143 / 547	55 / 316	23 years
70+	223 / 1164	137 / 1511	7 years
All ages	366 / 1754	192 / 1850	13 years



Deaths, by cause, attributed to SMOKING / total deaths in the year 2010

Cause	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
Lung Cancer	–/0	55/63	67/78	122/141	–/0	21/30	21/32	42/62
All Cancer	–/2	77/216 (36%)	97/334 (29%)	174/552	–/3	25/156 (16%)	28/302 (9%)	53/461
Vascular	–/1	42/136	62/436	104/573	–/0	13/51	56/636	69/687
Respiratory	–/0	10/20	47/115	57/135	–/0	11/19	36/128	47/147
All Other	–/37	14/173	17/281	31/491	–/16	6/88	17/444	23/548
All Causes	–/43	143/547 (26%)	223/1164 (19%)	366/1754	–/23	55/316 (17%)	137/1511 (9%)	192/1850

Cancer deaths, and all deaths, attributed to SMOKING / total deaths in the year 2010


Cause	Male	Female	Male + Female
All Cancer	174 / 552 (32%)	53 / 461 (11%)	227 / 1013 (22%)
All Causes	366 / 1754 (21%)	192 / 1850 (10%)	558 / 3604 (15%)

1965-2015: LUXEMBOURG

Population risk of dying at ages 0–34**Population risk of a 35-year-old dying at ages 35–69 from smoking (shaded) or from any cause (shaded and white)****MALE**

*eg, at year 2010 male death rates, out of 100 men aged 35, 19 would die before age 70 (with 5 of these deaths attributed to smoking)

Note: Most of those killed by smoking would otherwise have survived beyond age 70, but a minority (shaded area to right of dotted line) would have died by 70 anyway

FEMALE

Real risk too low to estimate reliably

LUXEMBOURG: 1960-2015***Relative importance of deaths in MIDDLE age (35–69), 2015 projections***

Age range (years)	Deaths attributed to SMOKING /total deaths		Mean years lost PER DEATH FROM SMOKING
	Male	Female	
0–34	– / 36	– / 21	–
35–69	117 / 529	59 / 326	24 years
70+	188 / 1223	151 / 1488	7 years
All ages	305 / 1788	210 / 1835	13 years

Numbers of deaths attributed to smoking / total deaths

Year	Male (by age)				Female (by age)			
	0–34	35–69	70+	All	0–34	35–69	70+	All
1955
1965	–/169	496/1064 (47%)	214/1052 (20%)	710/2285	–/103	0/614	0/1092	0/1809
1975	–/145	459/995 (46%)	347/1185 (29%)	806/2325	–/62	3/555	0/1342	3/1959
1985	–/116	355/774 (46%)	399/1215 (33%)	754/2105	–/57	41/424	0/1498	41/1979
1995	–/102	290/729 (40%)	315/1071 (29%)	605/1902	–/49	47/374	78/1464 (5%)	125/1887
2005	–/58	184/594 (31%)	263/1117 (24%)	447/1769	–/27	61/321	138/1510 (9%)	199/1858
2015 proj.	–/36	117/529 (22%)	188/1223 (15%)	305/1788	–/21	59/326 (18%)	151/1488 (10%)	210/1835





60-year total (thousands), decade of 1960s to decade of 2010s (1960–2020*): 42 / 235

*Estimated as 10 times the sum of the annual numbers for 1965, 1975, 1985, 1995, 2005 and 2015

1960–2020, by age & sex:


–/6.3	19/47 (41%)	17/69 (25%)	36/122	–/3.2	2.1/26 (8%)	3.7/84 (4%)	5.8/113
-------	-----------------------	-----------------------	--------	-------	-----------------------	-----------------------	---------

1965-2015: LUXEMBOURG



LUXEMBOURG: 1965-2015

ALL-CAUSE mortality rates attributed and not attributed to smoking




[†] Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	Attributed to smoking?	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
		0-34		35-69		70-79		0-34		35-69		70-79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	
1955	
1960	
1965	-	1.96	7.99	9.38		19.4	67.7	-	1.23	0.00	8.91	0.00	57.5
1970	-	1.81	8.07	9.20		21.8	63.3	-	1.08	0.28	8.32	0.41	58.7
1975	-	1.66	7.57	8.67		27.5	60.0	-	0.78	0.04	7.75	0.00	54.6
1980	-	1.45	6.72	7.87		24.1	54.4	-	0.81	0.29	6.62	1.16	45.1
1985	-	1.24	6.02	7.07		26.5	48.8	-	0.66	0.60	5.50	0.00	41.3
1990	-	1.22	4.88	6.37		21.1	44.3	-	0.53	0.63	4.86	1.56	33.3
1995	-	0.97	4.02	5.82		19.5	40.1	-	0.50	0.60	4.13	2.66	27.9
2000	-	0.74	2.99	5.42		14.3	34.1	-	0.33	0.64	3.53	2.05	25.8
2005	-	0.55	2.27	4.85		11.3	30.6	-	0.27	0.76	3.06	2.82	21.7
2010	-	0.37	1.58	4.29		7.72	26.3	-	0.21	0.63	2.75	2.06	18.4
2015	-	0.28	1.10	3.75		5.06	22.5	-	0.17	0.57	2.44	1.70	15.5

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1965-2015: LUXEMBOURG


ALL CANCER mortality rates attributed and not attributed to smoking



[†] Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	Attributed to smoking?	MALE cancer mortality (annual rate/1000, by age)						FEMALE cancer mortality (annual rate/1000, by age)					
		0-34		35-69		70-79		0-34		35-69		70-79	
		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	
1955	
1960	
1965	-	0.10		2.34	2.03	5.45	11.6	-	0.08	0.00	2.76	0.00	9.87
1970	-	0.08		2.62	2.21	6.55	11.0	-	0.09	0.04	2.50	0.00	9.97
1975	-	0.09		2.48	2.01	9.03	12.3	-	0.05	0.00	2.54	0.00	8.89
1980	-	0.08		2.53	1.93	8.60	11.4	-	0.06	0.07	2.51	0.20	9.12
1985	-	0.06		2.37	1.97	9.97	11.6	-	0.04	0.14	2.23	0.00	8.91
1990	-	0.06		2.17	1.91	7.72	10.4	-	0.03	0.21	2.15	0.28	8.02
1995	-	0.06		1.86	1.78	7.77	10.0	-	0.05	0.19	1.99	0.61	7.58
2000	-	0.04		1.38	1.62	6.32	9.27	-	0.02	0.23	1.60	0.57	7.69
2005	-	0.04		1.12	1.52	5.34	8.50	-	0.03	0.29	1.37	0.85	6.40
2010	-	0.02		0.87	1.52	4.00	8.16	-	0.02	0.28	1.40	0.69	6.31
2015	-	0.03		0.67	1.54	2.86	7.89	-	0.04	0.28	1.42	0.55	6.20


0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

LUXEMBOURG: 1965-2013**Mortality* trends at selected ages: 35-39, 55-59 & 75-79**

* Annual mortality per 1000: averages of years available in 1965-69,...,2005-09; then 4-year average 2010-13

1965-2013: LUXEMBOURG

Mortality* trends at selected ages: 35-39, 55-59 & 75-79



* Annual mortality per 1000: averages of years available in 1965-69,...,2005-09; then 4-year average 2010-13